

LED BATHROOM LIGHTING 2018

QUALITY / DESIGN / INNOVATION

sensio[®]
furniture lighting solutions





Contents

Why Sensio...

06	Our values
08	Planning a bathroom lighting scheme
11	Product features

Our product range...

12	LED Ceiling Lighting
17	LED Over Mirror/Wall Lighting
27	LED Cabinet Lighting
34	LED Mood Lighting
40	LED Pendant Lighting
44	Decorative LED Ceiling Lighting
50	Accessories
54	LED Illuminated Mirrors
82	Product Index

Bathroom lighting regulations...

80	Bathroom Zones
81	IP Ratings

'The only place for all your bathroom lighting needs'

The bathroom is undoubtedly one of the most important rooms in your home. However have you ever really thought about how you could transform how you use your bathroom every day just by adding lighting? Your bathroom should be a place to relax and recharge. Lighting is the one design element which can take your bathroom from a space that is perfect for getting ready in the morning to a space that helps you unwind at the end of the day.

An ideal bathroom lighting scheme is designed in a series of layers;

Firstly, essential task lighting, designed to provide the illumination needed for those everyday bathroom routines such as brushing your teeth, shaving or applying make-up. Introducing adequate task lighting will make the biggest difference.

Secondly, incorporating additional light sources in the room will enhance the ambience. Not only does this add dimension and depth to your space but also creates a calming environment that will transform your bathroom into your own luxurious sanctuary.

Thirdly, inject your own personal style into your room, pushing the boundaries of what you thought was possible with our range of pendants and decorative lighting.

Our extensive product range features products of the latest styles and innovative designs, sure to cover all bases; from the essentials, the little extras and the absolute luxuries. Create the boutique hotel feel in your own home.

We are ISO 9001:2015 accredited and offer a strong support structure to ensure there are no obstacles in the way of ensuring you achieve your dream bathroom space. Let us inspire you with our range of products and design ideas to help take your bathroom from the ordinary, to the extraordinary.



MICHAEL LINSKY
DIRECTOR



Our values...

QUALITY THROUGHOUT

We pride ourselves on offering superior quality products, using the best components and materials to guarantee long-life performance, high light output and enhanced durability. To reflect the high quality of our product portfolio, our bathroom products come complete with a 2 Year Guarantee for your peace of mind. We have also achieved ISO 9001: 2015 Quality Management Status, demonstrating our ability to meet both customer and applicable statutory and regulatory requirements.

DESIGN & INNOVATION

Design and development has always been at the heart of what we do. We don't just follow the trends - we help set them. We design and develop products in the UK, allowing us to put our expertise and industry knowledge to use, to ensure every detail is designed with sheer excellence and to the highest standard. Our extensive product range is constantly updated, enhanced and improved to ensure we stay at the forefront of our industry.

DEDICATED SUPPORT

We offer comprehensive training and advice to aid the creation of the perfect bathroom lighting design. Our dedicated customer service team are on hand to assist with any queries you may have and are only a phone call or email away. Our comprehensive website and brochures are also designed specifically to help you with all your lighting requirements and make it easy to choose the right products. With 15 years industry experience and our strong support structure, let us show you the Sensio way.

AWARD WINNING PRODUCT DESIGN




HOUSE BEAUTIFUL
BEST LIGHTING
SILVER AWARD
2016



INNOVATION AWARDS
EXCEL LONDON 2011





For more information visit www.sensio.co.uk 7

What to consider when choosing bathroom lighting...

1. LED Colour


When lighting a bathroom an important factor to consider is the colour of light and which option delivers the right amount of light to serve the purpose you need it to. Across our range of LED lighting products you will notice the LED colour option we provide to create the perfect lighting scheme.

Cool White LED


For most of the everyday tasks carried out in the bathroom cool white LED's are the best choice as they cast a bright, whiter light. Our illuminated mirrors and ceiling spot lights are available in this colour, providing bright illumination for shaving or applying make-up.

Warm White LED

Warm white LED's have a softer and warmer light and are a great choice for a comfortable and inviting bathroom. Our decorative ceiling and wall lights have integrated warm white LED's to create ambient lighting in the bathroom, producing a welcoming atmosphere where you can relax, unwind and let the day melt away.



Cool White
4500K - 6000K



Warm White
2500K - 3000K


2. Task Lighting

When lighting the bathroom the first thing to consider is task lighting. This is lighting for functional use and delivers the right amount of illumination for you to carry out your everyday bathroom tasks.

Ceiling lighting is the primary form of task lighting and is undoubtedly one of the most essential aspects of a bathroom lighting scheme. We provide standard recessed spotlight options or alternatively if you're looking for something a little more stylish, use our range of decorative ceiling lighting to create a stunning focal point.

Good quality light around the mirror is also important and opting for an illuminated mirror is a great way to introduce task lighting. Illuminated mirrors provide even illumination for those tasks where lighting your face is important and allow you to see yourself in the best possible light.


Wall lighting placed at either side of a vanity mirror is also a great task lighting solution. Wall lights, positioned at eye level for the ideal light direction and to avoid shadows along the face, offer great illumination for detailed tasks. Alternatively, our over mirror lights are another great option, use above a non-illuminated mirror to provide additional light.



3. Mood Lighting

At the end of the day your bathroom should be the place to relax and unwind from the stresses of the day and lighting is the perfect way to achieve this. Mood lighting provides a soothing level of light compared to the brightness of task lighting.



Consider introducing our IP67 rated plinth lights into your design. These can be set into the floor, vanity unit plinth or along the base of the bath to inject ambience and atmosphere in your bathroom as well as a striking focal point. Alternatively you could illuminate any niches or alcoves in the bathroom with our IP65 rated flexible strip.



4. Convenience Lighting

For inside bathroom cabinets we have a range of lighting solutions. Our chrome LED surface/recess light looks superb in the open shelving section of a tall cabinet, providing useful light and also injecting additional ambience into the room.

We also offer a range of rechargeable battery operated light fittings that can easily be retrofit into bathroom cabinets. Practical and incredibly simple to install, with no electrical installation, they instantly add a touch of luxury to your bathroom design. One popular option is to incorporate one of these fittings as a 'night light' with the integrated PIR sensor providing an automatically operated soft light so that you can use the bathroom safely in the middle of the night without being dazzled by other bright lights.



5. IP Ratings and Zones

Finally, the most important factor when choosing bathroom lighting is to ensure that the light fitting is suitable for use in the area of the bathroom that you wish to use it. This is classified according to the products IP rating. The higher the rating the greater the level of water ingress protection. Bathrooms have different zone areas and these determine what lighting can be used safely within that area. A minimum rating of IP44 is essential for lighting used within the outlined bathroom zones shown on page 80. Sensio have very strict safety regulations and all of our products are clearly labelled with their IP rating and zones of the bathroom they can be used in – helping you to choose bathroom lighting with confidence that you are doing so safely. For more information on IP ratings and bathroom zones see pages 80 & 81.



Sensio products for every bathroom...

- 12 Ceiling Lighting
- 17 Over Mirror Lighting
- 24 Wall Lighting
- 27 Cabinet Lighting
- 30 Rechargeable Cabinet Lighting
- 36 Plinth Lighting
- 37 Flexible Strip Lighting
- 38 Aluminium Profiles
- 40 Pendant Lighting
- 44 Decorative Ceiling Lighting
- 50 Accessories
- 54 Illuminated Mirrors



Keep a look out for these features...

We use product feature logos on each product page to give you a quick overview. Here's a key for these logos.



Bluetooth™

Look out for our mirrors that feature audio Bluetooth™ technology, meaning that you can play your favourite music or listen to the radio via Bluetooth™ connectivity in the bathroom.



Demister Pad

Many of our mirrors contain demister pads, which gently heat the surface of the mirror to keep it clear in steam filled bathrooms.



Touch Sensor

Some of our mirrors feature a smart touch sensor that allows you to easily switch your lights on and off with one simple touch.



Infrared Sensor

Some of our mirrors feature an infrared sensor meaning the lights can be switched on and off with the swipe of a hand - no touch needed.




Shaver Socket

Look out for mirrors that have a preinstalled shaver socket. These are hidden away discretely in some of our mirrors and are suitable for electric shavers and toothbrushes.




Rotation Ready

Some of our mirrors are rotatable, meaning that you can hang them either landscape or portrait.



IP Rated

All of our products comply with electrical equipment (safety) regulations and each of our bathroom products have been given an appropriate IP rating which is clearly stated on each page. For more information see page 81.



Zones

The IEE Wiring Regulations (17th Edition) have identified bathroom zones to indicate what type of electrical equipment can be installed. Each page states the zone that the product is safe for use in. For more information see page 80.



Fire Rated

Our fire rated ceiling lights have intumescent properties that restores the fire integrity of the ceiling area surrounding any cut out.



Voltage

Any product with a 240V rating is a mains powered product and does not require an LED driver. We also offer low voltage products listed as 350mA or 24V, for these please ensure you order the driver listed on the product page.



Retrofit Products

These products are simple to install as they require no electrical installation, making them ideal for adding to your bathroom design after installation has been completed.



COB LED Lighting

COB (Chip on Board) is one of the very latest LED technologies. COB products feature multiple, small LED chips packed together to form one lighting module. Benefits include enhanced efficiency, higher light output, longer lifespan and no visible individual LED diodes.

LED Ceiling Lighting



brighten things up

Ceiling lighting is the one element of a bathroom lighting scheme that is essential. Consider the overall style and size of the room to ensure you choose the best lighting solution for your bathroom design.

Sensio offer a range of IP rated spot lights, which allow you to tailor a solution perfect for you. All Sensio ceiling spot lighting is 240V so are simple to install.

Select the Sensio ceiling spot light option for you in 3 simple steps;

1. Choose from fire rated or non-fire rated fittings
2. Choose your finish; white, chrome or glass
3. Choose your LED lamp, selecting from cool white or warm white

IP65 GU10 Shower Light

FINISH:

chrome

white

LED COLOUR:

cool

warm

IP65

ZONES 1 & 2

240V

'the simplest way to inject task lighting'

- > GU10 fitting. Runs at 240V so no external transformer or driver is required.
- > Available in a choice of 2 finishes; white or chrome.
- > Choose the fitting you require in the desired finish, then select the LED lamp you'd like, choosing from cool white or warm white LED.
- > The LED lamp itself sits close to the glass for an increased beam angle.
- > This fitting is suitable for use above a shower cubical or bath.
- > IP65 rated fitting, suitable for use in zones 1 & 2 of the bathroom (see page 80 for zonal diagram).

* Lamp not included - purchase separately



Main image shows Chrome Shower Light

Code	Finish	Power Supply	IP Rating	Cut out
SE30014W0.1	White	240V	IP65	75mm
SE30022W0.1	Chrome	240V	IP65	75mm


Lamps

Code	Description	Wattage	LED Colour	Lumens
SE37105C0.1	GU10 Dimmable COB LED Lamp	5W	Cool White (6000K)	400 lm
SE37105W0.1	GU10 Dimmable COB LED Lamp	5W	Warm White (2500K)	310 lm

SE30014W0.1



SE30022W0.1



GU10 Dimmable COB LED Lamp



Subject to technical changes

IP65 GU10

Fire Rated Shower Light



'a small can height for lower level installation'

- > This fire rated fitting has intumescent properties to restore the fire integrity of the surface surrounding the cut out in the event of a fire.
- > This fitting has a 90 minute fire rating.
- > GU10 fitting. Runs at 240V so no external transformer or driver is required.
- > Available in a choice of 2 finishes; white or chrome.
- > Choose the fitting you require in the desired finish, then select the LED lamp you'd like, choosing from cool white or warm white LED.
- > The lamp itself sits close to the glass for an increased beam angle.
- > This fitting is suitable for use above a shower cubical or bath. This fitting can also be used in downstairs washrooms as well as upstairs installations.
- > IP65 rated fitting. Suitable for use in zones 1 & 2 of the bathroom (see page 80 for zonal diagram).

* Lamp not included - purchase separately



Code	Finish	Power Supply	IP Rating	Cut out
SE30034W0.1	White	240V	IP65	75mm
SE30042W0.1	Chrome	240V	IP65	75mm




Lamps

Code	Description	Wattage	LED Colour	Lumens
SE37105C0.1	GU10 Dimmable COB LED Lamp	5W	Cool White (6000K)	400 lm
SE37105W0.1	GU10 Dimmable COB LED Lamp	5W	Warm White (2500K)	310 lm

SE30034W0.1



SE30042W0.1



Cut-out size: Ø75mm

GU10 Dimmable COB LED Lamp



Subject to technical changes

For more information visit www.sensio.co.uk 15

Acorn/Fawn Glass Shower Light

FINISH:

chrome

glass

LED COLOUR:

cool

warm

IP55

ZONES 1 & 2

240V

'add a touch of luxury with glass shower lights'

- > GU10 fitting. Runs at 240V so no external transformer or driver is required.
- > Round & square fittings are available. The fitting features a stunning glass surround with a central chrome collar.
- > Choose the fitting you require in the desired shape, then select the LED lamp you'd like, choosing from warm white or cool white LED.
- > This fitting is suitable for use above a shower cubical or bath.
- > IP55 rated fitting. Suitable for use in zones 1 & 2 of the bathroom (see page 80 for zonal diagram).

* Lamp not included - purchase separately



Code	Shape	Product Name	Power Supply	IP Rating	Cut out
SE380010	Round	Acorn	240V	IP55	68mm
SE381010	Square	Fawn	240V	IP55	68mm

Lamps				
Code	Description	Wattage	LED Colour	Lumens
SE37105C0.1	GU10 Dimmable COB LED Lamp	5W	Cool White (6000K)	400 lm
SE37105W0.1	GU10 Dimmable COB LED Lamp	5W	Warm White (2500K)	310 lm

SE380010




Cut-out size: Ø68mm

SE381010



Cut-out size: Ø68mm



GU10 Dimmable COB LED Lamp



Subject to technical changes

LED Over Mirror/Wall Lighting



For more information visit www.sensio.co.uk 17

a high end finish

Our over mirror lighting range is specially designed to be positioned above a bathroom mirror or cabinet to offer additional light. These attractive fittings provide task lighting that makes those bathroom routines a little easier. A small detail that creates dramatic impact in your bathroom. Look out for our over mirror lights which feature COB LED technology that delivers the brightest light output and longest lifespan.

Introducing wall lighting is also great for achieving a flattering light. Use alongside a non-illuminated mirror. Although ceiling lights in the bathroom are great for lighting the entire room they aren't ideal for beauty and grooming tasks, with the lighting from above often creating shadows and lines on your face. Introducing task lighting beside a non-illuminated mirror can make all the difference. Specifying the right lighting for the bathroom can make everyday tasks easier, quicker and enhance your mood for the day ahead.

LED Over Mirror Lighting >

Neptune COB Over Mirror T-Bar Light



'optimum illumination of your mirror or cabinet'

- > This T-bar light is perfect for introducing additional task lighting into the bathroom. Use above a non-illuminated mirror or cabinet.
- > The 300mm head of the fitting ensures an even illumination across the cabinet or mirror front.
- > COB LED section with acrylic cover.
- > This product uses the latest energy efficient LED technology.
- > Available in both cool white and warm white LED, match with the LED colour of your ceiling lighting for a sleek finish.
- > Guaranteed to be a stunning focal point in any bathroom.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Lumens	Cable Length	Driver
SE34001C0	5W	Cool White (6000K)	450 lm	1m	■
SE34001W0	5W	Warm White (3000K)	450 lm	1m	■

Driver		
Code	Colour Code	Description
SE491050.1	■	12W 350mA IP44 Driver




SE34001C0



SE491050.1



IP44 rated connection



Subject to technical changes

For more information visit www.sensio.co.uk 19

Hydra

COB Over Mirror Light

FINISH:



chrome

LED COLOUR:



cool warm

IP44

LAMP LIFE:

30,000

hours

BEAM ANGLE:

120°

ZONE





2



350mA

'illumination exactly where you need it'

- > The tall curve of the Hydra creates task lighting exactly where you need it over the basin and mirror.
- > Alternatively, use over a tall cabinet as pictured.
- > COB LED section with acrylic cover.
- > The Hydra uses the latest energy efficient LED technology.
- > Available in both cool white and warm white LED, match with the LED colour of your ceiling lighting for a sleek finish.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Lumens	Cable Length	Driver
SE34201C0	3W	Cool White (6000K)	280 lm	1m	 
SE34201W0	3W	Warm White (3000K)	280 lm	1m	 

Driver		
Code	Colour Code	Description
SE490050.1		3W 350mA IP44 Driver
SE491050.1		12W 350mA IP44 Driver





Wave COB Over Mirror Light





'i'm discreet but bright'

- > The Wave is a small fitting to maintain a streamlined look in your bathroom, however, this COB LED fitting is extremely bright.
- > COB LED section with acrylic cover.
- > The Wave uses the latest energy efficient LED technology.
- > Available in both cool white and warm white LED, match with the LED colour of your ceiling lighting for a sleek finish.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).




Code	Wattage	LED Colour	Lumens	Cable Length	Driver
SE34101C0	3W	Cool White (6000K)	280 lm	1m	
SE34101W0	3W	Warm White (3000K)	280 lm	1m	

Driver		
Code	Colour Code	Description
SE490050.1		3W 350mA IP44 Driver
SE491050.1		12W 350mA IP44 Driver

Subject to technical changes

SE34101C0



For more information visit www.sensio.co.uk 21

Cascade

Curved Acrylic Over Mirror Light

FINISH:

chrome

clear acrylic

LED COLOUR:

cool

warm

IP44

LAMP LIFE:

30,000

hours

BEAM ANGLE:

120°

ZONE



2



350mA

'a stunning focal point for the modern design'

- > The stunning and unique design of the Cascade adds a touch of elegance to your bathroom, whilst introducing useful task lighting above a non-illuminated cabinet or mirror.
- > A great option for creating a stunning focal point in your bathroom.
- > Curved clear acrylic fitting with a diffused LED lighting effect and chrome base for a high end finish.
- > The Cascade uses the latest energy efficient LED technology.
- > Available in both cool white and warm white LED, match with the LED colour of your ceiling lighting for a sleek finish.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Lumens	Cable Length	Driver
SE34301C0	3W	Cool White (6000K)	280 lm	1m	
SE34301W0	3W	Warm White (3000K)	280 lm	1m	

Driver		
Code	Colour Code	Description
SE490050.1		3W 350mA IP44 Driver
SE491050.1		12W 350mA IP44 Driver

SE34301C0



LED Over Mirror Lighting >

Phoenix

Double LED Tube Wall Light




'hotel chic in your own home'

- > An elegant fitting with stylish chrome arm and double diffused white cylindrical tubes.
- > Mount the fitting above a non-illuminated mirror or cabinet for the perfect task light when applying make-up or shaving.
- > 2 x LED G9 Capsule lamps included - lifespan of 30,000 hours.
- > The 360° beam angle ensures light is cast from every angle of this fitting to provide useful task lighting and illumination to your bathroom.
- > Warm white LED's create a relaxing ambience.
- > A great addition to any bathroom lighting scheme.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Lumens	Cable Length
SE34091W0	7W	Warm White (3000K)	700 lm	N/A

SE34091W0 - On and Off





Subject to technical changes

For more information visit www.sensio.co.uk 23

Erin

Single LED Tube Wall Light




'create a high-end look
in an instant'

- > The Erin wall light features a chrome base with a frosted white cylindrical tube.
- > Simple, sleek design that will bring a touch of style to any bathroom.
- > The frosted glass around the light creates a diffused lighting effect and tranquil atmosphere.
- > Our designer suggests mounting one at either side of a vanity mirror to create a real focal point and boutique style in your bathroom.
- > The 360° beam angle ensures light is cast from every angle of this fitting to provide useful task lighting and illumination to your bathroom.
- > The G9 LED lamp included has a lifespan of 30,000 hours.
- > Warm white LED's create a relaxing ambience.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Lumens	Cable length
SE34191W0	3.5W	Warm White (3000K)	350 lm	N/A

SE34191W0 - On and Off



Madison

LED Up/Down Wall Light

FINISH:



chrome

LED COLOUR:



warm

IP44

LAMP LIFE:

30,000

hours

BEAM ANGLE:

120°

ZONE 2

240V

'add a touch of metallic luxe to your bathroom'

- > The Madison light fitting houses two diffused LED light sections per fitting, one top and one bottom.
- > The fitting features two frosted glass sections to emit a diffused LED lighting glow which casts up and down the wall.
- > Our designer suggests mounting one at either side of a vanity mirror to create a stunning feature.
- > The integrated LED's have a lifespan of 30,000 hours.
- > Warm white LED's create a relaxing ambience.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).




Code	Wattage	LED Colour	Lumens	Cable Length
SE34291W0	8W	Warm White (3000K)	540 lm	N/A

SE34291W0 - Top and Bottom of fitting



Infinity White LED Wall Light




'a unique style for a unique finish'

- > The modern Infinity wall light has a ceramic, satin white finish to compliment an array of bathroom interior styles and decors.
- > The fitting has an infinity symbol design with gentle curves which create a diffused illumination and a homogenous glow on the fitting's fascia.
- > 30 integrated warm white LED's create a comforting glow that brightens any space whilst adding dimension to the bathroom wall.
- > The LED's have a lifespan of 30,000 hours.
- > The Infinity fitting can be mounted horizontally or vertically.
- > The textured finish of this wall light adds depth to white walls for a minimalistic look. For a bolder look use this fitting on a strong wall colour as shown opposite.
- > Mount one at both sides of a vanity mirror to create a stunning feature.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Lumens	Cable Length
SE32009W0	6W	Warm White (3000K)	300 lm	1.2m

SE32009W0 - On and Off



LED Cabinet Lighting



For more information visit www.sensio.co.uk 27

Make life a little easier

Illuminate your bathroom cabinets for ultimate ease of use by introducing cabinet lighting. This is a beautiful extra that will bring a level of luxury to any bathroom design as well as making life a little easier; no more searching for bathroom products in the back of dark cabinets. Alternatively, they can be used as feature lighting to simply create atmosphere.

Need retrofit lighting? No problem. We offer a range of Rechargeable Lithium-ion Battery Lights that require no electrical installation so they can be installed by anyone and are ideal for retrofit installations. These fittings are perfect for use inside or underneath bathroom cabinets, with the integrated PIR sensor switching the light on/off as the door opens/closes. These fittings are extremely easy to maintain and only need recharging every 5 months on average (not to be recharged in-situ).

Orca

IP44 Recess/Surface Light

FINISH:



chrome

LED
COLOUR:

cool warm

IP44

LAMP LIFE:

35,000

hours

BEAM ANGLE:



60°

ZONE

2

'task lighting that creates atmosphere'

- > The Orca can be used to introduce useful task lighting into the bathroom.
- > Alternatively use this fitting as feature lighting to simply create atmosphere.
- > For mounting under or in cabinets.
- > Features a 1.5m cable and driver cable with an IP44 rated connector for protection against moisture ingress.
- > This fitting is supplied with a removable collar so it can be either recessed or surface mounted.
- > 24 integrated LED's provide optimum light output.
- > Available in both cool white and warm white LED, allowing you to harmoniously colour match all lighting in your bathroom design.
- > If more than one fitting is to be run from a single driver the Y-Splitter is required.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Qty	Lumens	Driver	Cable Length
SE9006HDCW	1.65W	Cool White (5000K)	1	71 lm		1.5m
SE9006HDCWK2	3.3W	Cool White (5000K)	2	71 lm	15W included	1.5m
SE9006HDCWK3	4.95W	Cool White (5000K)	3	71 lm	15W included	1.5m
SE9006HDWW	1.65W	Warm White (3000K)	1	66 lm		1.5m
SE9006HDWWK2	3.3W	Warm White (3000K)	2	66 lm	15W included	1.5m
SE9006HDWWK3	4.95W	Warm White (3000K)	3	66 lm	15W included	1.5m

Accessories

Code	Colour Code	Description
SE40560		IP44 15W Driver with IP44 Lead
SE10345		IP44 Y-Splitter
SE10346		IP44 1m Inter-Connecting Lead

Subject to technical changes

SE9006HDCW On and Off



SE40560




SE10345



SE10346

Cut-out size: Ø61mm




Y-Splitter diagram

For more information visit www.sensio.co.uk 29

Solus

Angled LED In Cabinet Spot Light



'so simple to install and maintain'

- > The versatile Solus angled round light is specifically designed for illuminating the interior of bathroom cabinets and is ideal for retro-fitting.
- > Contains a rechargeable Lithium-ion battery. No electrical installation required.
- > The product is cable free for ease of installation.
- > Rechargeable via a pluggable USB charger.
- > Features an integrated PIR sensor which automatically switches the light on/off when the bathroom cabinet door is opened/closed.
- > The detection range of the PIR is 2m so the fitting can be positioned as required inside the cabinet.
- > The battery life of the product is 5 months based on 2 minutes of use per day. The charging time is 3 hours on average.
- > The product also has an override on/off switch.
- > This product is IP20 rated so must be used outside zones 0, 1 and 2 of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Qty	LED Colour	Quantity	Lumens
SE20061C0	0.7W	14pcs	Cool White (4500K)	1	52 lm

Accessories

SE2007000	Pluggable USB Charger with 5m cable
-----------	-------------------------------------

Surface mounted with integrated PIR




Charging point & on/off switch




Rechargeable battery via USB Charger. Charge using the plug provided or via the USB cable (using a laptop for example).

Red indicator light shows that the unit is charging (not to be charged insitu when the fitting is used in a bathroom).



Mounting bracket included for installation

Mimas LED In Cabinet Light



'lighting just where you need it'

- > The versatile Mimas rectangular light is specifically designed for illuminating the interior of bathroom cabinets and is ideal for retro-fitting.
- > Contains a rechargeable Lithium-ion battery. No electrical installation required.
- > The product is cable free for ease of installation.
- > Rechargeable via a pluggable USB charger.
- > Features an integrated PIR sensor which automatically switches the light on/off when the bathroom cabinet door is opened/closed.
- > The detection range of the PIR is 2m, meaning the fitting can be positioned as required inside the cabinet.
- > The battery life of the product is 5 months based on 2 minutes of use per day. The charging time is 3 hours on average.
- > The product also has an override on/off switch.
- > This product is IP20 rated so must be used outside zones 0, 1 and 2 of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Qty	LED Colour	Qty	Lumens
SE20051C0	0.7W	14pcs	Cool White (4500K)	1	52 lm

Accessories


SE2007000	Pluggable USB Charger with 5m cable
-----------	-------------------------------------



SE2007000
Pluggable USB Charger
(purchase separately)

(Product not to be charged insitu when the fitting is used in a bathroom).


Charging point & on/off switch



Mounting bracket included for installation

Prisma

Rechargeable Tilttable LED Light



'angle the light as you need it'

- > This discreet adjustable light is perfect for illuminating the interior of bathroom cabinets and is ideal for retro-fitting. The tilttable LED centre allows you to angle the light as desired.
- > Contains a rechargeable Lithium-ion battery. No electrical installation required.
- > This product is cable free for ease of installation.
- > Rechargeable via a pluggable USB charger.
- > Features an integrated PIR sensor which automatically switches the light on/off when the cabinet door is opened/closed - this feature has been improved for enhanced efficiency to include an option where the PIR sensor will only activate when the surrounding area is dark.
- > The battery life of the product is 5 months based on 2 minutes of use per day. The charging time is 3 hours on average.
- > This product is IP20 rated so must be used outside zones 0, 1 and 2 of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Qty	LED Colour	Quantity	Lumens
SE20230W0.1	0.5W	8	Cool White (4500K)	1	57 lm

Accessories

SE2007000	Pluggable USB Charger with 5m cable
-----------	-------------------------------------

Switch to **Day/Night** - the PIR sensor will work whatever the surrounding lighting is.
Switch to **On** - the PIR sensor will only work when the surrounding light is dark.
Switch to **Off** - will turn off all the functions.

Surface mounted with integrated PIR



Charging point & On, Day/Night and Off switch.





Rechargeable battery via USB Charger.
Charge using the plug provided or via the USB cable (using a laptop for example).



SE2007000
Pluggable USB Charger
(purchase separately)

(Product not to be charged insitu when the fitting is used in a bathroom).




Mounting bracket included for installation

Subject to technical changes

Orion

Rechargeable LED Night Light



'illuminates the floor as motion is detected'

- > The versatile Orion light is perfect for fitting inside cabinets or under floating cabinets in the bathroom. Ideal for retro-fitting.
- > Contains a rechargeable Lithium-ion battery. No electrical installation required.
- > The product is cable free for ease of installation.
- > Rechargeable via a pluggable USB charger.
- > Features an integrated PIR sensor which automatically switches the light on/off when the bathroom cabinet door is opened/closed.
- > The detection range of the PIR is 2m, meaning that the fitting projects a beam of light across the floor when mounted under a floating cabinet, should you need to get up in the middle of the night.
- > The battery life of the product is 5 months based on 2 minutes of use per day. The charging time is 3 hours on average.
- > The product also has an override on/off switch.
- > This product is IP20 rated so must be used outside zones 0, 1 and 2 of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Qty	LED Colour	Quantity	Lumens
SE20292W0	0.5W	8pcs	Cool White (4500K)	1	57 lm

Accessories


SE2007000	Pluggable USB Charger with 5m cable
-----------	-------------------------------------

Charging point & on/off switch



SE2007000
Pluggable USB Charger
(purchase separately)

(Product not to be charged insitu when the fitting is used in a bathroom).



LED Mood Lighting



relax at the end of the day

Inject tranquility and create an aura of relaxation by introducing mood lighting into your bathroom. This lighting offers a much softer, soothing level of light compared with the brightness of task lighting. If you have niches or alcoves in your bathroom, illuminate them with an IP rated flexible strip. Alternatively, integrate plinth lights around the bath to create a relaxing ambience as well as a striking focal point. Mood lighting is also perfect for enhancing features to create a dramatic effect. Our range of mood lighting is all IP rated and can be used in all bathroom zones.


Nimbus

IP67 Round Plinth Light Kit



'mood lighting anywhere in the bathroom'


- > All components required are included in the pack (6 fittings and LED driver).
- > 2 x 500mm cables on each individual fitting. 1.5 metres of mains cable from the driver.
- > Quality stainless steel fittings.
- > The maximum walkover pressure is 100kg.
- > As well as using in the plinth, this fitting is also suitable for use in bath panels, ceramic tiles, natural stone, hard wood or Quartz flooring.
- > Cool white LED, an ideal plinth lighting option for the contemporary bathroom design.
- > Our designer suggests integrating these spotlights around the bath or shower area to create a focal feature.
- > Low energy consumption, each fitting runs at only 0.3W.
- > The maximum wattage load of the driver in this pack is 8W.
- > IP67 rated fittings suitable for use in all bathroom zones (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Qty	Lumens	Driver	Cable Length
SE35000C6	1.8W	Cool White (5500K)	6	21 lm	included	1m PF*

SE35000C6

*PF - Per Fitting



Cut-out size: Ø24mm

Lumo

IP65 Flexible Strip



'create stunning effects'

- > Introduce stunning mood lighting to your bathroom and create dramatic effects by enhancing features or main focal points.
- > This high output, IP65 rated flexible LED strip light is available in 1m and 2m lengths.
- > The product has 3M self-adhesive backing for accurate positioning of the strip. Please then use the rubber clips and screws provided with each flexible strip to securely fix in place.
- > The strip can be cut at 16.5mm intervals (every 6 LED's) indicated by scissor marks - the strip can only be cut once.
- > When the strip has been cut the end must be sealed using an end cap and silicone to maintain the IP integrity (one end cap provided with each fitting).
- > Our designer suggests placing flexible strips in niches in bathroom walls or cabinets to create a striking effect. If you have a floating vanity unit, use flexible strip beneath to add depth.
- > Available in both cool white and warm white LED, allowing you to harmoniously colour match all lighting in your bathroom design.
- > IP65 rated, suitable for use in zone 1 and 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Length	LED's	LED Colour	Lumens	Driver
SE30115C0	2.5W	1000mm	36	Cool White (5000K)	280 lm	■
SE30115W0	2.5W	1000mm	36	Warm White (3000K)	244 lm	■
SE30025C0	5W	2000mm	72	Cool White (5000K)	440 lm	■
SE30025W0	5W	2000mm	72	Warm White (3000K)	383 lm	■

Accessories

Code	Colour Code	Description
SE40560	■	IP44 15W Driver with IP44 Lead
SE10345		IP44 Y-Splitter
SE10346		IP44 Extension Lead

Subject to technical changes

SE30115C0



simply attach the driver lead....



...to the connector on the end of the flexible strip.




SE40560



SE10345



SE10346



If more than one Lumo strip is to be run from a single driver the SE10345 (Y-Splitter) accessory is required.

For more information visit www.sensio.co.uk 37

Linia

Recessed Aluminium Profile

FINISH:



aluminium

'flush fit for a sleek finish'

- > Use the Linia recessed aluminium profile with our IP rated flexible strip in the bathroom to provide a neat finish to your installation whilst offering additional protection.
- > The diffuser has been manufactured from more flexible material so it is much easier to install.
- > We have redesigned the Linia end caps to be round that protrude from the fitting to fill the gap in the furniture when cut with a router for a much neater finish – end caps and mounting brackets included with each profile.
- > The Linia and IP rated flexible strip can be cut to length making this an extremely versatile solution – perfect to meet bespoke sizes.
- > The Linia has been created in two sizes to work best for your requirements.
- > Our designer suggests using this profile in a niche for a flush fit and seamless finish within the surrounding area.
- > The aluminium lip either side of the fascia has been reduced for a more streamlined finish.



Code	Length	Driver	Cable Length
SE980120	1000mm	N/A	N/A
SE980220	2200mm	N/A	N/A

*Flexible Strip Lighting sold separately - see page 37

Accessories

Code	Description
SE980050	2 x End Caps for Recessed Profile
SE981050	2 x Mounting Brackets for Surface Mounted/Recessed Profile

The above specification will be available from February 2017.


Current specification:

- 1000mm and 2000mm length available

- Flat end caps

- Cut-out: Width: 18.5mm - 19mm
Depth: 6mm - 6.2mm

38 For more information visit www.sensio.co.uk



SE980120





End caps and mounting brackets included



SE980050



SE981050



(available from Feb 2017)

Subject to technical changes

Fino

Surface Mounted Profile

FINISH:



aluminium

'ensure a neat finish'

- > Use the Fino surface mounted profile with our IP rated flexible strip in the bathroom to provide a neat finish to your installation whilst offering additional protection.
- > The diffuser has been manufactured from more flexible material so it is much easier to install.
- > We have specially designed our end caps to tailor fit our flexible strip lighting for a perfect fit - end caps and mounting brackets included with the Fino.
- > The Fino and IP rated flexible strip can be cut to length making this an extremely versatile solution – perfect when you have bespoke sizes to meet.
- > Our designer suggests fitting Fino underneath wall mounted cabinets to create depth and dimension in the bathroom as well as a great focal point.



Code	Length	Driver	Cable Length
SE981120	1000mm	N/A	N/A
SE981220	2000mm	N/A	N/A

*Flexible Strip Lighting sold separately - see page 37

Accessories


Code	Description
SE982050	2 x End caps for Surface Mounted Profile
SE981050	2 x Mounting Brackets for Surface Mounted/Recessed Profile

The above specification will be available from February 2017.

Current Specification:

- Width: 17mm

- Depth: 8mm



SE981120





End caps and mounting brackets included



SE982050



SE981050



(available from Feb 2017)

Subject to technical changes

For more information visit www.sensio.co.uk 39

LED Pendant Lighting




the ultimate statement

Introducing pendant lighting into a bathroom is the ultimate style statement and is a great option if you have the space. No longer are pendants simply used in the kitchen or above dining tables. Our pendant lights are IP rated and therefore suitable for use in the bathroom and any other area in the home. Not only does a pendant light add visual sparkle to the bathroom but it also compliments the other lighting within the room. Use a statement pendant like Bellatrix over a free standing bath to inject a real 'wow' factor. Or cluster together the Zirconia single pendants in the corner over a countertop or over the bath to add an elegant, on-trend designer edge to your bathroom.

Zirconia

Crystal Cone Pendant Light



'a drop of style'

- > Cast a stunning display of light with this exquisite droplet pendant finished in chrome and complete with a clear base laced with floating crystals.
- > The LED's bounce and reflect light from the crystals to provide a sparkling light that cascades down.
- > The 24 integrated LED's have a lifespan of 30,000 hours.
- > Combine the pendant light with ceiling spotlights to provide both ambient and task lighting to your bathroom.
- > The pendant is suspended on a 920mm stainless steel cable which is adjustable so you can tailor the piece to fit according to your ceiling height.
- > This pendant looks stunning on its own or in a cluster with two or three fittings next to each other.
- > This pendant is also great for use in bedrooms, hallways and above a kitchen island or dining table.
- > This pendant is specifically designed for the bathroom and with an IP44 rating it is suitable for use in zone 2 areas (see page 80 for zonal diagram).



Code	LED Colour	Wattage	Lumens	Cable Length
SE32101W0	Warm White (3000K)	4.8W	330 lm	920mm


Design idea
Cluster 3 Zirconia pendants in the corner over a bathroom countertop to inject on-trend style into your bathroom design.



Chrome base of the fitting



Crystal segment of the pendant



Subject to technical changes

Bellatrix

Crushed Crystal Pendant Light



'the ultimate statement'

- > This amazing pendant light features a polished chrome finish with a beautiful crystal layer that sits on the bottom of the fitting.
- > The Bellatrix pendant has 972 integrated LED's that bounce light off the crystals to create a stunning sparkling light effect whilst providing superbly bright illumination.
- > The pendant is dimmable so you can adjust the brightness as required.
- > The integrated LED's have a lifespan of 30,000 hours.
- > The pendant is suspended on 1.1m stainless steel cables which are adjustable so you can tailor the piece to fit according to your ceiling height.
- > Create a stunning centre piece by suspending above your bathtub or in the centre of the room.
- > This pendant is also great for use in bedrooms, hallways and above a kitchen island or dining table.
- > This pendant is specifically designed for the bathroom environment and with an IP44 rating it is suitable for use in zone 2 areas (see page 80 for zonal diagram).




Code	LED Colour	Wattage	Lumens	Cable Length
SE32001W0	Warm White (3000K)	33.12W	2000 lm	1.1m

SE32001W0 - On and Off



Crystal segment of the pendant



Subject to technical changes

For more information visit www.sensio.co.uk 43

Decorative LED Ceiling Lighting



Feature Lighting

Bathroom ceiling lighting doesn't always mean recessed spotlights. You can choose a fitting that instantly brings more charm and appeal to the bathroom whilst still offering practical task lighting. Consider the overall style and size of the room to ensure you choose the best lighting solution. Our range of decorative LED ceiling light options are sure to create a stunning focal point and high-end look. The warm white LED colour of this range is also perfect for adding ambience and a comforting touch to your bathroom design.


Cora

Dome LED Ceiling Light




'a stunning focal point for any bathroom'

- > This stylish fitting features a chrome ceiling plate and frosted glass diffuser designed to provide superior illumination.
- > The simple and elegant design of the Cora is sure to make a strong style statement in any bathroom.
- > The 60 integrated LED's have a lifespan of 30,000 hours.
- > This fitting has a luminous efficacy of 87 lm/W making it exceptionally bright to provide perfect task lighting.
- > Warm white LED's create a relaxing ambience.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	LED Colour	Wattage	Lumens	Cable Length
SE62191W0	Warm White (3000K)	12W	1050 lm	N/A

SE62191W0 - On and Off



Hudson

Flat Round LED Ceiling Light

FINISH:



chrome

LED COLOUR:



warm

IP44

LAMP LIFE:

30,000

hours

BEAM ANGLE:

120°

ZONE 2

240V


'centre of attention'

- > Create practical and ambient bathroom lighting with this contemporary, flat round ceiling light with chrome surround and glass diffuser.
- > The wide beam angle and high light output make this fitting a practical yet attractive primary task light.
- > The 90 integrated LED's have a lifespan of 30,000 hours.
- > This fitting has a luminous efficacy of 86 lm/W making it exceptionally bright, the perfect task lighting solution.
- > Warm white LED's create a relaxing ambience.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).





Code	LED Colour	Wattage	Lumens	Cable Length
SE62291W0	Warm White (3000K)	18W	1550 lm	N/A

SE62291W0 - On and Off



Decorative LED Ceiling Lighting >

Astrid Single Adjustable LED Spotlight




'get some focus'

- > The adjustable spotlight means you can angle the light as you require - each fitting can be rotated 360°.
- > A perfect fitting for complementing contemporary surroundings.
- > The chrome fitting offers style whilst being durable enough to withstand the wet, heat and humidity of the bathroom.
- > Supplied with a warm white COB LED lamp which can be changed to a cool white option if required, select from page 14 -16.
- > The GU10 LED lamp included has a lifespan of 30,000 hours.
- > This fitting runs at only 5W for low energy consumption.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	LED Colour	Wattage	Lumens	Cable Length
SE62391W0	Warm White (3000K)	5W	480 lm	N/A

SE62391W0 - On and Off



Decorative LED Ceiling Lighting >

Astrid Cluster

Adjustable LED Spotlight Cluster

FINISH:



chrome

LED COLOUR:



warm

IP44

LAMP LIFE:

30,000

hours

BEAM ANGLE:



38°

ZONE

2

240V

'highlight your bathroom features'

- > A modern chrome lighting fixture that is perfect for a contemporary bathroom design.
- > Adjustable multi-angled spotlights allow you to highlight key focal points in the bathroom - each fitting can be rotated 360°.
- > Supplied with warm white COB LED lamps which can be changed to cool white options if required, select from page 14 -16.
- > The 3 GU10 LED lamps included in this fitting have a lifespan of 30,000 hours.
- > Each spotlight runs at 5W for low energy consumption.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	LED Colour	Wattage	Lumens	Cable Length
SE62491W0	Warm White (3000K)	15W	1440 lm	N/A

SE62491W0 - On and Off



Subject to technical changes

For more information visit www.sensio.co.uk 49

Accessories



it's all in the details

The perfect finish to any bathroom is in the finer details, so complete the look by adding the finishing touch with our practical yet stylish accessories. If you've found the perfect mirror but it doesn't have an integrated shaver socket, simply choose one from our range. If you need a little additional storage space, our glass LED shelf light is perfect to display your toiletries whilst also adding useful light.

Shaver Sockets

Dual Voltage Shaver and Toothbrush Sockets



'perfect addition
alongside your mirror'

- > Our dual voltage shaver and toothbrush socket is available in a chrome or white finish to best suit your bathroom design.
- > Both sockets have slim profiles, making this a very discreet fitting.
- > Compatible with both electric shavers and toothbrushes.
- > If you've found the perfect mirror but it doesn't have a shaver socket then choosing one of these is a great alternative.
- > Dual voltage: 115V & 230V.
- > A neat and practical accessory for any bathroom.
- > IP20 rated, suitable for use outside of zone 0, 1 and 2 areas of the bathroom (see page 80 for zonal diagram).




Code	Finish	Cable Length
SE3014200	Chrome	N/A
SE3013400	White	N/A

SE3014200

SE3013400

SE3014200


SE3013400



Florence


IP44 LED Glass Shelf Light

FINISH:



aluminium

LED COLOUR:



cool

IP44

LAMP LIFE:

20,000

hours

ZONE

2

240V



'add ambience and additional storage space'

- > The Florence has an aluminium frame containing a high power LED strip light. A pane of frosted glass slots into the frame and a diffused and subtle lighting effect is created.
- > High output, cool white LED strip integrated.
- > On/off switch integrated (located on the underside of the shelf – to the right hand side when fit).
- > LED driver built-in so no need to purchase and fit a separate driver.
- > The maximum weight load of the shelf is 3kg.
- > This fitting is perfect if you require additional storage space/illumination in close proximity to the basin. (The shelf must be fit a minimum of 0.6m away from the basin or bath/shower).
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	LED Colour	Length	Width	Cable Length
SE30156W0	12W	Cool White (4500K)	500mm	135mm	1m

SE30156W0



LED Illuminated Mirrors




make a statement

A mirror is an essential element in any bathroom as it is integral to the daily routine. Incorporate an illuminated mirror to provide the perfect lighting when getting ready in the morning whilst also making a design statement. Here at Sensio we offer an extensive range of illuminated LED mirrors in various styles and with a wealth of integrated features. Alternatively, our range of mirrored cabinets are perfect for adding style whilst maximising storage space. Whatever your needs, our collection is guaranteed to meet them. Choose from the latest features including touch sensors, colour changing LED technology and even enjoy your favourite music with our range of Audio Bluetooth™ mirrors. All of our illuminated mirrors are IP44 rated and really do have a beauty of their own that can truly reflect your individual style and enhance any bathroom design.

Ester LED Mirror

'sophisticated, slimline mirror with pull cord'

- > 48 high power LED's provide optimum illumination for everyday tasks such as shaving or make-up application.
- > This mirror features a simple and effortless design.
- > Ultra slim design makes this mirror a discrete yet stylish addition to any bathroom.
- > Easy to install.
- > Chrome pull cord to easily activate lights.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30456C0	3.36W	500mm	390mm	48	Cool White (6000K)	336 lm

SE30456C0



Pull Cord to activate LED's



Subject to technical changes

Isla

Battery Powered LED Mirror

LED COLOUR:

cool

IP44

BATTERY OPERATED:


RETROFIT


ZONE
2


'ultimate ease of installation'

- > This mirror has 48 integrated LED's and is sure to brighten up any bathroom.
- > A great option for retro-fitting.
- > This mirror is battery powered and requires 8 x AA batteries (not included).
- > The batteries in this product will last on average one year based on 10 minutes usage per day.
- > Also suitable for use with rechargeable batteries.
- > Anyone can easily install the mirror as no wiring or electrician is required.
- > Ideal if you want a mirror with a good light output but low power consumption and no impact on energy bills.
- > Ideal as an add on to a finished bathroom.
- > Rocker switch to activate lights.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30466C0	3.36W	500mm	390mm	48	Cool White (6000K)	336 lm


SE30466C0



Battery Powered



Rocker Switch to activate LED's



Subject to technical changes

For more information visit www.sensio.co.uk 57

Tula LED Mirror

'simple design, stunning effect'

- > 60 integrated LED's provide optimum light output for everyday tasks such as shaving or make-up application.
- > This stylish mirror comprises of a double row of natural white LED's on both sides for a simple yet stunning effect.
- > Chrome pull cord to easily activate lights.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).




Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30486C0	4.2W	600mm	500mm	60	Cool White (6000K)	420 lm

SE30486C0



Pull Cord to activate LED's



Subject to technical changes

Albany LED Mirror



'slim mirror with a beautiful, subtle glow'

- > 60 integrated LED's provide perfect illumination for everyday tasks such as shaving or make-up application.
- > The mirror's modern design is sure to add a dash of style to any bathroom.
- > Chrome pull cord to easily activate lights.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30496C0	4.2W	700mm	500mm	60	Cool White (6000K)	420 lm

SE30496C0



Pull Cord to activate LED's



Ava

Battery Operated LED Mirror




'no wiring required'

- > 60 integrated high powered LED's for optimum light output.
- > A great option for retro-fitting.
- > This mirror is battery powered and requires 8 x AA batteries (not included).
- > The batteries in this product will last on average one year based on 10 minutes usage per day.
- > Also suitable for use with rechargeable batteries.
- > Anyone can easily install the mirror as no wiring or electrician is required.
- > Ideal if you want a mirror with good light output but low power consumption and no impact on energy bills.
- > Rocker switch to activate lights.
- > Ideal as an add on to a finished bathroom.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30506C0.1	4.2W	700mm	500mm	60	Cool White (6000K)	360 lm


SE30506C0.1



Battery Powered




Rocker Switch to activate LED's



Subject to technical changes

Orla

Round LED Mirror




'stunning centre piece with innovative features'

- > This mirror features a stylish border of 48 integrated LED's provide great illumination for everyday tasks and is sure to create a feature on any bathroom wall.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via infrared sensor.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).




Code	Wattage	Height	Depth	LED's	LED Colour	Lumens
SE30516C0	3.36W	500mm	40mm	48	Cool White (6000K)	336 lm

SE30516C0



Infrared Sensor to activate LED's



Skye LED Mirror



'elegance with optimum light output'

- > 60 integrated LED's provide optimum light output and illumination for everyday tasks such as shaving or make-up application.
- > This mirror features a simple yet elegant design that will add a touch of luxury to any bathroom.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via infrared sensor.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).




Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30536C0	4.2W	600mm	500mm	60	Cool White (6000K)	420 lm

SE30536C0



Infrared Sensor to activate LED's



Subject to technical changes

Kai LED Mirror

LED COLOUR:



IP44



ZONE
2

240V

'cover all of your needs with the Kai'

- > This stylish mirror features a row of 30 natural white LED's on both sides to give a good level of illumination.
- > This mirror is packed with features.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Full sized integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > Features a shaver socket suitable for electric shavers and toothbrushes.
- > The mirror is rotation ready so can be hung portrait or landscape.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30696C0.1	4.2W	700mm	500mm	60	Cool White (6000K)	360 lm

SE30696C0.1 - Landscape



SE30696C0.1 - Portrait



Infrared Sensor to activate LED's



Demister activated via Rocker Switch



Shaver Socket



Subject to technical changes

For more information visit www.sensio.co.uk 63

LED Illuminated Mirrors >

Serenity

Duo Backlit LED Mirror



'lighting to match your mood'

- > Duo LED Colour Technology lets you choose between warm white and cool white depending on your mood.
- > Backlit ambient LED lighting creates a stunning feature for any bathroom.
- > Serenity features an integrated memory function, remembering the LED colour last selected before the mirror was switched off.
- > Designer touch sensor switch on the mirror fascia allows easy activation of LED's.
- > The touch sensor illuminates blue when the LED's are switched on and red when they are switched off.
- > When the LED's are switched on simply hold your finger on the touch sensor to change the LED colour to your desired choice.
- > A perfect addition for both traditional and contemporary style bathrooms.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	Colour Temp.	Lumens
SE30716D0	8.3W	700mm	500mm	138	4100K - 6400K	675 lm


SE30716D0



Cool White



Warm White



Subject to technical changes

Nyla

LED Mirror with Glass Shelf



'perfect for adding a little extra storage space'

- > This mirror with 40 integrated LED's and external glass shelf is a great option if you lack storage space in your bathroom.
- > The shelf has a depth of 90mm.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Full sized integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > Features a shaver socket suitable for electric shavers and toothbrushes.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30566C0.1	2.8W	600mm	500mm	40	Natural White (4000K)	240 lm

SE30566C0.1




Infrared Sensor to activate LED's



Shaver Socket

Demister activated via Rocker Switch



Subject to technical changes

For more information visit www.sensio.co.uk 65

Sienna LED Mirror



'compact mirror with a lot packed in'

- > This mirror features a row of 24 natural white LED's on both sides for superb illumination.
- > This mirror's small size makes it perfect for brightening up a smaller bathroom or for use in cloakrooms.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Full sized integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > Features a shaver socket suitable for electric shavers and toothbrushes.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30556C0	7.68W	500mm	390mm	48	Natural White (4000K)	653 lm

SE30556C0



Infrared Sensor to activate LED's



Demister activated via Rocker Switch



Shaver Socket



Subject to technical changes

Bronte LED Mirror

LED COLOUR:



IP44



ZONE
2


240V

'extremely thin profile design'

- > 60 integrated LED's provide optimum light output.
- > The simple, sleek design of this mirror makes it a stunning addition to any bathroom.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Full sized integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > The mirror is rotation ready so can be hung portrait or landscape.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30576C0.1	4.2W	800mm	600mm	60	Cool White (6000K)	360 lm



SE30576C0.1 - Landscape




SE30576C0.1 - Portrait



Infrared Sensor to activate LED's



Demister activated via Rocker Switch




Subject to technical changes

For more information visit www.sensio.co.uk 67

LED Illuminated Mirrors >

Glimmer 500/900/1200 Dimmable LED Mirror



'stunning mirror in three sizes'

- > Diffused LED points. The very latest in LED technology.
- > The ambient glow surrounding the mirror makes this a stunning addition to any bathroom.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > The mirror can be hung portrait or landscape.
- > Dimmable LED border, adjust the brightness of the light as required.
- > Three widths available; 500mm, 900mm, 1200mm.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30726C0	14.58W	600mm	500mm	243	Cool White (6400K)	1090 lm
SE30736C0	20.34W	600mm	900mm	339	Cool White (6400K)	1500 lm
SE30746C0	24.65W	600mm	1200mm	411	Cool White (6400K)	1850 lm

SE30726C0 - Landscape

SE30736C0 - Landscape

SE30746C0 - Landscape



Infrared Sensor to activate LED's



Demister activated via Rocker Switch



Acrylic Diffuser




Subject to technical changes

68 For more information visit www.sensio.co.uk

Eden

Backlit LED Mirror



'add depth with this sleek backlit mirror'

- > This mirror's backlit ambient LED lighting is certain to add a designer touch to your bathroom.
- > At 900mm wide, Eden is a perfect addition for larger bathrooms.
- > Touch sensor switch on the mirror fascia allows the LED's and demister pad to be easily activated.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via touch switch.
- > This simple design makes it perfect for any bathroom scheme whether it's traditional or contemporary.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).




Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30756C0	10.44W	600mm	900mm	174	Cool White (6400K)	830 lm

SE30756C0



Touch Sensor Switch
to activate LED's



Lucia

Ambient Side-Lit LED Mirror



'discreet LED panels,
superior brightness'

- > Diffused LED points. The very latest in LED technology.
- > Ambient glow that illuminates both sides of the mirror.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > The large size of this mirror makes it the perfect addition to be used over a wide vanity unit. Fill the wall with this attractive feature mirror.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30766C0	11.16W	800mm	720mm	186	Cool White (6400K)	835 lm


SE30766C0



Infrared Sensor to activate LED's



Demister activated via
Rocker Switch



Subject to technical changes

Vermont

Diffused LED Mirror



'four key features packed into one mirror'


- > Diffused LED points. The very latest in LED technology.
- > Features an integrated infrared sensor which means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via infrared sensor.
- > Features a shaver socket suitable for electric shavers and toothbrushes.
- > The mirror can be hung portrait or landscape to suit your personal preference.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30776C0	14W	700mm	500mm	156	Natural White (4000K)	610 lm



SE30776C0 - Landscape



SE30776C0 - Portrait



Infrared Sensor to activate LED's



Shaver Socket



For more information visit www.sensio.co.uk 71

Subject to technical changes

LED Illuminated Mirrors >

Crono Digital Clock LED Mirror



'keep track of time whilst in the shower'

- > 60 integrated LED's provide optimum light output.
- > This innovative mirror lets you keep track of time in the bathroom using the integrated 24 hour digital clock.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > Features a shaver socket suitable for electric shavers and toothbrushes.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30646C0	9.6W	600mm	700mm	60	Natural White (4000K)	845 lm

SE30646C0



Infrared Sensor to activate LED's




Shaver Socket



Demister activated
via Rocker Switch



24 Hour Digital Clock



LED Illuminated Mirrors >

Apollo Bluetooth LED Mirror



'listen to music in the shower'

- > Full Bluetooth capability.
- > Play music or listen to the radio by connecting to a Bluetooth™ mobile device.
- > 60 integrated LED's provide optimum light output making this mirror both practical and innovative.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > Features a shaver socket suitable for electric shavers and toothbrushes.
- > Remote control included.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30656C0	9.6W	600mm	500mm	60	Natural White (4000K)	845 lm

SE30656C0



Infrared Sensor




Bluetooth™ Connectivity



Shaver Socket



Demister activated
via Rocker Switch



Subject to technical changes

For more information visit www.sensio.co.uk 73


Grace

Diffused LED Mirror




'continuous LED border for a striking effect'

- > Diffused LED points. The very latest in LED technology.
- > The clean lines and subtle curves of this mirror add a touch of style to any bathroom design.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via infrared sensor.
- > The mirror can be hung portrait or landscape to suit your personal preference.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30676C0	12.8W	800mm	600mm	80	Natural White (4000K)	1152 lm




SE30676C0 - Landscape



SE30676C0 - Portrait




Infrared Sensor to activate LED's



Subject to technical changes

Rae

Bluetooth Side-Lit LED Mirror



'play music through your mirror'

- > Full Bluetooth capability.
- > Play music or listen to the radio by connecting to a Bluetooth™ mobile device.
- > Built in waterproof, high quality, Meiloon branded speakers.
- > Diffused LED points. The very latest in LED technology.
- > Ambient glow that illuminates both sides of the mirror.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > A great addition if you want to add a little luxury to your bathroom.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30786C0	8.64W	600mm	800mm	144	Cool White (6400K)	690 lm

SE30786C0




Infrared Sensor to activate LED's




Bluetooth™ Connectivity



Demister activated via Rocker Switch



Finlay LED Mirror Cabinet



'add storage and task lighting with Finlay'

- > 60 LED's on both sides of this cabinet provide bright and even illumination.
- > The Finlay LED cabinet features a double-sided mirrored door, perfect for applying make-up and shaving when the cabinet door is both opened and closed.
- > Pull cord allows for easy activation of the LED's.
- > 2 adjustable glass shelves make this cabinet a great storage solution.
- > This cabinet is an attractive, practical solution for all your bathroom storage needs.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30826C0	4.2W	600mm	650mm	60	Natural White (4000K)	390 lm


SE30826C0 - Closed



SE30826C0 - Open



Double-sided mirrored door and 2 adjustable glass shelves.



Subject to technical changes

LED Illuminated Mirrors >


Belle

Dual-Lit LED Mirror Cabinet



'stunning design from every angle'

- > Diffused LED points. The very latest in LED technology.
- > Mirrored sides and mirrored internal door, this creates a look of elegance and sophistication from every angle of this cabinet.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > Features an internal shaver socket suitable for electric shavers and toothbrushes.
- > 3 adjustable glass shelves make the Belle a fantastic storage solution.
- > This cabinet features double-sided door illumination.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30796C0	9.54W	700mm	500mm	159	Cool White (6400K)	660 lm



Infrared Sensor to activate LED's



Shaver Socket


SE30796C0 - Closed



SE30796C0 - Open



Mirrored side panels, internal illuminated mirror and 3 glass shelves.



Subject to technical changes

For more information visit www.sensio.co.uk 77

LED Illuminated Mirrors >

Hadley Over/Under LED Cabinet



'stylish and contemporary storage solution'

- > The overhead LED lamp provides great illumination for make-up application and shaving, but is also dimmable to create mood lighting.
- > The integrated spot lights under the mirror create ambience in the bathroom whilst offering useful illumination over the sink.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Integrated demister pad ensures the mirror remains clear in steam filled bathrooms - activated via an independent rocker switch.
- > Features an internal shaver socket suitable for electric shavers and toothbrushes.
- > Soft close doors for quiet and gentle closure.
- > 3 adjustable glass shelves make this cabinet a great storage solution.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30806C0	2.88W	600mm	500mm	48	Cool White (6400K)	230 lm



Infrared Sensor to activate LED's



Demister activated via Rocker Switch



Shaver Socket



Overhead Lamp



Under Cabinet Lighting


SE30806C0 - Closed



SE30806C0 - Open



Hold your hand over the sensor to dim the lights up/down for both the overhead and under cabinet lighting.



Subject to technical changes

Aspen

Diffused Double LED Mirror Cabinet



'boost your bathroom's style and storage space'

- > Diffused LED points. The very latest in LED technology.
- > Double cabinet with double-sided mirrored doors.
- > Ambient illumination at both sides of the cabinet creates a striking effect.
- > Integrated infrared sensor means the lights can be switched on/off with the swipe of a hand; great for maintaining hygiene levels.
- > Features an internal shaver socket suitable for electric shavers and toothbrushes.
- > Soft close doors for quiet and gentle closure.
- > 3 large adjustable glass shelves make this perfect for storing your bathroom products.
- > IP44 rated, suitable for use in zone 2 areas of the bathroom (see page 80 for zonal diagram).



Code	Wattage	Height	Width	LED's	LED Colour	Lumens
SE30816C0	15.6W	700mm	700mm	78	Cool White (6400K)	1240 lm



Infrared Sensor to activate LED's




Shaver Socket


SE30816C0 - Closed



SE30816C0 - Open




Double-sided mirrored door and 3 adjustable glass shelves.



Bathroom Zones

Using electrical equipment in bathrooms or wet rooms has always needed care to ensure safety. The IEE Wiring Regulations (17th Edition) have identified particular zones within the bathroom to indicate what type of electrical equipment can be installed.



ZONE

0

Inside the bath or shower. Must have a minimum rating of IP67 and must be low voltage (12V max.)

1

225cm above the bath or shower. Minimum rating of IP44. If the fitting is 240V a 30ma RCD must also be used to protect the circuit in this zone.

















2

The area stretching to 60cm outside the bath or shower and 60cm from water outlet of sink. An IP rating of at least IP44 is required.

OUTSIDE ZONES - Anywhere outside zones 0, 1 & 2 where water jets are not used for cleaning purposes, the general rules of BS7671 apply.

IP Ratings

The IP (Ingress Protection) rating is a two digit code given to a piece of electrical apparatus that indicates the degree of protection its enclosure provides from dust, water and impact.

1st Digit Number	Protection Against Solid Objects	2nd Digit Number	Protection Against Liquids
0	 No Protection	0	 No Protection
1	 Protected against a solid object greater than 50mm (e.g. a hand)	1	 Protected against vertical falling drops of water e.g. condensation
2	 Protected against solid objects over 12mm (e.g. fingers)	2	 Protected against water drops at a 15 degree angle from the vertical
3	 Protected against solid objects over 2.5mm (e.g. tools)	3	 Protected against sprays to 60 degree angle from the vertical
4	 Protected against solid objects over 1mm (e.g. wire)	4	 Protected against sprays from any angle e.g. splashes of water
5	 Limited ingress of dust permitted (no harmful deposit)	5	 Protected against water jets from any direction
6	 Totally protected against the ingress of dust	6	 Protected against powerful water jets and heavy seas
		7	 Protected against immersion in water (up to 30 mins between 15cm & 1m)
		8	 Protected against long periods of immersion under pressure

IP65

Product Index

Ceiling Lighting

Product Code	Product Description	Page Number
SE30014W0.1	IP65 GU10 Shower Light - White	14
SE30022W0.1	IP65 GU10 Shower Light - Chrome	14
SE30034W0.1	IP65 GU10 Fire Rated Shower Light - White	15
SE30042W0.1	IP65 GU10 Fire Rated Shower Light - Chrome	15
SE37105C0.1	GU10 Dimmable COB LED Lamp - Cool White	14 - 16
SE37105W0.1	GU10 Dimmable COB LED Lamp - Warm White	14 - 16
SE380010	Acorn Round Glass Shower Light	16
SE381010	Fawn Square Glass Shower Light	16

Over Mirror Lighting

Product Code	Product Description	Page Number
SE34001C0	Neptune COB Over Mirror T-Bar Light - Cool White	19
SE34001W0	Neptune COB Over Mirror T-Bar Light - Warm White	19
SE34091W0	Phoenix Double Tube Wall Light	23
SE34101C0	Wave COB Over Mirror Light - Cool White	21
SE34101W0	Wave COB Over Mirror Light - Warm White	21
SE34201C0	Hydra COB Over Mirror Light - Cool White	20
SE34201W0	Hydra COB Over Mirror Light - Warm White	20
SE34301C0	Cascade COB Acrylic Over Mirror Light - Cool White	22
SE34301W0	Cascade COB Acrylic Over Mirror Light - Warm White	22

Wall Lighting

Product Code	Product Description	Page Number
SE32009W0	Infinity White LED Wall Light	26
SE34191W0	Erin Single LED Tube Wall Light	24
SE34291W0	Madison LED Up/Down Wall Light	25

Cabinet Lighting

Product Code	Product Description	Page Number
SE9006HDCW	Orca IP44 Recess/Surface Light - Cool White	29
SE9006HDWW	Orca IP44 Recess/Surface Light - Warm White	29
SE9006HDCWK2	Orca IP44 Recess/Surface Light - Cool White - 2 Pack	29
SE9006HDWWK2	Orca IP44 Recess/Surface Light - Warm White - 2 Pack	29
SE9006HDCWK3	Orca IP44 Recess/Surface Light - Cool White - 3 Pack	29
SE9006HDWWK3	Orca IP44 Recess/Surface Light - Warm White - 3 Pack	29

Rechargeable Cabinet Lighting

Product Code	Product Description	Page Number
SE20051C0	Mimas LED In Cabinet Light	31
SE20061C0	Solus Angled LED In Cabinet Spot Light	30
SE2007000	Pluggable USB Charger with 5m Cable	30 - 33
SE20230W0.1	Prisma Rechargeable Tilttable LED Light	32
SE20292W0	Orion Rechargeable LED Night Light	33

Plinth Lighting

Product Code	Product Description	Page Number
SE35000C6	Nimbus IP67 Round Plinth Light Kit	36

Flexible Strip Lighting

Product Code	Product Description	Page Number
SE10345	IP44 Y-Splitter	29, 37
SE10346	IP44 Extension Lead	29, 37
SE30025C0	Lumo 2000mm IP65 Flexible Strip - Cool White	37
SE30025W0	Lumo 2000mm IP65 Flexible Strip - Warm White	37
SE30115C0	Lumo 1000mm IP65 Flexible Strip - Cool White	37
SE30115W0	Lumo 1000mm IP65 Flexible Strip - Warm White	37

Product Index

Aluminium Profiles

Product Code	Product Description	Page Number
SE980050	2 x End Caps for Recessed Profile	38
SE980120	Linia Recessed Aluminium Profile - 1000mm	38
SE980220	Linia Recessed Aluminium Profile - 2200mm	38
SE981050	2 x Mounting Brackets for Surface Mounted/Recessed Profile	38, 39
SE981120	Fino Surface Mounted Aluminium Profile - 1000mm	39
SE981220	Fino Surface Mounted Aluminium Profile - 2000mm	39
SE982050	2 x End Caps for Surface Mounted Profile	39

Pendant Lighting

Product Code	Product Description	Page Number
SE32001W0	Bellatrix Crushed Crystal Pendant Light	43
SE32101W0	Zirconia Crystal Cone Pendant Light	42

Decorative Ceiling Lighting

Product Code	Product Description	Page Number
SE62191W0	Cora Dome LED Ceiling Light	46
SE62291W0	Hudson Flat Round LED Ceiling Light	47
SE62391W0	Astrid Single Adjustable LED Spotlight	48
SE62491W0	Astrid Cluster Adjustable LED Spotlight Cluster	49

Shaver Sockets

Product Code	Product Description	Page Number
SE3013400	White Dual Voltage Shaver and Toothbrush Socket	52
SE3014200	Chrome Dual Voltage Shaver and Toothbrush Socket	52

Shelf Lighting

Product Code	Product Description	Page Number
SE30156W0	Florence IP44 LED Glass Shelf Light	53

LED Illuminated Mirrors

Product Code	Product Description	Page Number
SE30456C0	Ester LED Mirror	56
SE30466C0	Isla Battery Powered LED Mirror	57
SE30486C0	Tula LED Mirror	58
SE30496C0	Albany LED Mirror	59
SE30506C0.1	Ava Battery Operated LED Mirror	60
SE30516C0	Orla Round LED Mirror	61
SE30536C0	Skye LED Mirror	62
SE30556C0	Sienna LED Mirror	66
SE30566C0.1	Nyla LED Mirror with Glass Shelf	65
SE30576C0.1	Bronte LED Mirror	67
SE30646C0	Crono Digital Clock LED Mirror	72
SE30656C0	Apollo Bluetooth LED Mirror	73
SE30676C0	Grace Diffused LED Mirror	74
SE30696C0.1	Kai LED Mirror	63
SE30716D0	Serenity Duo Backlit LED Mirror	64
SE30726C0	Glimmer 500 Dimmable LED Mirror	68
SE30736C0	Glimmer 900 Dimmable LED Mirror	68
SE30746C0	Glimmer 1200 Dimmable LED Mirror	68
SE30756C0	Eden Backlit LED Mirror	69
SE30766C0	Lucia Ambient Side-Lit LED Mirror	70
SE30776C0	Vermont Diffused LED Mirror	71
SE30786C0	Rae Bluetooth Side-Lit LED Mirror	75
SE30796C0	Belle Dual-Lit LED Mirror Cabinet	77
SE30806C0	Hadley Over/Under LED Cabinet	78
SE30816C0	Aspen Diffused Double LED Mirror Cabinet	79
SE30826C0	Finlay LED Mirror Cabinet	76


IP Rated Drivers

Product Code	Product Description	Page Number
SE40560	IP44 15W Driver with IP44 Lead	29, 37
SE490050.1	3W 350mA IP44 Driver	19 - 22
SE491050.1	12W 350mA IP44 Driver	19 - 22



Unit 7 Speedwell Road
Whitwood, Castleford
West Yorkshire
WF10 5PY

tel: +44 (0)845 0340 780
fax: +44 (0)845 0340 781
email: info@sensio.co.uk
web: www.sensio.co.uk



Desktop • Tablet • Mobile
www.sensio.co.uk

All technical information is correct at the time of print (June 2018) however is subject to change throughout the course of the year.

