

Corner Unit Solutions




LeMans II

- Min 85° door opening angle required
- Click Fix assembly saving time up to 40%
- Height adjustable shelves; does not need to be predetermined
- 25 kg per shelf (+25%)
- MFC Malibu Grey with ANTI SLIP
- Individual Set Packing
- ARENA Style or Silver finish
- Optional self closing dampener with SoftStopp




reddot design award




LeMans II Technical

Door Width	450 mm	500 mm	600 mm
A	900	1000	1000
B	≥ 500	≥ 500	≥ 500
C	411-418	461-468	561-568
D	16-19	16-19	16-19
E	≥ 60	≥ 60	≥ 60
F	≤ 450	≤ 500	≤ 600
G	≤ 65	≤ 65	≤ 65
H	600-750	600-750	600-750
J	≤ 25	≤ 25	≤ 25
K	≤ 70	≤ 70	≤ 70


LeMans II 450
Right Swivel



LeMans II 500
Right Swivel



LeMans II 600
Right Swivel



LeMans II - Order codes

Finish	Swivel	450 mm	500 mm	600 mm
ARENA Style	Left	KLE2450LAS	KLE2500LAS	KLE2600LAS
	Right	KLE2450RAS	KLE2500RAS	KLE2600RAS
Silver	Left	KLE2450LS	KLE2500LS	KLE2600LS
	Right	KLE2450RS	KLE2500RS	KLE2600RS
Self closing Dampener	Left	KLE2DL		
	Right	KLE2DR		

Corner Unit Solutions





LeMans Carousel

- Min 90° door opening angle required
- 20 kg weight capacity per shelf
- MFC Malibu Grey
- 400, 450, 500 and 600 mm
- Individual Set Packing
- ARENA Classic or Silver finish



reddot design award



Subject to technical modifications and changes to the range without notice