

AIR MATTERS COLLECTION 2021



 **FABER**
A I R M A T T E R S

LEAVING A NEW IMPRESSION IN THE AIR

At Faber, we are always looking for innovative technologies and solutions inspired by nature that respect the environment so that you can live in better harmony with the planet at home.



IMPROVING AIR SINCE 1955, TO MAKE THE WORLD A HAPPIER PLACE.

There's nothing we don't know about air at FABER. Our know-how in suction allowed us to invent the kitchen hood. Over the years we've moulded air into a thousand forms, just like steel, plexiglass, glass and wood. As if by magic, we've compressed it, made it disappear and reappear from nowhere. We've turned the kitchen hood into an object of design and a work of art.

We've given it smart functions as a light fitting, air conditioner and filter and even connected it to the future. Always quick to see how the world is changing, we're still innovating today, to make tomorrow's air even purer.

We use air technology in another way too: to improve people's wellbeing and their quality of life. Living with a FABER hood means feeling protected in your home and natural environment. It means the satisfaction of comfort and versatility, and improving with every day that passes.

FABER works to make your wishes come true, to let you breathe the air of your dreams.

Everybody has a world of their own and we want to make it a happy one.



1955

Faber Plast is founded.



1958

The first Plexiglas hood.

1986

NOVA

The first chimney hood.



1995

AXIA

The first T-shape hood.



1999

M@STER

The first smart hood.



2004

MATRIX

The first hood that hangs like a picture.



2008

KLIMA

The first air conditioning hood.



2010

F-LIGHT GENERATION

The first chandelier hoods.



2016

TALÌKA

The first totally vertical hood.



2018

GLOW

With Airplane Technology



2019

GALILEO

The first hob extractor in A+++



2020

K-AIR

The first touch screen connected hood with air quality sensor.



A VISION OF GLOBAL REACH

FABER has a lot in common with air... both are present all over the world. Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both.

INVESTING IN THE WORLD

Always growing, to serve more people.

THINKING LONG TERM

All-round competence: automation, robotics, IT, total quality.

INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.

HEADQUARTER

Fabriano - ITALY

COMMERCIAL OFFICE

Hudson - USA
Chambly - FRANCE
Istanbul - TURKEY
Mosca - RUSSIA
Pune - INDIA

PLANT

Sassoferrato - ITALY
Manisa - TURKEY
Villedieu-les-Poêles - FRANCE
Byske - SWEDEN
Kaluga - RUSSIA
Pune - INDIA
San Luis - ARGENTINA
San Luis Potosí - MEXICO



PEOPLE ARE OUR INSPIRATION

At Faber, we know how to look far but also very close. **We look at people because they are our inspiration.**

Their needs, desires and dreams are the basic principles for which **we strive to supply better and better answers, time after time.** Everyday actions in a kitchen, even the smallest ones, tell of a daily routine that is a matter of careful study for us so they can be simpler, safer and more spontaneous for you. Everything depends on **wellness** of the people.





SAFETY IS IN RELIABLE HANDS

Reliability is a constant characteristic of all FABER products. It becomes easier to appreciate with time, a certainty.

When everything is working as it should, home is a more relaxing place. And when the air is pure and clean, home becomes a place of true wellbeing. That's what reliability means to us: making life better for years to come.

RECORDS IN EXCELLENCE

- The first **ISO 9001** Quality Certification in the field of kitchen hoods.
- **SGS Certificate of Excellence n°001**: a worldwide first.
- Integrated Management System for Quality (**ISO 9001:2015**), Occupational Health and Safety (**OHSAS 18001**) and the Environment (**ISO 14001**) certified by SGS.
- Products conforming to the strictest safety requirements and to standards **EN 61591** and **EN 60704-3**, tested in an authorised in-house laboratory, certified and guaranteed by leading international bodies.


IMQ The Italian Quality Mark

SEMKO International Safety Certification by Intertek ETL

CCC The Chinese Quality Mark

CE The EU Safety Mark

UL The Quality Mark for the USA and Canada



DREAM

TRENDY, CONTEMPORARY, TECHNOLOGICAL.

A design that expresses distinctive aesthetics, care to detail and innovation to make you live the comfort of your kitchen environment as a new experience.

A hood equipped with the trendiest applications of the moment and the smartest features, such as a timer, remote control and connection to the home automation system.



EMOTION

TIMELESS, COMFORTABLE, VERSATILE.

The technology that makes the kitchen more welcoming, turning it into the heart of the house. Quiet, efficient and with a lower impact on the environment. A hood that knows how to excite with the presence of natural materials, such as wood, and warm colours. And it can create a laid-back atmosphere, hinting to tradition and packed with style.



SMILE

PRACTICAL, FUNCTIONAL, CURRENT

The simplicity that makes you love it and the ease of use that improves everyday life, with the certainty of constant and enduring reliability. A hood that is also easy to clean and that satisfies all practical requirements while being remarkably effective in neutralising fumes, vapours and odours in the kitchen, making the environment even more comfortable.

AIR TREATMENT



Bi-Air 33



C-Air 32



Heaven Air 34



K-Air 28



T-Air 29



V-Air 30

NEW

NEW

NEW

NEW

NEW

NEW



V-Air Flat 31

NEW

ASPIRATION HOB



Galileo Smart 38



Galileo 60 40

NEW



Galileo NG 42

NEW

WALL



Bella Comfort 71

NEW



Chloè 66



Chloè XL 68



Cocktail 62



Daisy Plus 60



Glam-Fit 57



Glam Fit Zero Drip 50

NEW



Glam Fit Zero Drip Plus 48

NEW



Glam-Light 58



Glam Light Zero Drip 51

NEW



Glam Light Zero Drip Plus 49

NEW



Grèxia 59

NEW



Nice 70



Onyx-T 63



Onyx-V 52



Ray 69



Soft Edge 46

NEW



Soft Slim 47

NEW



Solaris 78



Stilo Comfort 72

NEW



Stilo Glass Smart 73

NEW



Stilo Smart 74

NEW



Strip 76



Strip Smart 75

NEW



reddot award 2017 winner



Talisa 54



T-Dark 64

NEW



T-Light 65



Tweet 61



Twice 53



Vesta 77



Veil 56

CEILING ISLAND



Bella Comfort Island 90



Glassy Island 89



Heaven 2.0 84



Heaven 2.0 Flat 83



Heaven Compact 85



High-Light 81



Onyx-C 82



Skypad 2.0 86



Stilo Comfort Island 91

NEW



Stilo Glass Smart Island 93

NEW



T-Light Island 87



T-Shelf 81

NEW



Tratto Island 86

SUSPENDED



Beat 94

NEW



Belle 95

NEW



Celine 96

NEW



NEW

Glow 97



NEW

Odette 98

HOB



NEW

FBH32 107



NEW

FBH64 106



NEW

FCH64 105



NEW

FCH84 104



NEW

FCH95 102



NEW

FCH SLIM 94 103



HOO-B 100



HOO-B Glass 100

DOWNDRAFT



NEW

Fabula Plus 60 112



Fabula Plus 90 110

Built In



104 135



2104 134



2108 133



Flexa 131



NEW

Flexa Glass 129



NEW

Flexa Glass Lux 128



Flexa Hip 130



In-Light 114



In-Nova Comfort 119



In-Nova Premium 115



In-Nova Smart 121



Inca Lux 2.0 118



Inca Lux Glass 116



Inka Plus HC 122



Inka Smart C 124



Inka Smart HC 123



NEW

Inka Smart HCS 121



NEW

Maxima ECO 127



NEW

Maxima EV8 126



NEW

Maxima Touch 125



Omnia 132



Victory 2.0 117

Accessories 137

ADVANCED TECHNOLOGY FOR REAL LIFE BENEFITS.

FABER CLOUD



The exclusive Faber Cloud app can be used to monitor the air quality in your kitchen and adjust the main settings of your hood at any time, even from your mobile phone.

K-LINK



With the radio connection between the hood and Faber induction hob, the suction power is automatically adjusted according to the selected cooking level to optimise performance and avoid unnecessary waste.

AIR QUALITY SENSOR



Keep temperature, humidity percentage and the presence of volatile organic compounds under control in the domestic environment. The sensor automatically adjusts the suction power until perfect air quality is restored.

SIL & STILL



All hoods in the line-up already have a noise level at the maximum power of only 52 dB(A). The Eco Function can be activated by combining the effects of SIL & STILL TECHNOLOGY and the exclusive BRUSHLESS motor, for continuous 24-hour, energy-efficient air exchange in the surrounding environment, silently below 40 dB(A).

ZERO DRIP



Stop condensation! Zero Drip collects it in a frame preventing it from dripping onto the hob. Zero Drip Plus makes it evaporate thanks to the specially heated glass of the hood.

NAUTILUS




More power, less noise, superior comfort! Faber technology increases suction capacity by 30 m³/h, reduces noise and improves efficiency, always with minimal consumption.

ARIES



With the power of two brushless motors, Aries achieves a suction capacity of over 700 m³ abating noise by 9 dB(A). The superior, energy-saving and quiet performance of Aries puts vertical hoods in Class A.

BRUSHLESS



The brushless motor guarantees considerable energy saving coupled with high extraction efficacy. It is the most silent motor on the market and its performance remains stable in any usage condition.

WATERPROOF



Any liquid spilled during cooking flows directly into a suction grille and is collected in an automatically drained tray under the hood, small enough to leave space for a utensil drawer.

**POWER
MANAGEMENT**



Adjustable absorption setting on 4 power levels (KW). No more blackouts at home!

**FILTER
ALARM**



Filter saturation alarm: warns you when it is time to clean the anti-grease filter or substitute the anti-odour filter.

**ANTI
TOUCH**



Special smudge-proof materials for a perfectly clean hood and a surface without annoying stains.

**REAR
OUTLET**



The rear air outlet available with many FABER hoods allows fumes to be channelled to the rear instead of upwards. This eliminates the need for an upper duct, freeing up useful space above the hood.

**SOFT
TOUCH**



FENIX®, a high-tech material with unique characteristics. Soft and smooth to the touch, matt and smudge-proof surface.

**DELAY
30**



Automatic shutdown delay: you can postpone the motor shutdown to eliminate residual odours completely.

**PERIMETER
ASPIRATION**



25% less* perceived noise. Perimeter suction exploits the Venturi effect to accelerate the air flow through a narrow gap. The air slows down again once inside the hood for more efficient extraction.

*Equivalent to a reduction of 3 dB(A) according to EN 60704-3.

**HFH
FILTERING**



Capable of eliminating 95% of bad smells, the technology guarantees maximum effectiveness in activated carbon filtering. HFH technology makes the hood more efficient for air purification from all odours..

**REMOTE
BLOWER**



Available on many products, it allows you to install the motor away from the hood to reduce the noise in the kitchen. For acoustic comfort at the highest level.


**SELF
START**



A special sensor switches the hood on as soon as air temperature reaches 35°C.


A smart sensor activates your hood automatically whenever needed. Faber loves to make cooking easier and more enjoyable!

**AUTOMATIC
FUNCTION**




The hood will turn on at the most suitable speed automatically, adapting the extraction capacity to the maximum cooking level.

**HOUR
24**



Key 24: function which allows the hood to be switched on for 24 hours a day for air renewal with a level of noise that is imperceptible.

LED LIGHT



Thanks to the LED lighting you will have a brilliant light and excellent visibility over the entire cooking area, with a considerable energy saving.

LED LIGHT DIMMER



Dimmable light: at the touch of a button the light is dimmed down and can be left on for a long time with minimal energy consumption.

TOUCH CONTROL



Extremely comfortable, user-friendly Touch Slider controls.

SPEED I



Intensive speed: function which activates maximum aspiration for 6 minutes to meet special cooking needs.

TUNABLE WHITE



On some models, you can choose and vary the colour temperature of the light, from warmer (tending to yellow) to colder (tending to white).

REMOTE CONTROL



The new remote control is compatible with many Faber hoods. To adjust suction and special functions, such as the courtesy light, 24H, Up&Down and Steam Off features. Controlling your hood is easier than ever.

BOOST



Thanks to the Double Intensive Function. Even the most persistent cooking steam and smells are eliminated in just a few minutes.

LONG LIFE FILTER



Multi-layer filter, it guarantees a double filtration and an optimal air cleanliness, that lasts for up to 3 years and are dishwasher safe

HIGH EFFICIENCY



High-efficiency filter, it guarantees more than 80% filtration capacity of intake fumes and a duration of up to 6 months.





GREEN INNOVATION. THE FUTURE IS IN OUR HANDS

WE ALSO THINK ABOUT THE PLANET



Making sustainable choices is essential to respect the world we live in. Therefore, it is important to choose a hood that is energy-efficient. By developing solutions aimed at lower environmental impact and greater energy savings, Faber also takes care of the planet

LED LIGHT

All FABER hoods incorporate LED lighting technology. The LED units consume next to nothing and produce a pleasantly natural light that ensures perfect visibility without altering colours

HIGHER CLASS ENERGY


Today, Faber hoods are confirmed in the highest energy classes. They ensure superlative performance and minimum consumption of the suction motor, filtering system and lighting. The top-of-the-range Galileo hob extractor achieves excellence in Class A+++.





K-LINK TECHNOLOGY

AND THE HOOD ADJUSTS ITSELF AUTOMATICALLY



FREE HANDS IN THE KITCHEN. THANK YOU, FABER

The beauty of cooking is also that you can express yourself freely, without distractions. If you have an induction hob and a Faber cooker hood with K-LINK connection, just start cooking and the suction power of the hood automatically adjusts to the selected cooking level.

HOB AND HOOD DIALOGUE WITH EACH OTHER

Faber has created an intelligent connection between hob and hood, through an integrated system that works with radio waves. A simple gesture is all it takes to set the hood to automatic operation. The system is always active because the radio signal is never interrupted. At the same time, the perfect operation of the hood is guaranteed avoiding the waste of energy and excessive noise that you could have set the suction at a level too high compared to the produced fumes.



AUTOMATIC
ADJUSTMENT
OF THE HOOD
POWER TO
EXTRACT
VAPOURS AND
ODOURS.



The connection is always active even in the presence of dirt residues on the hob.



It can be controlled manually whenever you want.





CONDENSATION IS NO LONGER A PROBLEM

FABER ELIMINATES THE PROBLEM OF CONDENSATION

Eliminating condensation is essential to protect the wall unit where the hood is installed and to prevent drops of moisture from falling onto the hob. Faber has succeeded by creating special anti-condensation systems of total effectiveness.

ZERO DRIP

The Faber Zero Drip and Zero Drip Plus systems stop condensation after it has formed. The first one collects it in a groove preventing it from dripping onto the hob. The second makes it evaporate through contact with specially heated surfaces.






ZERO DRIP PLUS

Pressing a button on the glass part of the hood activates a heating resistor that makes the condensation evaporate completely.

Models with technology ZERO DRIP or ZERO DRIP PLUS



Glam Fit Zero Drip



Glam Fit Zero Drip Plus



Glam Light Zero Drip



Glam Light Zero Drip Plus



QUIETNESS THAT RESPECTS NATURE

THE FIRST COMFORT IS SILENCE

To make the kitchen a comfortable environment to live in, it is essential to have a hood that works making as little noise as possible, even at top power.

BRUSHLESS MOTOR


Faber is constantly looking for technologically advanced solutions and with this motor, it guarantees the best energy efficiency on the market.

SIL & STILL TECHNOLOGY

Based on the study of aerodynamic flows inside the hood and targeted sound insulation, this Faber technology reduces noise at top power to just 52 dB(A). By activating the Eco Function, it ensures continuous air exchange in the surrounding environment for 24 hours, silently and with minimum consumption below 40 dB(A) comparable to the quietness of a library.

REMOTE BLOWER

The noise of the hood can be minimised by moving the motor away.





NOISE OF JUST
52 DB(A) AT
TOP POWER

SIL & STILL



THE ECO
FUNCTION
ACTIVATES
CONTINUAL AIR
EXCHANGE IN
ULTRA-SILENT
MODE

THE SILENT PLEASURE OF A REMOTE MOTOR




REMOTE
BLOWER

REMOTE SUCTION KIT

The remote suction kit, with the utmost simplicity, makes it possible to move the hood motor away from the cooking area.

THE SILENCE INCREASES SIX METRES AWAY

With the Remote Suction Kit, the motor can be moved to another location of the house up to six metres away from the hood. Minimal noise and maximum comfort are ensured not only in the kitchen but also in the living area.






SOFT LINE REVOLUTIONISES DESIGN

Soft Line is the Faber range of hoods made with FENIX®, a high-tech material with unique characteristics. The matte, smudge-proof surface is soft to the touch and reflects very little light. It is non-porous to facilitate daily maintenance and cleaning.

FENIX® is a material with high resistance to scratches, abrasions, dry heat and acids. Its properties make it perfect for kitchens

Another characteristic is that it can self-heal surface micro-scratches.





The Faber Soft Line consists of a suspended hood F-light (Soft Cube) and two vertical wall-mounted hoods (Soft Edge e Soft Slim). They are all available with three FENIX® finishes: Grigio Londra, Bianco Kos or Nero Ingo.



SOFT CUBE



SOFT EDGE



SOFT SLIM



LESS CONSUMPTION, MORE EFFICIENCY

FLAT DESIGN AND MAXIMUM COMFORT


Completely flat vertical hoods, for an even more trendy ultra-slim design. This is achieved with the Faber diffusers that concentrate the maximum suction power and the best energy efficiency in just 15 cm.

NAUTILUS

The exclusive diffuser design naturally inspired by the golden ratio for superlative comfort and outstanding performance. Nautilus hoods are Ultra Thin, Low Energy consumption with Hi efficiency

ARIES

With the power of two brushless motors, Aries achieves performance with a suction capacity of over 700 m3 abating noise to 9 dB(A). The hoods with Aries technology are in Class A+.



Models with technology NAUTILUS and ARIES



Glam-Fit



Glam Fit Zero Drip



Glam Fit Zero Drip Plus



Soft Slim



Talika



HFH TECHNOLOGY

HIGH FILTERING NO BAD SMELLS



ONLY FABER HOODS ELIMINATE 95% OF ODOURS.

What's the most effective activated carbon filtration technology? It's called HFH, which stands for "HIGH FILTERING HOOD". And it's a FABER exclusive, of course. HFH improves hood performance by removing odours from the air almost totally.

A LARGER SURFACE AREA AND TWO LAYERS OF ULTRA-EFFICIENT FILTER MATERIAL.

Faber's potent HFH technology is based on a cylindrical filter design with a far larger surface area. It's twice as effective too, because it uses two high-efficiency filtration layers with different porosities and activated carbon concentrations. That's how the filter captures both large and small particles.

FABER MAKES THINGS EASIER...QUIETLY.

Unlike other activated carbon filter systems, HFH also reduces noise by around 3 dB(A). And the smart, cylindrical shape of the filter makes easy work of removing the dishwashercompatible filter material.



AIR TREATMENT SMART HOODS

HOODS CONNECTED TO YOUR WORLD

All hoods in the AIR TREATMENT by Faber range fit an Air Quality Sensor. This innovative device monitors the air and activates suction if it detects the presence of allergens, pollutants or odours. By storing data on the Faber cloud, via an app that can be downloaded to smartphones, you can monitor the air quality at home at any time, even remotely.

K-AIR WITH INTEGRATED MONITOR

K-Air is an intelligent vertical hood with a built-in 21" monitor that can be controlled directly via the touchscreen or app. The exclusive Sensor Air Quality keeps the temperature, the percentage of humidity and the presence of volatile organic compounds (VOC and VOC), Carbon Monoxide and Nitrogen dioxide and methane under control in the domestic environment. The sensor activates the hood as soon as pollution thresholds are exceeded, primarily in the space where you cook.



THE IDEAL SOLUTION FOR YOUR **SMART HOME**



**FREES INTERIORS OF ODOURS
AND POLLUTANTS**



**MONITORS HUMIDITY AND
TEMPERATURE AND IMPROVES
AIR QUALITY**



**CONNECTION TO YOUR
INTERNET BROWSER MAKES
YOUR FAVOURITE WEB PAGES
ACCESSIBLE ANYTIME**
(AVAILABLE ON K-AIR MODEL)



**THANKS TO THE FABER
CLOUD, YOU CAN ACCESS IT
FROM ANYWHERE AND CHECK
YOUR HOME ENVIRONMENT**



**ALL FUNCTIONS CAN ALSO BE
MANAGED VIA THE FABER APP**



**The exclusive App is designed
to monitor air quality in your
kitchen and manage the hood
remotely too, with simple and
intuitive functions.**

A RANGE THAT IS **ALWAYS CONNECTED**

AIR TREATMENT by Faber is a complete range comprised of vertical, ceiling, T-shape and built-in hood models. All the hoods are equipped with an Air Quality Sensor, connection to the Faber Cloud and can be controlled remotely via the App. In addition, the K-air model comes equipped with the exclusive 21.5 inch integrated monitor.



BI-AIR



C-AIR



IN-NOVA AIR



HEAVEN AIR



K-AIR



T-AIR



V-AIR



V-AIR FLAT

AIR TREATMENT

BI-AIR	33
C-AIR	32
HEAVEN AIR	34
K-AIR	28
T-AIR	29
V-AIR	30
V-AIR FLAT	31



FEATURES

Controls

Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

800 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Remote Control

F05RC2 €70

Recycling Diverter Black



F05HC1B €28

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	280	430	580	700
Pressure	420	480	520	530
Input	190	230	255	270
Noise dB(A)	52	59	66	70

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAHA90KSS	800 mm	Black Glass	€3,499



Optional



You can monitor the air quality at home at any time, even remotely



FEATURES

Controls

Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

800 mm

Energy Class

A+

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Remote Control

F05RC2 €70

Recycling Diverter Black


F05HC1B €28

PERFORMANCE


Speed	1	2	3	INT
Air m3/h	310	420	580	720
Pressure	440	500	540	550
Input	175	220	255	270
Noise dB(A)	52	56	62	65

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAVA80KBBG	800 mm	Black / light Brown Glass	€899



Optional



V-AIR FLAT [†]



FEATURES

Controls

Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

800 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF20 €30

Remote Control


F05RC2 €70

PERFORMANCE


Speed	1	2	3	INT
Air m3/h	190	250	400	570
Pressure	300	450	540	650
Input	100	115	120	125
Noise dB(A)	52	58	67	73

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAVAF80KBBG	800 mm	Black / light Brown Glass	€999



Optional





FEATURES

Controls

Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

220 x 90 mm

Width

900 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Remote Control

F05RC2 €70

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	290	400	560	700
Pressure	430	490	530	560
Input	190	230	255	270
Noise dB(A)	53	62	70	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FACA90KBBG	900 mm	Black / light Brown Glass	€1,599





FEATURES

Controls

Touch Controls

Lighting

LED Light Bar

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

520 / 700 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Remote Control

F05RC2 €70

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	290	420	580	670
Pressure	410	480	520	540
Input	190	230	255	270
Noise dB(A)	52	61	68	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABIA52KBBG	520 mm	Black / light Brown Glass	€899
FABIA70KBBG	700 mm	Black / light Brown Glass	€989





FEATURES

Controls

Electronic LED

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Remote Blower Kit


F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	290	400	560	700
Pressure	430	490	530	560
Input	190	230	255	270
Noise dB(A)	53	62	70	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAHA90KSS	900 mm	Stainless Steel	€1,549



Air Outlet adjustable in 4 positions



AIR QUALITY ALWAYS AT HAND

The only stainless steel ceiling hood model equipped with real-time air quality sensor, connected via app for superior functionality and air optimisation even in the most minimalist island kitchens.

ASPIRATION HOB

GALILEO SMART	38
GALILEO 60	40
GALILEO NG	42

GALILEO.

A simply brilliant hood



THE MOST EFFICIENT.
The pinnacle of aesthetic perfection with the integration of cooktop and hood in a single product for outstanding performance.



MAXIMUM SAFETY IN THE KITCHEN.
Waterproof technology guarantees operation and safety even in the event of liquids spilling onto the cooktop. They do not interfere with the cooking and are collected in a special compartment below.



THE MOST EFFECTIVE.

With its clever fluid-dynamic design, Galileo stands out for its high collection capacity of up to 6.6 metres per second. Even the most persistent cooking vapours and smells are eliminated in just a few minutes.



EASY TO USE.

The convenient and user-friendly touch slider controls allow you to adjust the cooking zones and the suction level with a simple action.



UNLEASH YOUR CREATIVITY.

The cooking zones can be activated in combined mode to use them together with the same level of power, ideal for cooking food in large pots.

EASY TO USE.

The cooktop surface is smooth and seamless allowing dirt to be removed in one simple step.



SPACE SAVING.

In the base cabinet Galileo has a smart drawer where you can easily storage cooking utensils.




USEFUL

The grease filter is extremely efficient and is also functional because it works as the first barrier and can collect up to 0.5 litres of liquid. It is easily removable and dishwasher-safe.


GALILEO SMART





STANDARD INSTALLATION



FLUSH FIT INSTALLATION



GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP



GALILEO SMART can be ducted out via the rear or to the sides, see page 140 for full ducting program

GALILEO SMART can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm
Code Nr: F01RGS100 €225





HOOD FEATURES

Finish	Black Glass / Cast Iron Grid
Controls	Touch Controls
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	220 x 55 mm
Energy Class	A++
Suction Speed	6.6 mps

HOOD PERFORMANCE

Speed	1	3	8	INT	BOOST
Air m3/h	245	350	505	550	700
Pressure	290	525	550	555	560
Input	35	65	130	140	220
Noise dB(A)	51	57	65	66	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGOS83BG	830 mm	Black Glass / Cast Iron Grid	€1,759



HOB FEATURES

Product Dimensions	830 x 520 mm
Induction Zone	4
	2100 - 3000 W Single 3000 - 3700 W Paired
Induction Zone Dimensions	Single 210 x 190 Bridge 210 x 390
Induction Technology	B4
Power	7400 w
Voltage	220 - 240 v
Frequency	50 / 60 hz

INDUCTION HOB FUNCTIONS


Induction Zone	4
Bridge Cooking	2
Power Settings (Stages)	9
Timer	1-59 mins
Booster	Yes
Auto Switch Off	Yes
Pause / Recall	Yes
Over temperature protection	Yes
Volatge Abnormality Protection	Yes
Container Detection System	Yes
Pot Detection	Yes
Power On Indicator	Yes
Child lock	Yes
Power Limitation	2800w / 3500w /4500w / Full

GALILEO 60




Launching Sep 2021



STANDARD INSTALLATION



GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP



FLUSH FIT INSTALLATION



GALILEO 60 can be ducted out via the rear or to the sides, see page 140 for full ducting program

GALILEO 60 can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm
Code Nr: F01RGS100 €225





HOOD FEATURES

Finish	Black Glass / Cast Iron Grid
Controls	Touch Controls
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	220 x 55 mm
Energy Class	A++
Suction Speed	6.6 mps

HOOD PERFORMANCE

Speed	1	3	6	9	BOOST
Air m3/h	230	310	451	500	630
Pressure	280	500	590	620	630
Input	40	60	100	125	220
Noise dB(A)	49	55	62	65	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGOS60BG	600 mm	Black Glass / Cast Iron Grid	€1,499



HOB FEATURES


Product Dimensions	600 x 520 mm
Induction Zone	4
2100 - 3000 W Single	
3000 - 3700 W Paired	
Induction Zone Dimensions	Single 210 x 190 Bridge 210 x 390
Induction Technology	B4
Power	7400 w
Voltage	220 - 240 v
Frequency	50 / 60 hz

INDUCTION HOB FUNCTIONS


Induction Zone	4
Bridge Cooking	2
Power Settings (Stages)	9
Timer	1-59 mins
Booster	Yes
Auto Switch Off	Yes
Pause / Recall	Yes
Over temperature protection	Yes
Volatge Abnormality Protection	Yes
Container Detection System	Yes
Pot Detection	Yes
Power On Indicator	Yes
Child lock	Yes
Power Limitation	2800w / 3500w /4500w / Full





STANDARD INSTALLATION



GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP




FLUSH FIT INSTALLATION



GALILEO SMART can be ducted out via the rear or to the sides, see page 140 for full ducting program

GALILEO NG can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm
Code Nr: F01RGS100 €225





HOOD FEATURES

Finish	Black Glass / Cast Iron Grid
Controls	Touch Slider Controls
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	220 x 90 mm
Energy Class	A+++
Suction Speed	6.6 mps

HOOD PERFORMANCE

Speed	1	3	8	INT	BOOST
Air m3/h	245	350	505	550	700
Pressure	290	525	550	555	560
Input	35	65	130	140	220
Noise dB(A)	51	57	65	66	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGON83BG	830 mm	Black Glass / Cast Iron Grid	€2,399



HOB FEATURES

Product Dimensions	830 x 520 mm
Induction Zone	4 2100 - 3700 W Single 4200 - 7400 W Paired
Induction Zone Dimensions	Single 230 x 210 Bridge 460 x 210
Induction Technology	G5
Power	7400 w
Voltage	220 - 240 v
Frequency	50 / 60 hz

INDUCTION HOB FUNCTIONS

Induction Zone	4
Bridge Cooking	2
Power Settings (Stages)	9
Timer	1-59 mins
Booster	Yes
Auto Switch Off	Yes
Pause / Recall	Yes
Over temperature protection	Yes
Volatge Abnormality Protection	Yes
Container Detection System	Yes
Pot Detection	Yes
Power On Indicator	Yes
Child lock	Yes

WALL

BELLA COMFORT	71	SOFT EDGE	46
CHLOÈ	66	SOFT SLIM	47
CHLOÈ XL	68	SOLARIS	78
COCKTAIL	62	STILO COMFORT	72
DAISY PLUS	60	STILO GLASS SMART	73
GLAM-FIT	57	STILO SMART	74
GLAM FIT ZERO DRIP	50	STRIP	76
GLAM FIT ZERO DRIP PLUS	48	STRIP SMART	75
GLAM-LIGHT	58	TALÌKA	54
GLAM LIGHT ZERO DRIP	51	T-DARK	64
GLAM LIGHT ZERO DRIP PLUS	49	T-LIGHT	65
GRÈXIA	59	TWEET	61
NICE	70	TWICE	53
ONYX-T	63	VESTA	77
ONYX-V	52	VEIL	56
RAY	69		



FEATURES

Controls

Touch Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF20 €30

Remote Control



F05RC2 €70

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	190	250	400	570
Pressure	300	450	540	650
Input	100	115	120	125
Noise dB(A)	52	58	67	73

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FASSV80BK	800 mm	FENIX Black Swallow	€899
FASSV80WH	800 mm	FENIX White Kos	€899
FASSV80GR	800 mm	FENIX Grey London	€899



GLAM FIT ZERO DRIP PLUS [†]



FEATURES

Controls

Touch Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

A

ACCESSORIES

Charcoal Filter



F01CF20 €30

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	180	270	390	530
Pressure	320	460	540	630
Input	100	110	115	125
Noise dB(A)	54	57	67	74

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGF80BGZDP	800 mm	Black Glass Matt	€1,029
FAGF80DBZDP	800 mm	Dusty Blue Glass Matt	€1,029
FAGF80SGZDP	800 mm	Sand Glass Matt	€1,029



Sand Glass Matt



Dusty Blue Glass Matt

GLAM LIGHT ZERO DRIP PLUS [†]

FEATURES

Controls

Touch Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Recycling Diverter

F05HC1B Black €28



F05HC1W White €28

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	300	410	560	690
Pressure	410	450	500	520
Input	190	230	255	270
Noise dB(A)	53	60	67	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGL80BGZDP	800 mm	Black Glass Matt	€999
FAGL80DBZDP	800 mm	Dusty Blue Glass Matt	€999
FAGL80SGZDP	800 mm	Sand Glass Matt	€999



Black Glass Matt



Dusty Blue Glass Matt

GLAM FIT ZERO DRIP[†]



FEATURES

Controls

Touch Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF20 €30




PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	180	270	390	530
Pressure	320	460	540	630
Input	100	110	115	125
Noise dB(A)	54	57	67	74



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGF80BGZD	800 mm	Black Glass Matt	€729
FAGF80DBZD	800 mm	Dusty Blue Glass Matt	€729
FAGF80SGZD	800 mm	Sand Glass Matt	€729



Sand Glass Matt



Dusty Blue Glass Matt

GLAM LIGHT ZERO DRIP[‡]

FEATURES

Controls

Touch Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58




PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	320	490	640	730
Pressure	340	450	480	520
Input	145	180	230	250
Noise dB(A)	53	63	68	71



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGL80BGZD	800 mm	Black Glass Matt	€679
FAGL80DBZD	800 mm	Dusty Blue Glass Matt	€679
FAGL80SGZD	800 mm	Sand Glass Matt	€679



Black Glass Matt



Dusty Blue Glass Matt



FEATURES

Controls

Squarcle Touch

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

A+

ACCESSORIES

Charcoal Filter

F01CF20 €30 x 2

Remote Control



F05RC2 €70

PERFORMANCE

Speed	1	2	3	INT	BOOST
Air m3/h	180	250	430	500	610
Pressure	220	290	500	510	540
Input	50	70	140	150	280
Noise dB(A)	40	45	57	61	66

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATW90BGSS	900 mm	Black Glass/Stainless Steel	€1,699
FATW90SSMB	900 mm	Stainless Steel/Matt Black	€1,699



Stainless Steel Matt Black



FEATURES

Controls

Squarcle Touch

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF20 €30

Remote Control



F05RC2 €70

PERFORMANCE

Speed	1	2	3	BOOST
Air m ³ /h	200	300	410	560
Pressure	360	470	560	650
Input	100	110	120	135
Noise dB(A)	51	59	66	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATA80DCON	800 mm	Dark Grey Concrete	€1,599
FATA80CT	800 mm	Cross Titanium	€1,599



Dark Grey Concrete



reddot award 2017 winner



FEATURES

Controls

Squarcle Touch

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF20 €30

Remote Control



F05RC2 €70

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	200	300	410	560
Pressure	360	470	560	650
Input	100	110	120	135
Noise dB(A)	51	59	66	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATA80DG	800 mm	Dark Grey Matt	€1,259
FATA80CO	800 mm	Copper	€1,599



Dark Grey Matt



reddot award 2017 winner



FEATURES

Controls

Electronic

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

A+

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Remote Blower Kit

F10RB01 €238



Optional Rear back outlet

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	410	570	700
Pressure	420	490	530	550
Input	190	230	255	270
Noise dB(A)	50	58	65	69

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAVL90W	900 mm	Matt White	€1,049
FAVL90B	900 mm	Matt Black	€1,049



Matt Black




FEATURES

Controls	Touch Control
Lighting	2 x LED
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	120 / 150 mm
Width	550 / 800 mm
Energy Class	A

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	190	250	400	570
Pressure	300	450	540	650
Input	100	115	120	125
Noise dB(A)	52	58	67	73




ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGF55BG	550 mm	Black Glass	€639
FAGF55WG	550 mm	White Glass	€639
FAGF80BG	800 mm	Black Glass	€679
FAGF80WG	800 mm	White Glass	€679

ACCESSORIES

Charcoal Filter	F01CF20 €30
------------------------	-------------



Glam Fit 55 cm
White Glass




FEATURES

Controls	Touch Control
Lighting	2 x LED
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	120 / 150 mm
Width	800 mm
Energy Class	A+

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	420	580	720
Pressure	440	500	540	550
Input	175	220	255	270
Noise dB(A)	52	56	62	65




ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGT80DGLG	800 mm	Dark Grey/Light Gret	€729
FAGT80WHT	800 mm	White Glass/Transparent	€729
FAGT80WG	800 mm	White Glass/Warm Grey	€729
FAGT80WGWG	800 mm	Warm Grey 1C/3C	€729

ACCESSORIES

Charcoal Filter	F01CF02 €43
Long Life Filter	F01CF02LL €100
High Performance Filter	F01CF02HP €58
Recycling Diverter	F05HC1B Black €28 F05HC1W White €28



Dark Grey/Light Grey ^T White/Transparent ^T



White/Warm Grey

Warm Grey1C/3C^T



FEATURES

Controls

Squarcle Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class


C

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	480	620	690
Pressure	340	430	470	480
Input	145	180	230	250
Noise dB(A)	53	64	69	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGX60DG	600 mm	Dark Grey Stone/Black	€519
FAGX60LG	600 mm	Light Grey Stone/S-Steel	€519
FAGX90DG	900 mm	Dark Grey Stone/Black	€559
FAGX90LG	900 mm	Light Grey Stone/S-Steel	€559



ACCESSORIES

Charcoal Filter


F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58



Grexia 60 cm
Light Grey Stone / Stainless Steel

DAISY-PLUS



FEATURES

Controls

Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

550 / 800 mm

Energy Class


A

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	310	420	580	720
Pressure	440	500	540	550
Input	175	220	255	270
Noise dB(A)	52	56	62	65

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FADA55BG	550 mm	Black Glass	€499
FADA55WG	550 mm	White Glass	€489
FADA80BG	800 mm	Black Glass	€559
FADA55WG	800 mm	White Glass	€559



ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter


F01CF02HP €58

Remote Blower Kit

F10RB01 €238

Recycling Diverter

F05HC1 S-Steel €34



Daisy 80 cm White Glass



FEATURES

Controls

Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width


550 / 800 mm

Energy Class

C

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	300	470	620	700
Pressure	340	440	480	500
Input	145	180	230	250
Noise dB(A)	53	63	68	71



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATW55WG	550 mm	White Glass	€449
FATW55BG	550 mm	Black Glass	€449
FATW80WG	800 mm	White Glass	€469
FATW80BG	800 mm	Black Glass	€469

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58


Remote Blower Kit

F10RB01 €238

Recycling Diverter

F05HC1B Black €28

F05HC1W White €28



Tweet 55 cm Black Glass

All retail prices include VAT at 23%
For technical information log onto www.fff.ie

⏱ = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice



FEATURES

Controls

Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Chimney

F03W290B Black €79



F03W846W White €79

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	310	480	630	720
Pressure	350	450	480	520
Input	145	180	230	250
Noise dB(A)	52	62	67	70

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FACO80WG	800 mm	White Glass	€639
FACO80BG	800 mm	Black Glass	€639



Cocktail 80 cm
Black Glass



FEATURES

Controls

Squarcle Touch Control

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

A++

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

Remote Control


F05RC2 €70

PERFORMANCE


Speed	1	2	3	INT	BOOST
Air m3/h	240	300	380	550	750
Pressure	360	400	450	460	500
Input	55	60	70	100	170
Noise dB(A)	45	50	52	63	68

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAOXT90BGSS	900 mm	Black Glass/Stainless Steel	€1,089



Optional





FEATURES

Controls

Touch Control

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

A+

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

Remote Control

F05RC2 €70

Remote Blower Kit


F10RB01 €238

PERFORMANCE


Speed	1	2	3	INT
Air m3/h	260	330	415	720
Pressure	380	430	470	530
Input	165	190	225	270
Noise dB(A)	53	57	61	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATD90BSS	900 mm	Black Stainless Steel	€879



Optional





FEATURES

Controls

Sqrале Electronic

Lighting

Perimeter LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

Remote Control



F05RC2 €70

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	290	420	580	690
Pressure	410	470	520	530
Input	190	230	255	270
Noise dB(A)	50	58	65	68

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATL90SS	900 mm	Stainless Steel	€1,249
FATL90MW	900 mm	Matt White	€1,449





FEATURES

Controls	Electronic LED
Lighting	LED
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	120 / 150 mm
Width	700 mm
Energy Class	A

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	420	590	700
Pressure	440	500	540	550
Input	190	230	255	270
Noise dB(A)	51	59	66	69


ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FACH700C	700 mm	Old Copper	€1,149
FACH700B	700 mm	Old Brass	€1,149
FACH700M	700 mm	Old Metal	€1,149



ACCESSORIES

Charcoal Filter	F01CF02 €43
Long Life Filter	F01CF02LL €100
High Performance Filter	F01CF02HP €58
Remote Blower Kit	F10RB01 €238
Optional Rear back outlet	



Old Brass



Old Metal



FEATURES


Controls	Electronic LED
Lighting	LED
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	120 / 150 mm
Width	700 mm
Energy Class	A

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	420	590	700
Pressure	440	500	540	550
Input	190	230	255	270
Noise dB(A)	51	59	66	69


ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FACH70CI	700 mm	Cast Iron	€1,279
FACH70DG	700 mm	Dark Matt Grey	€999
FACH70CG	700 mm	Country Matt Grey	€999



ACCESSORIES

Charcoal Filter	F01CF02 €43
Long Life Filter	F01CF02LL €100
High Performance Filter	F01CF02HP €58
Remote Blower Kit	F10RB01 €238
Optional Rear back outlet	



Country Matt Grey



Dark Matt Grey



FEATURES

Controls

Electromechanical Knob

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

1100 mm

Energy Class

C

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3
Air m ³ /h	280	420	570
Pressure	200	260	320
Input	90	105	140
Noise dB(A)	51	60	67

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FACHX110MG	1100 mm	Matt Country Grey	€729
FACHX110CI	1100 mm	Cast Iron	€729



Cast Iron

RAY



FEATURES

Controls

Squarcle Touch

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

C

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

HFH Filter Kit

F01HFH01 €323

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3
Air m ³ /h	220	300	420
Pressure	150	190	210
Input	85	95	115
Noise dB(A)	54	62	68

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FARA60SS	600 mm	Stainless Steel / Glass	€269
FARA90SS	900 mm	Stainless Steel / Glass	€289



BELLA COMFORT ^T



FEATURES

Controls

Squarcle Touch

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

Remote Blower Kit

F10RB01 €238

Remote Control


F05RC2 €70

PERFORMANCE


Speed	1	2	3	INT
Air m ³ /h	300	460	620	700
Pressure	330	430	490	500
Input	145	180	230	250
Noise dB(A)	52	62	69	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABC60SS	600 mm	Stainless Steel	€499
FABC90SS	900 mm	Stainless Steel	€539



Optional



STILO COMFORT



FEATURES

Controls

Squarcle Touch

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

HFH Filter Kit

F01HFH01 €323

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	310	470	610	690
Pressure	320	420	480	490
Input	145	180	230	250
Noise dB(A)	54	63	69	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FASC60SS	600 mm	Stainless Steel	€399
FASC60SS	900 mm	Stainless Steel	€419
FASC60MB	600 mm	Matt Black	€559
FASC90MB	900 mm	Matt Black	€579



STRIP SMART



FEATURES

Controls

Electronic

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF02 €43

High Performance Filter

F01CF02HP €58

Long Life Filter

F01CF02LL €100

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	320	500	650	740
Pressure	330	430	490	500
Input	145	180	230	250
Noise dB(A)	53	63	68	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FASS60SS	600 mm	Stainless Steel	€229
FASS90SS	900 mm	Stainless Steel	€259



STRIP



FEATURES

Controls

Electromechanical

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF02 €43

High Performance Filter

F01CF02HP €58

Long Life Filter

F01CF02LL €100

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3
Air m ³ /h	240	290	380
Pressure	165	200	220
Input	70	100	125
Noise dB(A)	53	57	64

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAST60SS	600 mm	Stainless Steel	€169
FAST90SS	900 mm	Stainless Steel	€189



VESTA



FEATURES

Controls

Electromechanical

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF08 €14

Long Life Filter

F01CF08LL €50


PERFORMANCE

Speed	1	2	3
Air m ³ /h	255	330	430
Pressure	260	290	300
Input	95	125	145
Noise dB(A)	58	62	67



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAVE60SS	600 mm	Stainless Steel	€135
FAVE90SS	900 mm	Stainless Steel	€145
FAVE60BK	600 mm	Black	€125
FAVE90BK	900 mm	Black	€135



Vesta 60 cm Black Finish

CEILING ISLAND

BELLA COMFORT ISLAND	90
GLASSY ISLAND	89
HEAVEN 2.0	84
HEAVEN 2.0 FLAT	83
HEAVEN COMPACT	85
HIGH-LIGHT	81
ONYX-C	82
SKYPAD	86
STILO COMFORT ISLAND	91
STILO GLASS SMART ISLAND	92
T-LIGHT ISLAND	87
T-SHELF	80
TRATTO ISLAND	88

T-SHELF



FEATURES

Controls

Rotative Controls

Lighting

2 LED Bar Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

1800 mm

Energy Class

C

ACCESSORIES

Charcoal Filter


F01CF01 €37

Long Life Filter

F01CF01LL €74


PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	300	460	610	700
Pressure	310	420	460	490
Input	145	180	230	250
Noise dB(A)	59	66	69	70



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATS180MT	1800 mm	Matt Titanium	€2,249
FATS180MB	1800 mm	Matt Black	€2,249





FEATURES

Controls

Electronic LED

Lighting

Perimeter LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

220 x 90 mm

Width

910 / 1210 mm

Energy Class

A+

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	165	350	490	700
Pressure	40	150	320	700
Input	10	30	65	145
Noise dB(A)	40	58	65	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAHI91SS	910 mm	Stainless Steel	€1,549
FAHI91WG	910 mm	White Matt	€1,649
FAHI91BG	910 mm	Black Matt	€1,899
FAHI121SS	1210 mm	Stainless Steel	€1,649
FAHI121WG	1210 mm	White Matt	€1,749
FAHI121BG	1210 mm	Black Matt	€1,999




ACCESSORIES

Long Life Filter

F01CF11LL €123 (910 mm)

F01CF12LL €160 (1210 mm)





FEATURES

- Controls**
SquarCLE Touch
- Lighting**
LED
- Grease Filter**
Cassettes Dishwasher Safe
- Ø of Air Outlet**
150 / 120 mm
- Width**
900 mm
- Energy Class**
A++

ACCESSORIES



- Charcoal Filter**
F01CF02 €43
- Long Life Filter**
F01CF02LL €100
- High Performance Filter**
F01CF02HP €58

PERFORMANCE

Speed	1	2	3	INT	BOOST
Air m3/h	230	320	430	600	780
Pressure	420	430	450	470	520
Input	60	70	75	90	170
Noise dB(A)	40	47	52	61	67

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAOXC90BGSS	900 mm	Black Glass / S-Steel	€1,749



YOUR KITCHEN'S SILENT GUARDIAN.

Look up and you'll appreciate its linear design, but otherwise Onyx-C blends into the background, and all you notice is the pure air.

Onyx-C incorporates FABER's exclusive SIL & STILL technology. This new technology includes an Eco button that activates an ultra-silent mode to bring your kitchen maximum comfort with minimum energy consumption. The button's green light is the sole proof the system is working. The silence is broken only by applause for the Faber technology that places the hood in energy efficiency class A++.

HEAVEN 2.0 FLAT



FEATURES

Controls

Electronic LED

Lighting

2 x LED (4 x LED S-Steel)

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

220 x 90 mm

Width

900 / 1200 mm

Energy Class

A+

ACCESSORIES

Long Life Filter

F01CF11LL €123 (910 mm)

F01CF12LL €160 (1210 mm)

PERFORMANCE


Speed	1	2	3	INT
Air m ³ /h	165	350	490	700
Pressure	40	150	320	700
Input	10	30	65	145
Noise dB(A)	40	58	65	72

ORDER CODES


Art. Nr.	Width	Finish	R.R.P
FAHEF90WG	900 mm	White Glass	€1,499
FAHEF90SS	900 mm	Stainless Steel	€1,099
FAHEF120SS	1200 mm	Stainless Steel	€1,199

ORDER CODES - K-LINK Version



Art. Nr.	Width	Finish	R.R.P
FAHEFK90WG	900 mm	White Glass	€1,779
FAHEFK90SS	900 mm	Stainless Steel	€1,399



Flat Glass



Flat S-Steel



Option



FEATURES

Controls

Electronic LED

Lighting

2 x LED (4 x LED S-Steel)

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 / 1200 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58

Remote Blower Kit

F10RB01 €238

PERFORMANCE


Speed	1	2	3	INT
Air m3/h	290	400	560	700
Pressure	430	490	530	560
Input	190	230	255	270
Noise dB(A)	53	62	70	72

ORDER CODES


Art. Nr.	Width	Finish	R.R.P
FAHE90WG	900 mm	White Glass	€1,459
FAHE90SS	900 mm	Stainless Steel	€1,059
FAHE120SS	1200 mm	Stainless Steel	€1,159

ORDER CODES - K-LINK Version

Art. Nr.	Width	Finish	R.R.P
FAHEK90SS	900 mm	Stainless Steel	€1,249



Air Outlet adjustable in 4 positions





FEATURES

Controls	Electronic LED
Lighting	2 x LED
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	150 / 120 mm
Width	900 mm
Energy Class	C

ACCESSORIES



Charcoal Filter	F01CF02 €43
Long Life Filter	F01CF02LL 100
High Performance Filter	F01CF02HP €58
Remote Blower Kit	F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	460	580	640
Pressure	360	440	500	510
Input	145	180	230	250
Noise dB(A)	53	63	68	70

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAHC90SSWG	900 mm	Stainless Steel/White Glass	€999



Air Outlet adjustable in 4 positions



FEATURES

- Controls**
Electronic LED

- Lighting**
2 x LED

- Grease Filter**
Cassettes Dishwasher Safe

- Ø of Air Outlet**
-

- Width**
1200 mm


- Motors**
2

PERFORMANCE


Speed	1	2	3	INT
Air m3/h	440	600	780	850
Pressure (1)	-	-	-	-
Input	60	90	140	180
Noise dB(A)	57	64	70	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FASK120SSWG	1200 mm	Stainless Steel/White Glass	€1,749



ACCESSORIES



* No energy data as SkyPad only works in recycle mode



FEATURES

Controls

Squarcle Touch

Lighting

Perimeter LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120mm

Width

1000 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

Remote Control



F05RC2 €70

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	290	420	580	690
Pressure	410	470	520	530
Input	190	230	255	270
Noise dB(A)	50	58	65	68

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FTLI100SS	1000 mm	Stainless Steel	€1,429





FEATURES

Controls

Electronic

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	300	480	620	700
Pressure	330	430	480	500
Input	145	180	230	250
Noise dB(A)	54	64	69	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATRI90SSG	900 mm	Stainless Steel/Glass	€849





FEATURES

Controls	Electronic
Lighting	4 x LED
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	150 / 120 mm
Width	900 mm
Energy Class	B

ACCESSORIES



Charcoal Filter	F01CF01 €37
Long Life Filter	F01CF01LL €74
Remote Blower Kit	F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	300	480	620	700
Pressure	330	430	480	500
Input	145	180	230	250
Noise dB(A)	54	64	69	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGLI90SSG	900 mm	Stainless Steel/Glass	€979



BELLA COMFORT ISLAND [†]



FEATURES

Controls

Squarcle Touch

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

1000 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €73

Remote Blower Kit

F10RB01 €238

Remote Control


F05RC2 €70

PERFORMANCE


Speed	1	2	3	INT
Air m ³ /h	300	460	620	700
Pressure	330	430	490	500
Input	145	180	230	250
Noise dB(A)	52	62	69	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABC1100SS	1000 mm	Stainless Steel	€899



Option



STILO COMFORT ISLAND [†]



FEATURES

Controls

Electronic

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

Remote Blower Kit

F10RB01 €238

HFH Filter Kit


F01HFH01 €323

PERFORMANCE


Speed	1	2	3	INT
Air m ³ /h	300	460	620	700
Pressure	330	430	490	500
Input	145	180	230	250
Noise dB(A)	52	62	69	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FASCI90SS	900 mm	Stainless Steel	€799
FASCI90MB	900 mm	Matt Black	€899
FASCI90MW	900 mm	Matt White	€899



Option



STILO GLASS SMART ISLAND [†]



FEATURES

Controls

Touch Control

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €74

Remote Blower Kit

F10RB01 €238

HFH Filter Kit


F01HFH01 €323

PERFORMANCE


Speed	1	2	3	INT
Air m ³ /h	300	460	620	700
Pressure	330	430	490	500
Input	145	180	230	250
Noise dB(A)	52	62	69	71

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FASG190SSBG	900 mm	Stainless Steel/Black Glass	€799



Option



SUSPENDED

BEAT	94
BELLE	95
CELINE	96
GLOW	97
ODETTE	98



FEATURES

Controls

Electronic

Lighting

2 LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

430 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter



F01CF02HP €58

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	320	430	600	720
Pressure	430	490	520	550
Input	190	230	255	270
Noise dB(A)	54	61	68	73

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABE43MB	430 mm	Matt Black	€889
FABE43MW	430 mm	Matt White	€889
FABE43MDG	430 mm	Matt Dark Grey	€889
FABE43MDB	430 mm	Matt Dusty Blue	€889



Matt White



Matt Dark Grey



Matt Black

Main Picture: Matt Dusty Blue



FEATURES

Controls

Touch Controls

Lighting

LED Perimeter

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

693 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter



F01CF02HP €58

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	250	340	490	610
Pressure	390	470	520	540
Input	160	200	240	250
Noise dB(A)	51	55	63	68

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABE69BG	693 mm	Burgundy/Gold	€2,299
FABE69GDG	693 mm	Gold/Warm Dark Grey	€2,349



Gold/Warm Dark Grey

Main Picture: Burgundy/Gold



FEATURES

Controls

Touch Controls

Lighting

LED Perimeter

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

600 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter



F01CF02HP €58

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	250	340	490	610
Pressure	390	470	520	540
Input	160	200	240	250
Noise dB(A)	51	55	63	68

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FACE60CGM	600 mm	Country Grey Matt	€2,199
FACE60WCGM	600 mm	White/Country Grey Matt	€2,199



Country Grey Matt

Main Picture: Warm White/Country grey Matt



FEATURES

Controls
Touch Controls
Lighting
LED Perimeter
Grease Filter
Cassettes Dishwasher Safe
Ø of Air Outlet
150 mm
Width
646 mm
Energy Class
A

ACCESSORIES

Charcoal Filter
F01CF02 €43
Long Life Filter
F01CF02LL €100
High Performance Filter
F01CF02HP €58


PERFORMANCE

Speed	1	2	3	INT
Air m3/h	250	340	490	610
Pressure	390	470	520	540
Input	160	200	240	250
Noise dB(A)	51	55	63	68

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGW64BG	646 mm	Black Gloss	€2,499
FAGW64WG	646 mm	White Gloss	€2,499

-
-
-
-
-
-
-
-
-
-



White Gloss

Main Picture: Black Gloss



FEATURES

Controls

Touch Controls

Lighting

LED Perimeter

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

500 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter



F01CF02HP €58

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	250	340	490	610
Pressure	390	470	520	540
Input	160	200	240	250
Noise dB(A)	51	55	63	68

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAOD50MB	500 mm	Matt Black	€1,999
FAOD50MG	500 mm	Matt Grey	€1,999



Matt Grey

Main Picture: Matt Black

HOB

FBH32	107
FBH64	106
FCH64	105
FCH84	104
FCH95	102
FCH SLIM 94	103
HOO-B	100
HOO-B GLASS	100



HOO-B COOKTOP, THE NEXT-GENERATION FITTED HOOD

A sophisticated yet minimalist look for the new fitted HOO-B hood, which is embellished with a special aluminium trim that makes it even more stylish.

The glass panel fits over the hob without interrupting the continuity of its forms and lines, guaranteeing the utmost quality at all times. The Touch control commands also make it possible to operate the hood and induction hobs with the touch of a finger.

When in use, HOO-B opens, lifting its cover and revealing its extraction surface. When you have finished using it, the cover goes back down to create a single worktop again.

For those that love pure minimalism, the new model also comes in the HOO-B Glass version with no aluminium trim.



Hoo-B must be combined with FBH32 induction hobs.



Remove the glass cover before using the hood.



The Hoo-B hood attracts all cooking streams ensuring the maximum result of extraction completely built-in the kitchen top.



HOOD FEATURES

Finish

Black Glass / Aluminium

Controls

Touch Controls

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

220 x 90 mm

Energy Class

A+

Long Life Filter

F01CF13LL €211




HOOD PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	415	480	540	600
Pressure	320	430	550	725
Input	55	85	115	145
Noise dB(A)	62	64	67	70


ORDER CODES

Art. Nr.	Depth	Finish	R.R.P
FAHO52BG	520 mm	Black Glass	€1,579*
FAHO52BGA	520 mm	Black Glass / Aluminium Trim	€1,579*



Please note price is for HOO-B extractor only, Induction hobs are ordered separately, see page 107



HOO-B with 2 FBH32 Hoobs page 107




HOO-B Flush with 2 FBH32 Hoobs page 107




INDUCTION HOB FCH95 [†]



Standard Installation



Flush Fit Installation



HOOD&HOB

FEATURES

Product Dimensions	900 x 520 mm
Induction Zones	5
Controls	Slider Touch 9 Levels
Power (W)	7400
Voltage (V)	220 / 240
Frequency (HZ)	50 / 60

FUNCTIONS


K-Link With Hood	Yes
Bridge Cooking	Yes (2 Zones)
Booster	Yes
Child Proof Lock	Yes
Timer	Yes
Pause / Recall	Yes
Overflow Safety Device	Yes
Automatic Heat Up	Yes
Pot Detection	Yes
Residual Heat Indication	Yes
Power Limitation	2500w / 3000w / 3500w 4000w / 5000w / 6000w / Full

POWER COOKING ZONE

Cooking Zone 1	
2100 W	210x190
3000 W Booster	
Cooking Zone 2	
2100 W	210x190
3000 W Booster	
Cooking Zone 3	
2300 W	Ø 200
3000 W Booster	
Cooking Zone 4	
2100 W	210x190
3000 W Booster	
Cooking Zone 5	
2100 W	210x190
3000 W Booster	

ORDER CODES


Art. Nr.	Width	Finish	R.R.P
FAIH9050K	900 mm	Black Glass	€899




INDUCTION HOB SLIM FCH94 ^T



Standard Installation



Flush Fit Installation



HOOD&HOB

FEATURES

Product Dimensions	900 x 410 mm
Induction Zones	4
Controls	Slider Touch 9 Levels
Power (W)	7400
Voltage (V)	220 / 240
Frequency (HZ)	50 / 60

FUNCTIONS


K-Link With Hood	Yes
Bridge Cooking	Yes (1 Zone)
Booster	Yes
Child Proof Lock	Yes
Timer	Yes
Pause / Recall	Yes
Overflow Safety Device	Yes
Automatic Heat Up	Yes
Pot Detection	Yes
Residual Heat Indication	Yes
Power Limitation	2500w / 3000w / 3500w 4000w / 5000w / 6000w / Full

POWER COOKING ZONE

Cooking Zone 1	
2100 W	210x190
3000 W Booster	
Cooking Zone 2	
2100 W	210x190
3000 W Booster	
Cooking Zone 3	
1400 W	Ø 160
2100 W Booster	
Cooking Zone 4	
2300 W	Ø 200
3000 W Booster	

ORDER CODES


Art. Nr.	Width	Finish	R.R.P
FAIH9040K	900 mm	Black Glass	€899




INDUCTION HOB FCH84 [‡]



Standard Installation



Flush Fit Installation



HOOD&HOB

FEATURES

Product Dimensions	780 x 520 mm
Induction Zones	4
Controls	Slider Touch 9 Levels
Power (W)	7400
Voltage (V)	220 / 240
Frequency (HZ)	50 / 60

FUNCTIONS

K-Link With Hood	Yes
Bridge Cooking	Yes (1 Zone)
Booster	Yes
Child Proof Lock	Yes
Timer	Yes
Pause / Recall	Yes
Overflow Safety Device	Yes
Automatic Heat Up	Yes
Pot Detection	Yes
Residual Heat Indication	Yes
Power Limitation	2500w / 3000w / 3500w / 4000w / 5000w / 6000w / Full

POWER COOKING ZONE


Cooking Zone 1	
2100 W	210x190
3000 W Booster	
Cooking Zone 2	
2100 W	210x190
3000 W Booster	
Cooking Zone 3	
2300 W	Ø 200
3000 W Booster	
Cooking Zone 4	
1400 W	Ø 160
2100 W Booster	



Grey Glass Option

ORDER CODES


Art. Nr.	Width	Finish	R.R.P
FAIH8040K	780 mm	Black Glass	€749
FAIH8040KG	780 mm	Grey Glass	€849




INDUCTION HOB FCH64 [†]



Standard Installation



Flush Fit Installation



HOOD&HOB

FEATURES

Product Dimensions	580 x 520 mm
Induction Zones	4
Controls	Slider Touch 9 Levels
Power (W)	7400
Voltage (V)	220 / 240
Frequency (HZ)	50 / 60

FUNCTIONS

K-Link With Hood	Yes
Bridge Cooking	Yes (1 Zone)
Booster	Yes
Child Proof Lock	Yes
Timer	Yes
Pause / Recall	Yes
Overflow Safety Device	Yes
Automatic Heat Up	Yes
Pot Detection	Yes
Residual Heat Indication	Yes
Power Limitation	2500w / 3000w / 3500w 4000w / 5000w / 6000w / Full

POWER COOKING ZONE


Cooking Zone 1	
2100 W	210x190
3000 W Booster	
Cooking Zone 2	
2100 W	210x190
3000 W Booster	
Cooking Zone 3	
2300 W	Ø 200
3000 W Booster	
Cooking Zone 4	
1400 W	Ø 145
1850 W Booster	



Grey Glass Option

ORDER CODES


Art. Nr.	Width	Finish	R.R.P
FAIH6040K	580 mm	Black Glass	€649
FAIH6040KG	580 mm	Grey Glass	€749




INDUCTION HOB FBH64 [‡]



Standard Installation



Flush Fit Installation



FEATURES

Product Dimensions	580 x 520 mm
Induction Zones	4
Controls	Touch 9 Levels
Power (W)	7400
Voltage (V)	220 / 240
Frequency (HZ)	50 / 60

FUNCTIONS


K-Link With Hood	No
Bridge Cooking	No
Booster	Yes
Child Proof Lock	Yes
Timer	Yes
Pause / Recall	No
Overflow Safety Device	Yes
Automatic Heat Up	No
Pot Detection	Yes
Residual Heat Indication	Yes
Power Limitation	2500w / 3000w / 3500w 4000w / 5000w / 6000w / Full

POWER COOKING ZONE

Cooking Zone 1	1400 W	Ø 160
	2100 W Booster	
Cooking Zone 2	1400 W	Ø 160
	2100 W Booster	
Cooking Zone 3	2300 W	Ø 200
	3000 W Booster	
Cooking Zone 4	1400 W	Ø 145
	1850 W Booster	

ORDER CODES


Art. Nr.	Width	Finish	R.R.P
FAIH6040	580 mm	Black Glass	€569




INDUCTION HOB FBH32 [†]



Standard Installation



Flush Fit Installation



FEATURES

Product Dimensions

290 x 520 mm

Induction Zones

2

Controls

Touch 9 Levels

Power (W)

3700

Voltage (V)

220 / 240

Frequency (HZ)

50 / 60

FUNCTIONS

K-Link With Hood

No

Bridge Cooking

No

Booster

Yes

Child Proof Lock

Yes

Timer

Yes

Pause / Recall

No

Overflow Safety Device

Yes

Automatic Heat Up

No

Pot Detection

Yes

Residual Heat Indication

Yes

Power Limitation 1500w / 2000w / 2500w
3000w / 3500w / Full

POWER COOKING ZONE

Cooking Zone 1

1400 W Ø 160

2100 W Booster


Cooking Zone 2

1400 W Ø 160

2100 W Booster

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAIH3020	290 mm	Black Glass	€389



DOWNDRAFT

FABULA PLUS 60	111
FABULA PLUS 90	112



FABULA 90



FEATURES

Controls	Evo Touch Controls
Lighting	LED
Grease Filter	Cassettes Dishwasher Safe
Ø of Air Outlet	150 / 120 mm
Width	900 mm
Energy Class	A

ACCESSORIES



Long Life Filter	F01CF09LL €153
Remote Blower Kit	F10RB02 €170
Remote Control	F05RC2 €70

PERFORMANCE

Speed	1	2	3	4	INT
Air m ³ /h	160	290	350	439	700
Pressure	100	390	460	540	560
Input	55	120	155	210	270
Noise dB(A)	40	53	54	60	70

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAFA90BG	900 mm	Black Glass	€1,599
FAFA90WG	900 mm	White Glass	€1,699



Option

FABULA 60 [†]



FEATURES

Controls

EVO Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

B

ACCESSORIES

Long Life Filter

F01CF13LL €211

Remote Blower Kit

F10RBO2 €170

Remote Control




F05RC2 €70

PERFORMANCE

Speed	1	2	3	4	INT
Air m ³ /h	150	280	350	440	630
Pressure	120	420	490	550	630
Input	55	120	155	190	270
Noise dB(A)	43	56	60	65	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAFA60BG	600 mm	Black Glass	€1,499



Option

BUILT IN

104	135	INCA LUX 2.0	118
2104	134	INCA LUX GLASS	116
2108	133	INCA PLUS HC	122
FLEXA	131	INKA SMART C	124
FLEXA GLASS	129	INKA SMART HC	123
FLEXA GLASS LUX	128	INKA PLUS HCS	121
FLEXA HIP	130	MAXIMA ECO	127
IN-LIGHT	114	MAXIMA EV8	126
IN-NOVA COMFORT	119	MAXIMA TOUCH	125
IN-NOVA PREMIUM	115	OMNIA	132
IN-NOVA SMART	120	VICTORY 2.0	117



FEATURES

Controls

Electronic LED

Lighting

Perimeter LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

520 / 700 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02LL €100

High Performance Filter


F01CF02HP €58

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	260	380	525	635
Pressure	390	500	510	530
Input	170	215	245	275
Noise dB(A)	56	65	70	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAINL52SS	520 mm	Stainless Steel	€799
FAINL52MW	520 mm	Matt White	€829
FAINL70SS	700 mm	Stainless Steel	€829
FAINL70MW	700 mm	Matt White	€899





FEATURES

Controls

Electronic SENSOR

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 / 1200 mm

Energy Class

A

ACCESSORIES

Charcoal Filter

F01CF01 €37

Long Life Filter

F01CF01LL €73

Remote Control

F05RC2 €70

Remote Blower Kit

F10RB01 €238

PERFORMANCE



Speed	1	2	3	INT
Air m ³ /h	280	420	570	670
Pressure	420	465	510	520
Input	175	220	255	270
Noise dB(A)	53	62	68	70

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAINP60SS	600 mm	Stainless Steel	€549
FAINP90SS	900 mm	Stainless Steel	€579
FAINP120SS	1200 mm	Stainless Steel	€629

ORDER CODES K Link Version

Art. Nr.	Width	Finish	R.R.P
FAINP60SSK	600 mm	Stainless Steel	€599
FAINP90SSK	900 mm	Stainless Steel	€689
FAINP120SSK	1200 mm	Stainless Steel	€739



Option



Option

Inca Lux Glass



FEATURES

Controls
Electronic
Lighting
LED x 2
Grease Filter
Cassettes Dishwasher Safe
Ø of Air Outlet
120 / 150 mm
Width
520 / 700 mm
Energy Class
B (700 mm) C (520 mm)

PERFORMANCE 520 mm

Speed	1	2	3	INT
Air m3/h	300	460	590	660
Pressure	350	440	480	510
Input	145	180	230	250
Noise dB(A)	54	65	69	71

700 mm

1	2	3	INT
315	480	630	710
350	450	480	510
145	180	230	250
52	62	68	70

ORDER CODES



Art. Nr.	Width	Finish	R.R.P
FAIL52BG	520 mm	Stainless Steel / Black Glass	€449
FAIL52WG	520 mm	Stainless Steel / White Glass	€449
FAIL70BG	700 mm	Stainless Steel / Black Glass	€459
FAIL70WG	520 mm	Stainless Steel / White Glass	€459

ORDER CODES K Link Version

Art. Nr.	Width	Finish	R.R.P
FAIL52BGK	520 mm	Stainless Steel / Black Glass	€479
FAIL70BGK	700 mm	Stainless Steel / Black Glass	€509

ACCESSORIES

Charcoal Filter
F01CF02 €43
Long Life Filer
F01CF02LL €100
High Performance Filter
F01CF02HP €58
Remote Blower Kit
F10RB01 €238



Victory 2.0



FEATURES

Controls
Electronic
Lighting
LED
Grease Filter
Cassettes Dishwasher Safe
Ø of Air Outlet
120 / 150 mm
Width
770 / 990 mm
Energy Class
A

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	235	360	495	605
Pressure	360	450	480	500
Input	135	170	215	250
Noise dB(A)	50	61	67	70


ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAVI277SS	770 mm	Stainless Steel	€479
FAVI299SS	990 mm	Stainless Steel	€499



ACCESSORIES

Charcoal Filter
F01CF01 €37
Long Life Filer
F01CF01LL €74



Inca Lux 2.0



FEATURES

Controls
Electronic
Lighting
LED
Grease Filter
Cassettes Dishwasher Safe
Ø of Air Outlet
120 / 150 mm
Width
520 / 700 mm
Energy Class
B (700 mm) C (520 mm)

ACCESSORIES

Charcoal Filter
F01CF02 €43
Long Life Filer
F01CF02LL €100
High Performance Filter
F01CF02HP €58
Remote Control
F05RC2 €70
Remote Blower Kit
F10RB01 €238

PERFORMANCE 520 mm

Speed	1	2	3	INT
Air m3/h	300	460	590	660
Pressure	350	440	480	510
Input	145	180	230	250
Noise dB(A)	54	65	69	71

700 mm



1	2	3	INT
315	480	630	710
350	450	480	510
145	180	230	250
52	62	68	70

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAIL52SS	520 mm	Stainless Steel	€399
FAIL70SS	700 mm	Stainless Steel	€419

ORDER CODES K Link Version

Art. Nr.	Width	Finish	R.R.P
FAIL52SSK	520 mm	Stainless Steel	€509
FAIL70SSK	700 mm	Stainless Steel	€539



In-Nova Comfort [†]



FEATURES

Controls

Electronic

Lighting

LED X 2

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width


900 / 1200 mm

Energy Class

C

PERFORMANCE

Speed	1	2	3
Air m ³ /h	270	410	540
Pressure	190	260	300
Input	90	105	140
Noise dB(A)	56	64	69



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAINC90SS	900 mm	Stainless Steel	€429
FAINC120SS	1200 mm	Stainless Steel	€459


ACCESSORIES

Charcoal Filter

F01CF16 €46

Remote Blower Kit

F10RB01 €238





FEATURES

Controls

Pul Out Knob

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 / 1200 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF08 €14

Long Life Filter

F01CF08LL €50


PERFORMANCE

Speed	1	2	3
Air m ³ /h	200	260	360
Pressure	220	270	290
Input	90	115	145
Noise dB(A)	57	62	68



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAINS90SS	900 mm	Stainless Steel	€319
FAINS120SS	1200 mm	Stainless Steel	€349



INKA PLUS HCS [†]



FEATURES

Controls

Electromechanical Controls

Lighting

LED Lights x 2

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

520 / 700 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF02 €43

High Performance Filter

F01CF02HP €58

Long Life Filter

F01CF02LL €100


PERFORMANCE

Speed	1	2	3
Air m ³ /h	260	400	580
Pressure	220	280	320
Input	95	110	125
Noise dB(A)	56	61	70



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAIKS52SS	520 mm	Stainless Steel	€205
FAIKS70SS	700 mm	Stainless Steel	€225



INKA PLUS HC



FEATURES

Controls

Electromechanical Controls

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

520 / 700 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF02 €43

High Performance Filter


F01CF02HP €58

Long Life Filter

F01CF02LL €100


PERFORMANCE

Speed	1	2	3
Air m ³ /h	260	400	580
Pressure	220	280	320
Input	95	110	125
Noise dB(A)	56	61	70



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAIKP52SS	520 mm	Stainless Steel	€165
FAIKP70SS	700 mm	Stainless Steel	€179



INKA SMART HC



FEATURES

Controls

Electromechanical Controls

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width


520 / 700 mm

Energy Class

B

PERFORMANCE

Speed	1	2	3
Air m ³ /h	180	270	390
Pressure	220	240	260
Input	80	90	110
Noise dB(A)	54	62	70



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAIKC52SS	520 mm	Stainless Steel	€145
FAIKC70SS	700 mm	Stainless Steel	€155


ACCESSORIES

Charcoal Filter

F01CF17 €15

Long Life Filter

F01CF17LL €44



INKA SMART C



FEATURES

Controls

Electromechanical Controls

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

520 / 700 mm

Energy Class

C

ACCESSORIES

Charcoal Filter


F01CF17 €15

Long Life Filter

F01CF17LL €44


PERFORMANCE

Speed	1	2	3
Air m ³ /h	160	220	335
Pressure	230	260	280
Input	80	95	115
Noise dB(A)	54	59	66



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAIK52GR	520 mm	Light Grey	€89
FAIK70GR	700 mm	Light Grey	€99





FEATURES

Controls

Touch Controls

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

B

ACCESSORIES

Charcoal Filter

F01CF02 €43

Long Life Filter

F01CF02HP €58

Long Life Filter

F01CF02LL €100

Remote Blower Kit



F10RB01 €238

PERFORMANCE

Speed	1	2	3	INT
Air m ³ /h	310	490	640	730
Pressure	340	450	490	520
Input	145	180	230	250
Noise dB(A)	51	61	67	70

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAMXT60SS	600 mm	Stainless Steel	€409
FAMXT90SS	900 mm	Stainless Steel	€459





FEATURES

Controls

Push Button Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class


B

PERFORMANCE

Speed	1	2	3
Air m ³ /h	310	490	640
Pressure	340	450	490
Input	145	180	250
Noise dB(A)	51	61	67

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAMXE60ASS	600 mm	Alu / Stainless Steel	€299
FAMXE90ASS	900 mm	Alu / Stainless Steel	€309



ACCESSORIES

Charcoal Filter

F01CF02 €43

High Performance Filter


F01CF02HP €58

Long Life Filter

F01CF02LL €100

Remote Blower Kit

F10RB01 €238



MAXIMA ECO



FEATURES

Controls

Electromechanical Slider

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class


B

PERFORMANCE

Speed	1	2	3
Air m ³ /h	310	490	640
Pressure	340	450	490
Input	145	180	250
Noise dB(A)	51	61	67

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAMXS60ASS	600 mm	Alu / Stainless Steel	€259
FAMXS90ASS	900 mm	Alu / Stainless Steel	€299



ACCESSORIES

Charcoal Filter

F01CF02 €43

High Performance Filter


F01CF02HP €58

Long Life Filter

F01CF02LL €100

Remote Blower Kit

F10RB01 €238



FLEXA GLASS LUX [†]



FEATURES

Controls

Push Button

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

D

PERFORMANCE

Speed	1	2	3
Air m ³ /h	220	320	420
Pressure	180	200	220
Input	90	105	140
Noise dB(A)	55	66	69



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAFGL60BG	600 mm	Black / Black Glass	€175


ACCESSORIES

Charcoal Filter

F01CF08 €14

Long Life Filter

F01CF08LL €50



FLEXA GLASS

T



FEATURES

Controls

Electromechanical Slider

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF08 €14

Long Life Filter

F01CF08LL €50


PERFORMANCE

Speed	1	2	3
Air m ³ /h	180	220	310
Pressure	230	250	260
Input	85	100	125
Noise dB(A)	57	62	67



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAFG60BG	600 mm	Black / Black Glass	€139



FLEXA HIP



FEATURES

Controls

Push Button

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width


600 / 900 mm

Energy Class

D

PERFORMANCE

Speed	1	2	3
Air m ³ /h	220	320	420
Pressure	180	200	220
Input	90	105	140
Noise dB(A)	55	66	69



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAFH60ASS	600 mm	Alu / Stainless Steel	€145
FAFA90ASS	900 mm	Alu / Stainless Steel	€165


ACCESSORIES

Charcoal Filter

F01CF08 €14

Long Life Filter

F01CF08LL €50





FEATURES

Controls

Electromechanical Slider

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF08 €14

Long Life Filter

F01CF08LL €50


PERFORMANCE

Speed	1	2	3
Air m ³ /h	220	300	350
Pressure	260	280	290
Input	100	125	138
Noise dB(A)	59	65	69



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAFXA60ASS	600 mm	Alu / Stainless Steel	€125





FEATURES

Controls

Electromechanical Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

C

ACCESSORIES

Charcoal Filter

F01CF05 €17


PERFORMANCE

Speed	1	2	3	4
Air m ³ /h	270	375	430	480
Pressure	130	260	280	300
Input	110	170	220	280
Noise dB(A)	53	60	63	67



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAOM60ASS	600 mm	Alu / Stainless Steel	€229
FAOM90ASS	900 mm	Alu / Stainless Steel	€259





FEATURES

Controls

Electromechanical Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width


600 / 900 mm

Energy Class

D

PERFORMANCE

Speed	1	2	3
Air m ³ /h	300	430	550
Pressure	260	340	410
Input	175	200	276
Noise dB(A)	60	64	72




ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FA210860GR	600 mm	Light Grey	€215
FA210869GR	900 mm	Light Grey	€225

ACCESSORIES

Charcoal Filter

F01CF03 €15
(Order 2 for Twin Motors)



2104 Twin Motor



FEATURES

Controls

Micro Switch Controls

Lighting

LED Lamps

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

E


ACCESSORIES

Charcoal Filter

F01CF03 €15
(Order 2 for Twin Motors)


PERFORMANCE

Speed	1	2	3
Air m ³ /h	250	370	490
Pressure	140	280	370
Input	155	175	230
Noise dB(A)	51	58	66



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FA2104GR	600 mm	Grey	€109



104 Single Motor



FEATURES

Controls

Micro Switch Controls

Lighting

2 x LED Lights

Grease Filter

Metal Filters

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

D


ACCESSORIES

Charcoal Filter

F01CF03 €15


PERFORMANCE

Speed	1	2	3
Air m ³ /h	130	170	240
Pressure	140	260	380
Input	85	85	115
Noise dB(A)	47	53	61



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FA104GR	600 mm	Grey	€89



ACCESSORIES

HFH Filter - Premium Performance

HFH filters only reduce extraction rate by 5% and they can be washed in the dishwasher up to five times.

Filter Code	Cooker Hood	RRP	
F01HFH01	HFH kit including filter for; Nice, Ray,	€323	
F01HFH01R	Replacement filter for HFH kit	€211	

Hood Cap

For use with hoods in recycle mode without chimney. Deflects exhaled air from hitting the ceiling and prevents dirt from falling into the motor.

Filter Code	Cooker Hood	RRP	
F05HC1	Stainless Steel for use with Daisy	€34	
F05HC1BK	Black Finish for use with V-Air, Soft Edge, Glam Light Zero Drip Plus, Glam Light Zero Drip, Glam Light, Tweet	€28	
F05HC1WH	White Finish for use with V-Air, Soft Edge, Glam Light Zero Drip Plus, Glam Light Zero Drip, Glam Light, Tweet	€28	

Remote Blower

The ability to install the motor away from the hood frees it from architectural constraints and reduces noise in the kitchen. Motor can be installed up to 7 metres from the hood.




Filter Code	Cooker Hood	RRP	
F10RB01	Bella, Chloe, Chloe XL, Daisy, Glassy Island, Heaven, Heaven Air, Heaven Compact, Heaven Glass, Inca Lux, Inca Lux Glass, In-Nova Comfort, In-Nova Premium, Maxima, Nice, Ray, Solaris, Stilo Island, Strip, Strip Smart, T-Dark, Tratto Island, Tweet, Veil	€238	
F10RB02	Fabula	€170	

Remote Control

Filter Code	Cooker Hood	RRP	
F05RC2	Bi-Air, Bella Comfort, Bella Comfort Island, C-Air, Fabula Plus, Glow, Heaven 2.0, Heaven Air, Heaven Flat, High-Light, In-Light, In Nova Premium, Inca Lux, Odette, Onyx-C, Onyx-V, Onyx-T, SkyPad, Soft Edge, Soft Slim, T-Air, T-Dark, T-Light, T-Light Island, Talika, Twice, V-Air, V-Air Flat	€70	









Splashbacks

High Quality Stainless Steel Splashbacks for 60 and 90 cm wide hoods

Code	Cooker Hood	RRP	
F06W6063	60 cm Bella, Strip, Vesta	€79	
F06W9063	90 cm, Strip, T-Air, T-Light, Vesta	€132	
F06W1001	100 cm Solaris Corner	€269	

Accessories

Flat air duct system accessories for Ø 120 and 150mm

Description	System	Dimensions	Code	RRP	
Flat Ducting Tube	Ø120	1500L x 220W x 55H	F02FD1215	€31	
	Ø150	1200L x 220W x 90H	F02FD1512	€44	
Flat to Round adapter	Ø120	260L x 226W x 60H x125D	F02RR12	€11	
	Ø150	180L x 225W x 90H x150D	F02RR15	€17	
Vertical 90° Bend	Ø120	A226 x B60 x 105	F02VB91	€7	
	Ø150	A226 x B90 x 115	F02VB90	€14	
Horizontal 90° Bend	Ø120	226W x 60H	F02HB91	€13	
	Ø150	220W x 90H	F02HB90	€20	
Flat Duct Connector	Ø120	53D x 226W x 60H	F02FDC12	€5	
	Ø150	53D x 220W x 90H	F02FDC15	€10	
Flexible Hose	Ø120	1500L x Ø130	F02FXD1215	€8	
	Ø150	1500L x Ø150	F02FXD1515	€9	
Round Pipe	Ø120	Ø125 x 1000L	F02RD1210	€18	
	Ø150	Ø150 x 1000L	F02RD1510	€20	
Right Angle Bend	Ø120	90° x 125	F02RAB12	€18	
	Ø150	90° x 150	F02RAB15	€25	

Accessories

Flat air duct system accessories for Ø 120 and 150mm

Description	System	Dimensions	Code	RRP	
Vertical 90° Bend Round to Rectangle	Ø120	161D x 226W x 90H x 125Ø x 60H2	F02VBRR12	€7	
	Ø150	180D x 226W x 100H x 150Ø x 90H2	F02VBRR15	€16	
Round Connector	Ø120	-	-	-	
	Ø150	150D	F02RC15	€12	
Flexible Connector	Ø120	-	-	-	
	Ø150	Max 600L x 90H	F02FFD15	€50	

Valves

Code	Description	RRP	
NA4022049	Flow 125 Thermobox <ul style="list-style-type: none"> Black / Silver 	€78	
NA4043064	Thermobox 150 <ul style="list-style-type: none"> Black / Silver 	€81	
NA4033042	Flow Star GTS 125 Connection O <ul style="list-style-type: none"> White finish 	€365	
NA4043040	Flow Star GTS 150 Connection O <ul style="list-style-type: none"> White finish 	€365	


Chimneys

Extra height Chimneys for high ceilings - Lead times of 6 weeks apply

Code	Cooker Hood	RRP	
F03W290B	Chimney for Cocktail Black	€79	
F03W846W	Chimney for Cocktail White	€79	
F03W02 †	Bella, Gemma, Glove, Look, Nice, Ray Stilo, Stilux	€107	

External Motor Hoods

Lead times of 6 weeks apply



HEAVEN GLASS
FAHE90WGEM €2,149



HEAVEN 2.0
FAHE90SSEM €1,649



FABULA
FAFA90BGEM €2,449



RAY
FARA90SSEM €1,099



STILO 90cm
FASE90SSEM €1,179



STILO ISLAND
FASAI90SSEM €1,599

CHOOSE THE RIGHT HOOD

The necessary extraction capacity is determined by the volume of the kitchen. An effective hood changes the air of the kitchen 10 times per hour. A powerful motor is quieter and uses less energy because it is effective at low speeds.

-A hood does not create noise disturbance if its capacity is sufficient without exceeding 55 dB(A) of sound power.

-A powerful motor can be efficient even at lower, quieter speeds.

1 Fan Handbook - F. Bleier 1998


EFFECTIVENESS =
kitchen m^2 x Kitchen Height x 10 Changes of Air

Example: A 15 m^2 kitchen which is 3 m tall requires a hood which aspirates at least 450 m^3/h . Infact: $15 m^2 \times 3 m \times 10 = 450 m^3/h$

Now consult the performance table found in the product catalogue.


The hood is efficient if an equal or higher capacity value is found in one of the speed columns.

Speed	1	2	3	4	INT
Air capacity IEC point	110	195	260	313	430
Pressure	-	-	-	-	-
Input	30	45	55	70	100
Noise level	48	53	58	62	69




INSTALLATION


Proper installation begins with an inspection. When choosing a hood, you should know:




Kitchen volume (which determines the necessary aspiration capacity). See above "Choosing the right hood."



Length of the cooking top (the hood is generally as long as the cooking top area).



The position and distance of the exit hole (very long and very curved right-angled tubes limit hood efficiency).



The hood is to be installed at a minimum distance of 65 cm from the cooking top, except for particular models where is specified in the technical drawing and instructions manual.

ATTENTION: the product guarantee will not be considered valid if this distance is not respected. The hood may not reach declared performance levels if the distance from the cooking top exceeds 75 cm. Some vertical-installation models (ex. Cocktail) are to be installed lower.

Please check the product's technical manual and installation guide for min and max distancies for each hood.

USE AND MAINTENANCE



Switch on the hood a minute before cooking begins to create air flow that channels fumes and steam toward the aspiration surfaces. If necessary, leave the hood switched on even after cooking is finished so that all steam and odours can be properly aspirated.

- Wash the metal anti-grease filters by hand or in the dishwasher every two months¹
- Replace synthetic anti-grease filters every two months
- Regular filter maintenance guarantees efficient hood use

ATTENTION: grease deposited on the filters is inflammable: be sure to perform regular maintenance

¹ These intervals of time refer to a regular use of the hood, approximately 3 hours per day

Hood cleaning

- Remove impurities with a damp sponge and a small amount of neutral soap²
- Rinse with a damp cloth
- Dry with a soft cloth, if the hood is in stainless steel, follow the steel brushing
- Clean the internal hood conduit once a year

² Acid-based cleaning products can damage hood surfaces


First cleaning

- Remove the protective films
- Remove impurities with a damp sponge and a small amount of neutral soap
- Rinse with a damp cloth
- Dry with a soft cloth. If the hood is in stainless steel, continue with a steel glaze
- You can give stainless steel hoods a protective treatment with the Faber Clin&Clin tissue


Faber hoods benefit from 60 years of competence in air treatment

- We were the first in the kitchen hood sector to obtain an ISO 9001 company quality system certificate.
- System integrated with Quality, Safety and Environment certified by SGS respecting the ISO 9001:2000, OHSAS 18001 and ISO 14001 norms.
- We have received the SGS Excellence Certificate, the absolute first in the world, number 001.
- All Faber hoods conform to European safety standards (EC mark of conformity), and have also been certified by the IMQ, a reliable, independent organisation further guaranteeing clients on quality (IMQ mark of security).

Faber Hoods are designed for Safety



Hammered internal edges and tempered glass to avoid risks of cutting.



Thermo-protected motors and self-extinguishing plastics help avoid any risk of fire. Electronics are solid state, cables and connections are all placed correctly to avoid electric shock or dangerous sparks.

All Faber hoods have undergone safety and performance tests. Aspiration and noise capacity have been measured according to standard norms:

- EN 61591
- EN 60704-3

unique specifications for surveying kitchen hood performance.

ATTENTION: Comparisons between different brand hoods should be carried out on complete data obtained according to these standards.

The Faber laboratory is NEMKO and IMQ certified.

Notes:



If you wish to view the range of Faber Hoods, why not visit our showroom and advisory centre, simply contact us to make an appointment



Free parts
guarantee



Flanagan Fittings
Falcon House
Dublin Airport Logistics Park
St. Margarets
Co. Dublin
K67 F303
Ireland.

To log a service call please phone +353 (0)1 533 9862
The customer must provide the following information;
retailer's name, date of purchase, product code or name,
description of fault and serial number which can be found
on the rating plate on the inside of the cooker hood.

Telephone
+353 (0)1 844 8400

Fax
+353 (0)1 844 8009

E-mail
sales@fff.ie

Web
www.fff.ie

 Find us on
Facebook FlanaganFittings

 @flananganfits

 FlanaganFittings

 FlanaganFittings

