# AIR MATTERS COLLECTION 2021







# LEAVING A NEW IMPRESSION IN THE AIR

At Faber, we are always looking for innovative technologies and solutions inspired by nature that respect the environment so that you can live in better harmony with the planet at home.



# **IMPROVING AIR SINCE 1955**, TO MAKE THE WORLD A HAPPIER PLACE.

There's nothing we don't know about air at FABER. Our know-how in suction allowed us to invent the kitchen hood. Over the years we've moulded air into a thousand forms, just like steel, plexiglass, glass and wood. As if by magic, we've compressed it, made it disappear and reappear from nowhere. We've turned the kitchen hood into an object of design and a work of art.

We've given it smart functions as a light fitting, air conditioner and filter and even connected it to the future. Always quick to see how the world is changing, we're still innovating today, to make tomorrow's air even purer.

We use air technology in another way too: to improve people's wellbeing and their quality of life. Living with a FABER hood means feeling protected in your home and natural environment. It means the satisfaction of comfort and versatility, and improving with every day that passes.

FABER works to make your wishes come true, to let you breathe the air of your dreams.

Everybody has a world of their own and we want to make it a happy one.



1958

# 1955

Faber Plast is founded.



**M@STER** The first smart hood. The first Plexiglas hood.





MATRIX The first hood that hangs like a picture. 1986

**NOVA** The first chimney hood.



KLIMA The first air conditioning hood.



**AXIA** The first T-shape hood.



2010 F-LIGHT GENERATION The first chandelier hoods.

.









The first totally vertical hood.



NTU IA

With Airlane Technology



2019 GALILEO The first hob extractor in

A+++





The first touch screen connected hood with air quality sensor.



# A **VISION** OF **GLOBAL** REACH

FABER has a lot in common with air... both are present all over the world. Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both.

### INVESTING IN THE WORLD

Always growing, to serve more people.

### THINKING LONG TERM

All-round competence: automation,

#### robotics, IT, total quality.

### INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

## DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.

HEADQUARTER

Fabriano - ITALY

#### COMMERCIAL OFFICE

Hudson - USA Chambly - FRANCE Istanbul - TURKEY Mosca - RUSSIA Pune - INDIA


### PLANT

Sassoferrato - ITALY Manisa - TURKEY Villedieu-les-Poêles - FRANCE Byske - SWEEDEN Kaluga - RUSSIA Pune - INDIA San Luis - ARGENTINA San Luis Potosí - MEXICO

# PEOPLE ARE OUR INSPIRATION

At Faber, we know how to look far but also very close. **We look at people because they are our inspiration**.

Their needs, desires and dreams are the basic principles for which **we strive to supply better and better answers, time after time**. Everyday actions in a kitchen, even the smallest ones, tell of a daily routine that is a matter of careful study for us so they can be simpler, safer and more spontaneous for you. Everything depends on **wellness** of the people.





# SAFETY IS IN RELIABLE HANDS

Reliability is a constant characteristic of all

FABER products. It becomes easier to appreciate with time, a certainty.

When everything is working as it should, home is a more relaxing place. And when the air is pure and clean, home becomes a place of true wellbeing. That's what reliability means to us: making life better for years to come.

### RECORDS IN EXCELLENCE

- The first ISO 9001 Quality Certification in the field of kitchen hoods.
- SGS Certificate of Excellence n°001: a worldwide first.
- Integrated Management System for Quality (ISO 9001:2015), Occupational Health and Safety (OHSAS 18001) and the Environment (ISO 14001) certified by SGS.
- Products conforming to the strictest safety requirements and to standards **EN 61591** and **EN 60704-3**, tested in an authorised in-house laboratory, certified and guaranteed by leading international bodies.

IMQ The Italian Quality Mark SEMKO International Safety Certification by Intertek ETL CCC The Chinese Quality Mark **CE** The EU Safety Mark

 $\ensuremath{\textbf{UL}}$  The Quality Mark for the USA and Canada



# DREAM

# TRENDY, CONTEMPORARY, TECHNOLOGICAL.

A design that expresses distinctive aesthetics, care to detail and innovation to make you live the comfort of your kitchen environment as a new experience.

A hood equipped with the trendiest applications of the moment and the smartest features, such as a timer, remote control and connection to the home automation system.



# EMOTION

## TIMELESS, COMFORTABLE, VERSATILE.

The technology that makes the kitchen more welcoming, turning it into the heart of the house. Quiet, efficient and with a lower impact on the environment. A hood that knows how to excite with the presence of natural materials, such as wood, and warm colours. And it can create a laid-back atmosphere, hinting to tradition and packed with style.



# SMILE

### PRACTICAL, FUNCTIONAL, CURRENT

The simplicity that makes you love it and the ease of use that improves everyday life, with the certainty of constant and enduring reliability. A hood that is also easy to clean and that satisfies all practical requirements while being remarkably effective in neutralising fumes, vapours and odours in the kitchen, making the environment even more comfortable.

Bi-Alr 5.5       C-Air 5.2       Heaven Air 5.4       KAir 2.8       TAir 2.9       V-Air 30         V-Air Flat 31       ABBRATION (Chiob 66)       ABBRATION (Chiob 66)       ABBRATION (Chiob 66)       Image: Chiob 60 (Chiob XL 88)       Image: Chiob 61 (Chiob KL 88)       Image: Chiob 61 (Chio KL 88)       Image: Chiob 61 (Chio KL 88)       Image: Chiob 61 (Chio KL 88)       Image: Chio KL 88)       Image: Chio 88)       Image: Chio KL 88)	AIR TREATMENT	NEW	NEW	NEW	NEW	NEW	NEW
HolsAutorA		<b>Bi-Air</b> 33	<b>C-Air</b> 32	Heaven Air 34	<b>K-Air</b> 28	<b>T-Air</b> 29	<b>V-Air</b> 30
Chick 66       Chick 2L 68       Cocktail 62       Daisy Plus 60       Giam-Fit 57       Giam Fit 2ero Bign Fit 2ero Dign 51       Giam Fit 2ero Bign Fit 2ero Dign Fit 2	NEW	ASPIRATION HOB		NEW	NEW	WALL	NEW
Chloè 66Chloè XL 68Cocktail 62Daisy Plus 60Glam-Fit 57Glam Fit Zero Dry 50Glam Fit Zero Dry 50Giam-Light 58Giam Light Zero Glam Light 2ero Dry 51Glam Light Zero Glam Light Zero Dry 51Glam Light Zero Glam Light Zero Dry 50Glam Light Zero Greix 5 50Glam Light Zero Oryx 7 63Glam Light Zero Oryx 7 63Glam Light Zero Oryx 7 52Glam Light 58Glam Light Zero Dry 51Glam Light Zero Glam Light Zero Soft Edge 40Glam Light Zero Soft Sim 47Glam Cint Sero Solaris 78Glam Cint Sero Silo ComfortGlam Light Zero Oryx 7 63Glam Light Zero Oryx 7 52Glam Light 2ero Soft Edge 40Soft Edge 40Glam Light Zero Solaris 78Glam Cint Sero Solaris 78Glam Cint Sero Silo ComfortGlam Cint Sero Silo ComfortGlam Cint Sero Silo ComfortGlam Cint Sero Silo ComfortGlam Cint Sero Strip 75Soft Edge 40Soft Edge 40Solaris 78Solaris 78Silo ComfortGlam Cint Sero Silo ComfortGlam Cint Sero Si	V-Air Flat 31		Galileo Smart 38	<b>Galileo 60</b> 40	Galileo NG 42		Bella Comfort 71
Chloè 66Chloè XL 68Cocktail 62Daisy Plus 60Glam-Fit 57Glam Fit Zero Dry 50Glam Fit Zero Dry 50Giam-Light 58Giam Light Zero Glam Light 2ero Dry 51Glam Light Zero Glam Light Zero Dry 51Glam Light Zero Glam Light Zero Dry 50Glam Light Zero Greix 5 50Glam Light Zero Oryx 7 63Glam Light Zero Oryx 7 63Glam Light Zero Oryx 7 52Glam Light 58Glam Light Zero Dry 51Glam Light Zero Glam Light Zero Soft Edge 40Glam Light Zero Soft Sim 47Glam Cint Sero Solaris 78Glam Cint Sero Silo ComfortGlam Light Zero Oryx 7 63Glam Light Zero Oryx 7 52Glam Light 2ero Soft Edge 40Soft Edge 40Glam Light Zero Solaris 78Glam Cint Sero Solaris 78Glam Cint Sero Silo ComfortGlam Cint Sero Silo ComfortGlam Cint Sero Silo ComfortGlam Cint Sero Silo ComfortGlam Cint Sero Strip 75Soft Edge 40Soft Edge 40Solaris 78Solaris 78Silo ComfortGlam Cint Sero Silo ComfortGlam Cint Sero Si		4			=	NEW	NEW
Image: Note of the section of the s	<b>Chloè</b> 66	<b>Chloè XL</b> 68	Cocktail 62	Daisy Plus 60	Glam-Fit 57	Glam Fit Zero	Glam Fit Zero Drip Plus 48
Glam-Light 58Glam Light Zero Drip 51Glam Light Zero Drip 51Glam Light Zero Drip 51Grax 139Nice 70Onyx-T 63Onyx-V 52Ray 69Soft Edge 46Soft Sim 47Soft Sim 47Solaris 78Silo Comfort T2Silo Glass Silo GlassSilo Glass Silo GlassSilo Sinari 73Strip 76Strip Smart 75Soft Sim 47Soft Sim 47Solaris 78Silo Comfort T Toke 53Silo GlassSilo Sinari 73Twice 53Strip 76Strip Smart 75Soft Sim 47Solaris 78Solaris 78Solaris 78Solaris 78Heaven 2.0HeavenSoft Sim 47Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Strip 76Strip Smart 75Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Twice 53Strip Smart 75Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Heaven 2.0Heaven 2.0Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Strip 57Strip 57Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Twice 53Vesta 77Vesta 77Vesta 77Vesta 77Vesta 77Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Solaris 78Heaven 2.0Heaven 2.0Heaven 2.0Solaris 78Solaris 78 </td <td></td> <td>NEW</td> <td>NEW</td> <td>NEW</td> <td>1</td> <td>1</td> <td></td>		NEW	NEW	NEW	1	1	
Image: Strip Strip       Image: Strip	Glam-Light 58		<b>Glam Light Zero Drip Plus</b> 49		<b>Nice</b> 70	<b>Onyx-T</b> 63	<b>Onyx-V</b> 52
Image: strip 76Image: strip 5mart 75Image: strip 5mart 75	Ray 69	NEW	NEW	Solaris 78	Stilo Comfort	Stilo Glass	
Image: Window Structure       Image: Window Structure <td></td> <td></td> <td>reddot award 2017</td> <td></td> <td>NEW</td> <td>4</td> <td></td>			reddot award 2017		NEW	4	
Twice 53       Vesta 77       Veil 56       Bella Comfort Island 90       Glassy Island 89       Heaven 2.0 84         Heaven 2.0       Heaven       High-Light 81       Onyx-C 82       Skypad 2.0 86       Stilo Comfort Stilo Glassy Smarth	Strip 76	Strip Smart 75		<b>Talìka</b> 54	<b>T-Dark</b> 64	<b>T-Light</b> 65	<b>Tweet</b> 61
Heaven 2.0 Heaven High-Light 81 Onyx-C 82 Skypad 2.0 86 Stillo Comfort Stillo Glass Smart			1	CEILING ISLAND	A	A	
Heaven 2.0 Heaven High-Light 81 Onyx-C 82 Skypad 2.0 86 Stillo Comfort Stillo Glass Smart	<b>Twice</b> 53	Vesta 77	Veil 56		Bella Comfort Island 90	Glassy Island 89	<b>Heaven 2.0</b> 84
	Heaven 2.0 Flat 83	Heaven Compact 85	High-Light 81	<b>Onyx-C</b> 82	$\wedge$	NEW Stilo Comfort Island 91	NEW Stilo Glass Smart Island 92



**Omnia** 132

Victory 2.0 117

# ADVANCED TECHNOLOGY FOR REAL LIFE BENEFITS.



The exclusive Faber Cloud app can be used to monitor the air quality in your kitchen and adjust the main settings of your hood at any time, even from your mobile phone.



With the radio connection between the hood and Faber induction hob, the suction power is automatically adjusted according to the selected cooking level to optimise performance and avoid unnecessary waste.



Keep temperature, humidity percentage and the presence of volatile organic compounds under control in the domestic environment. The sensor automatically adjusts the suction power until perfect air quality is restored.



All hoods in the line-up already have a noise level at the maximum power of only 52 dB(A). The Eco Function can be activated by combining the effects of SIL & STILL TECHNOLOGY and the exclusive BRUSHLESS motor, for continuous 24-hour, energy-efficient air exchange in the surrounding environment, silently below 40 dB(A).




Stop condensation! Zero Drip collects it in a frame preventing it from dripping onto the hob. Zero Drip Plus makes it evaporate thanks to the specially heated glass of the hood.



More power, less noise, superior comfort! Faber technology increases suction capacity by 30 m3/h, reduces noise and improves efficiency, always with minimal consumption.



With the power of two brushless motors, Aries achieves a suction capacity of over 700 m3 abating noise by 9 dB(A). The superior, energy-saving and quiet performance of Aries puts vertical hoods in Class A.



The brushless motor guarantees considerable energy saving coupled with high extraction efficacy. It is the most silent motor on the market and its performance remains stable in any usage condition.



Any liquid spilled during cooking flows directly into a suction grille and is collected in an automatically drained tray under the hood, small enough to leave space for a utensil drawer.



Adjustable absorption setting on 4 power levels (KW). No more blackouts at home!



The rear air outlet available with many FABER hoods allows fumes to be channelled to the rear instead of upwards. This eliminates the need for an upper duct, freeing up useful space above the hood.



Filter saturation alarm: warns you when it is time to clean the anti-grease filter or substitute the anti-odour filter.




FENIX®, a high-tech material with unique characteristics. Soft and smooth to the touch, matt and smudge-proof surface.



Special smudge-proof materials for a perfectly clean hood and a surface without annoying stains.



Automatic shutdown delay: you can postpone the motor shutdown to eliminate residual odours completely.



25% less\* perceived noise. Perimeter suction exploits the Venturi effect to accelerate the air flow through a narrow gap. The air slows down again once inside the hood for more efficient extraction.

\*Equivalent to a reduction of 3 dB(A) according to EN 60704-3.



smells, the technology guarantees maximum effectiveness in activated carbon filtering. HFH technology makes the hood more efficient for air purification from all odours..



REMOTE BLOWER


Available on many products, it allows you to install the motor away from the hood to reduce the noise in the kitchen. For acoustic comfort at the highest level.





A special sensor switches the hood on as soon as air temperature reaches 35°C.

A smart sensor activates your hood automatically whenever needed. Faber loves to make cooking easier and more enjoyable!




The hood will turn on at the most suitable speed automatically, adapting the extraction capacity to the maximum cooking level.



Key 24: function which allows the hood to be switched on for 24 hours a day for air renewal with a level of noise that is imperceptible.





Thanks to the LED lighting you will have a brilliant light and excellent visibility over the entire cooking area, with a considerable energy saving.



Dimmable light: at the touch of a button the light is dimmed down and can be left on for a long time with minimal energy consumption.



SPEED

Intensive speed: function which activates maximum aspiration for 6 minutes to meet special cooking needs.



On some models, you can choose and vary the colour temperature of the light, from warmer (tending to yellow) to colder (tending to white).



Thanks to the Double Intensive Function. Even the most persistent cooking steam and smells are eliminated in just a few minutes.



Multi-layer filter, it guarantees a double filtration and an optimal air cleanliness,that lasts for up to 3 years and are dishwasher safe



Extremely comfortable, user-friendly Touch Slider controls.



The new remote control is compatible with many Faber hoods. To adjust suction and special functions, such as the courtesy light, 24H, Up&Down and Steam Off features. Controlling your hood is easier than ever.





HOH

High-efficiency filter, it guarantees more than 80% filtration capacity of intake fumes and a duration of up to 6 months.



# **GREEN INNOVATION.** THE FUTURE IS IN OUR HANDS

# WE ALSO THINK ABOUT THE PLANET


Making sustainable choices is essential to respect the world we live in. Therefore, it is important to choose a hood that is energy-efficient. By developing solutions aimed at lower environmental impact and greater energy savings, Faber also takes care of the planet

# LED LIGHT

All FABER hoods incorporate LED lighting technology. The LED units consume next to nothing and produce a pleasantly natural light that ensures perfect visibility without altering colours

# **HIGHER CLASS ENERGY**

Today, Faber hoods are confirmed in the highest energy classes. They ensure superlative performance and minimum consumption of the suction motor, filtering system and lighting. The top-of-the-range Galileo hob extractor achieves excellence in Class A+++.







# K-LINK TECHNOLOGY AND THE HOOD ADJUSTS ITSELF AUTOMATICALLY



# FREE HANDS IN THE KITCHEN. THANK YOU, FABER

The beauty of cooking is also that you can express yourself freely, without distractions. If you have an induction hob and a Faber cooker hood with K-LINK connection, just start cooking and the suction power of the hood automatically adjusts to the selected cooking level.

# HOB AND HOOD DIALOGUE WITH EACH OTHER

Faber has created an intelligent connection between hob and hood, through an integrated system that works with radio waves. A simple gesture is all it takes to set the hood to automatic operation. The system is always active because the radio signal is never interrupted. At the same time, the perfect operation of the hood is guaranteed avoiding the waste of energy and excessive noise that you could have set the suction at a level too high compared to the produced fumes.








The connection is always active even in the presence of dirt residues on the hob.



It can be controlled manually whenever you want.





# CONDENSATION IS NO LONGER A PROBLEM

# FABER ELIMINATES THE PROBLEM OF CONDENSATION

Eliminating condensation is essential to protect the wall unit where the hood is installed and to prevent drops of moisture from falling onto the hob. Faber has succeeded by creating special anti-condensation systems of total effectiveness.

# **ZERO DRIP**

The Faber Zero Drip and Zero Drip Plus systems stop condensation after it has formed. The first one collects it in a groove preventing it from dripping onto the hob. The second makes it evaporate through contact with specially heated surfaces.







# **ZERO DRIP PLUS**

Pressing a button on the glass part of the hood activates a heating resistor that makes the condensation evaporate completely.

Models with technology ZERO DRIP or ZERO DRIP PLUS



Glam Fit Zero Drip




Glam Fit Zero Drip Plus



Glam Light Zero Drip



Glam Light Zero Drip Plus



# QUIETNESS THAT RESPECTS NATURE

# THE FIRST COMFORT IS SILENCE

To make the kitchen a comfortable environment to live in, it is essential to have a hood that works making as little noise as possible, even at top power.

# **BRUSHLESS MOTOR**

Faber is constantly looking for technologically advanced solutions and with this motor, it guarantees the best energy efficiency on the market.

# **SIL & STILL TECHNOLOGY**

Based on the study of aerodynamic flows inside the hood and targeted sound insulation, this Faber technology reduces noise at top power to just 52 dB(A). By activating the Eco Function, it ensures continuous air exchange in the surrounding environment for 24 hours, silently and with minimum consumption below 40 dB(A) comparable to the quietness of a library.


### **REMOTE BLOWER**

The noise of the hood can be minimised by moving the motor away.









# THE SILENT PLEASURE OF A REMOTE MOTOR



# **REMOTE SUCTION KIT**

The remote suction kit, with the utmost simplicity, makes it possible to move the hood motor away from the cooking area.

### THE SILENCE INCREASES SIX METRES AWAY

With the Remote Suction Kit, the motor can be moved to another location of the house up to six metres away from the hood. Minimal noise and maximum comfort are ensured not only in the kitchen but also in the living area.





# **SOFT LINE** REVOLUTIONISES DESIGN

Soft Line is the Faber range of hoods made with FENIX®, a high-tech material with unique characteristics. The matte, smudge-proof surface is soft to the touch and reflects very little light. It is non-porous to facilitate daily maintenance and cleaning.

FENIX® is a material with high resistance to scratches, abrasions, dry heat and acids. Its properties make it perfect for kitchens

Another characteristic is that it can self-heal surface micro-scratches.









The Faber Soft Line consists of a suspended hood F-light (Soft Cube) and two vertical wallmounted hoods (Soft Edge e Soft Slim). They are all available with three FENIX® finishes: Grigio Londra, Bianco Kos or Nero Ingo.





SOFT CUBE

SOFT EDGE

SOFT SLIM



# LESS CONSUMPTION, MORE EFFICIENCY

### FLAT DESIGN AND MAXIMUM COMFORT

Completely flat vertical hoods, for an even more trendy ultra-slim design. This is achieved with the Faber diffusers that concentrate the maximum suction power and the best energy efficiency in just 15 cm.

# NAUTILUS

The exclusive diffuser design naturally inspired by the golden ratio for superlative comfort and outstanding performance.Nautilus hoods are Ultra Thin, Low Energy consumption with Hi efficiency

# ARIES

With the power of two brushless motors, Aries achieves performance with a suction capacity of over 700 m3 abating noise to 9 dB(A). The hoods with Aries technology are in Class A+.

Models with technology NAUTILUS and ARIES



**Glam-Fit** 



Glam Fit Zero Drip



Zero Drip Plus

Glam Fit



Soft Slim



Talìka







# HFH TECHNOLOGY

# HIGH FILTERING NO BAD SMELLS



### ONLY FABER HOODS ELIMINATE 95% OF ODOURS.

What's the most effective activated carbon filtration technology? It's called HFH, which stands for "HIGH FILTERING HOOD". And it's a FABER exclusive, of course. HFH improves hood performance by removing odours from the air almost totally.

#### A LARGER SURFACE AREA AND TWO LAYERS OF ULTRA-EFFICIENT FILTER MATERIAL.

Faber's potent HFH technology is based on a cylindrical filter design with a far larger surface area. It's twice as effective too, because it uses two high-effciency filtration layers with different porosities and activated carbon concentrations. That's how the filter captures both large and small particles.

#### FABER MAKES THINGS EASIER...QUIETLY.

Unlike other activated carbon filter systems, HFH also reduces noise by around 3 dB(A). And the smart, cylindrical shape of the filter makes easy work of removing the dishwashercompatible filter material.



# AIR TREATMENT SMART HOODS

### HOODS CONNECTED TO YOUR WORLD

All hoods in the AIR TREATMENT by Faber range fit an Air Quality Sensor. This innovative device monitors the air and activates suction if it detects the presence of allergens, pollutants or odours. By storing data on the Faber cloud, via an app that can be downloaded to smartphones, you can monitor the air quality at home at any time, even remotely.

### K-AIR WITH INTEGRATED MONITOR

K-Air is an intelligent vertical hood with a built-in 21" monitor that can be controlled directly via the touchscreen or app. The exclusive Sensor Air Quality keeps the temperature, the percentage of humidity and the presence of volatile organic compounds (VOC and VOC), Carbon Monoxide and Nitrogen dioxide and methane under control in the domestic environment. The sensor activates the hood as soon as pollution thresholds are exceeded, primarily in the space where you cook.





# THE IDEAL SOLUTION FOR YOUR **SMART HOME**



FREES INTERIORS OF ODOURS AND POLLUTANTS



MONITORS HUMIDITY AND TEMPERATURE AND IMPROVES AIR QUALITY



CONNECTION TO YOUR INTERNET BROWSER MAKES YOUR FAVOURITE WEB PAGES ACCESSIBLE ANYTIME (AVAILABLE ON K-AIR MODEL)



THANKS TO THE FABER CLOUD, YOU CAN ACCESS IT FROM ANYWHERE AND CHECK YOUR HOME ENVIRONMENT



ALL FUNCTIONS CAN ALSO BE MANAGED VIA THE FABER APP



The exclusive App is designed to monitor air quality in your kitchen and manage the hood remotely too, with simple and intuitive functions.

### A RANGE THAT IS **ALWAYS CONNECTED**

AIR TREATMENT by Faber is a complete range comprised of vertical, ceiling, T-shape and built-in hood models. All the hoods are equipped with an Air Quality Sensor, connection to the Faber Cloud and can be controlled remotely via the App. In addition, the K-air model comes equipped with the exclusive 21.5 inch integrated monitor.



BI-AIR



C-AIR



IN-NOVA AIR



HEAVEN AIR



K-AIR



T-AIR



V-AIR



V-AIR FLAT

# **AIR TREATMENT**

BI-AIR	33
C-AIR	32
HEAVEN AIR	34
K-AIR	28
T-AIR	29
V-AIR	30
V-AIR FLAT	31



Controls

Lighting LED

#### PERFORMANCE

**ORDER CODES** 

FAKA80KBG

Art. Nr.

	Speed	1	2	3	INT
	Air m3/h	280	430	580	700
	Pressure	420	480	520	530
<u> </u>	Input	190	230	255	270
	Noise dB(A)	52	59	66	70

Finish

Black Glass

# **Grease Filter**

**Touch Controls** 

Cassettes Dishwasher Safe

#### Ø of Air Outlet

#### Width

800 mm

**Energy Class** 

А

#### **ACCESSORIES**

**Charcoal Filter** 

F01CF02 €43

#### Long Life Filter

F01CF02LL €100

**High Performance Filter** 


F01CF02HP €58

#### **Remote Control**

F05RC2 €70

### **Recycling Diverter Black**

F05HC1B €28



Width

800 mm



R.R.P

€3,499

You can monitor the air quality at home at any time, even remotely

ICIB €28	
All retail prices include VAT at 23%	T = Lead
For technical information log onto www.fff.ie	models

times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

(24 ۲ ۲

**3**也

DELAY 3

(Á

QUALIT

0

NTENSIVI SPEED







#### PERFORMANCE

**ORDER CODES** 

FATA90KBBG

Art. Nr.

Controls	Speed	1	2	3	INT
Touch Controls	Air m3/h	300	420	580	700
Lighting	Pressure	410	460	500	520
LED Light Bar	Input	190	230	255	270
	Noise dB(A)	52	59	66	69

Width

900 mm

Finish

Black / light Brown Glass €1,149

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

#### Width

900 mm

**Energy Class** 

A+

#### ACCESSORIES

**Charcoal Filter** 


F01CF01 €37

#### Long Life Filter

F01CF01LL €74

#### Remote Control

F05RC2 €70







OPTIONAL HIGH PERFORMANCE FILTER



T = Lead times apply for these models of up to 6 Weeks

R.R.P



**Touch Controls** 

Controls

Lighting LED

#### PERFORMANCE

§	Speed	1	2	3	INT
A	Air m3/h	310	420	580	720
F	Pressure	440	500	540	550
I	nput	175	220	255	270
1	Noise dB(A)	52	56	62	65



#### **Grease Filter**

Ø of Air Outlet

150 / 120 mm

Cassettes Dishwasher Safe

## **ORDER CODES**

 Art. Nr.	Width	Finish	R.R.P
FAVA80KBBG	800 mm	Black / light Brown Glass	€899

#### Width

800 mm

**Energy Class** 

A+

#### **ACCESSORIES**

#### **Charcoal Filter**

F01CF02 €43

### Long Life Filter

F01CF02LL €100

# High Performance Filter


F01CF02HP €58

#### **Remote Control**

F05RC2 €70

## **Recycling Diverter Black**

F05HC1B €28







0

NTENSIVE SPEED



Subject to technical modifications and changes to the range without notice



**Touch Controls** 

**Grease Filter** 

Ø of Air Outlet

150 / 120 mm

Cassettes Dishwasher Safe

Controls

Lighting

LED

#### PERFORMANCE

**ORDER CODES** 

FAVAF80KBBG 800 mm

Art. Nr.

	Speed	1	2	3	INT
	Air m3/h	190	250	400	570
	Pressure	300	450	540	650
	Input	100	115	120	125
	Noise dB(A)	52	58	67	73







Finish	R.R.P	$\bigcirc$
Black / light Brown Glass	€999	



Width

800 mm

**Energy Class** 

А


### **ACCESSORIES**

**Charcoal Filter** 

F01CF20 €30

#### **Remote Control**

F05RC2 €70



Width



Controls

Lighting

#### PERFORMANCE

**ORDER CODES** 

FACA90KBBG

Art. Nr.

Speed	1	2	3	INT
Air m3/h	290	400	560	700
Pressure	430	490	530	560
 Input	190	230	255	270
Noise dB(A)	53	62	70	72

Finish

Width

900 mm

# Grease Filter

**Touch Controls** 

Cassettes Dishwasher Safe

#### Ø of Air Outlet

220 x 90 mm

#### Width

900 mm

#### **Energy Class**

А

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### High Performance Filter

F01CF02HP €58

#### **Remote Control**


F05RC2 €70

#### **Remote Blower Kit**

All retail prices include VAT at 23%

For technical information log onto www.fff.ie

F10RB01 €238







DELAY 30 INTENSIVE SPEED

R.R.P

Black / light Brown Glass €1,599









**Touch Controls** 

Controls

Lighting

#### PERFORMANCE

**ORDER CODES** 

FABIA52KBBG

FABIA70KBBG

Art. Nr.

Speed	1	2	3	INT
Air m3/h	290	420	580	670
Pressure	410	480	520	540
Input	190	230	255	270
Noise dB(	A) 52	61	68	72

Finish

Black / light Brown Glass

Black / light Brown Glass

Width

520 mm

700 mm

#### **Grease Filter**

LED Light Bar

Cassettes Dishwasher Safe

#### Ø of Air Outlet

120 / 150 mm

#### Width

520 / 700 mm

#### **Energy Class**

В

### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### High Performance Filter


F01CF02HP €58


#### **Remote Control**

F05RC2 €70

#### Remote Blower Kit

F10RB01 €238





	LED LIGH
R.R.P	- 0
€899	OPTIONAL H
€989	FILTER
0000	OPTIONA



íθ









Electronic LED

Controls

Lighting

4 x LED

#### PERFORMANCE

**ORDER CODES** 

FAHA90KSS

Art. Nr.

 Speed	1	2	3	INT
Air m3/h	290	400	560	700
Pressure	430	490	530	560
 Input	190	230	255	270
Noise dB(A)	53	62	70	72

Finish

Stainless Steel

Width

900 mm

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

150 /	120	mm
-------	-----	----

#### Width

900 mm

#### **Energy Class**

А

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

# Long Life Filter


F01CF02LL €100

#### High Performance Filter

F01CF02HP €58

#### **Remote Blower Kit**

F10RB01 €238



Air Outlet adjustable in 4 positions

#### AIR QUALITY ALWAYS AT HAND

R.R.P

€1,549

The only stainless steel ceiling hood model equipped with real-time air quality sensor, connected via app for superior functionality and air optimisation even in the most minimalist island kitchens.

 ${f T}$  = Lead times apply for these

models of up to 6 Weeks

34



Έ

Α



**3**U



# **ASPIRATION HOB**

GALILEO SMART	38
GALILEO 60	40
GALILEO NG	42

# **GALILEO.** A simply brillant hood



THE MOST EFFICIENT. The pinnacle of aesthetic perfection with the integration of cooktop and hood in a single product for outstanding performance.





MAXIMUM SAFETY IN THE KITCHEN. Waterproof technology guarantees operation and safety even in the event of liquids spilling onto the cooktop. They do not interfere with the cooking and are collected in a special compartment below.



# THE MOST EFFECTIVE.

With its clever fluid-dynamic design, Galileo stands out for its high collection capacity of up to 6.6 metres per second. Even the most persistent cooking vapours and smells are eliminated in just a few minutes.





# EASY TO USE.

The convenient and user-friendly touch slider controls allow you to adjust the cooking zones and the suction level with a simple action.





UNLEASH YOUR CREATIVITY. The cooking zones can be activated in combined mode to use them together with the same level of power, ideal for

# EASY TO USE. The cooktop surface is smooth and seamless allowing dirt to be removed in one simple step.





cooking food in large pots.



SPACE SAVING. In the base cabinet Galileo has a smart drawer where you can easily storage cooking utensils.






# USEFUL


The grease filter is extremely efficient and is also functional because it works as the first barrier and can collect up to 0.5 litres of liquid. It is easily removable and dishwasher-safe.



STANDARD INSTALLATION



# FLUSH FIT INSTALLATION





GALILEO SMART can be ducted out via the rear or to the sides, see page 140 for full ducting program





GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP





GALILEO SMART can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm Code Nr: F01RGS100 €225



T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice



# **HOOD FEATURES**

# HOOD PERFORMANCE

**ORDER CODES** 

Finish	Speed	1	3	8	INT	BOOST
Black Glass / Cast Iron Grid	Air m3/h	245	350	505	550	700
Controls	Pressure	290	525	550	555	560
Touch Controls	Input	35	65	130	140	220
	Noise dB(A)	51	57	65	66	72

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

220 x 55 mm	Art. Nr.	Width	Finish	R.R.P
Energy Class	FAGOS83BG	830 mm	Black Glass / Cast Iron Grid	€1,759

A++

# **Suction Speed**

**HOB FEATURES** 

6.6 mps




# **INDUCTION HOB FUNCTIONS**


Product Dimensions	Induction Zone	4
830 x 520 mm	Bridge Cooking	2
Induction Zone		
4	Power Settings (Stages)	9
2100 - 3000 W Single	Timer	1-59 mins
3000 - 3700 W Paired		
Induction Zone Dimensions	Booster	Yes
Single 210 x 190	Auto Switch Off	Yes
Bridge 210 x 390	Pause / Recall	Yes
Induction Technology	Over temperature protection	Yes
B4	Volatge Abnormality Protection	Yes
Power		
7400 w	Container Detection System	Yes
Voltage	Pot Detection	Yes
220 - 240 v	Power On Indicator	Yes
Frequency	Child lock	Yes
50 / 60 hz		
· -	Power Limitation	2800w / 3500w /4500w / Full



STANDARD INSTALLATION



FLUSH FIT INSTALLATION





GALILEO 60 can be ducted out via the rear or to the sides, see page 140 for full ducting program





GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP





GALILEO 60 can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm Code Nr: F01RGS100 €225



Subject to technical modifications and changes to the range without notice

T = Lead times apply for these models of up to 6 Weeks



# **HOOD FEATURES**

# HOOD PERFORMANCE

Finish	Speed	1	3	6	9	BOOST
Black Glass / Cast Iron Grid	Air m3/h	230	310	451	500	630
Controls	Pressure	280	500	590	620	630
Touch Controls	Input	40	60	100	125	220
	Noise dB(A)	49	55	62	65	71

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

220 x 55 mm

**Energy Class** 

ORDER CODES	

Art. Nr.	Width	Finish	R.R.P
FAGOS60BG	600 mm	Black Glass / Cast Iron Grid	€1,499

A++

# **Suction Speed**

**HOB FEATURES** 

6.6 mps




# **INDUCTION HOB FUNCTIONS**


Product Dimensions	Induction Zone	4
600 x 520 mm	Bridge Cooking	2
Induction Zone		
4	Power Settings (Stages)	9
2100 - 3000 W Single	Timer	1-59 mins
3000 - 3700 W Paired	Booster	Yes
Induction Zone Dimensions		163
Single 210 x 190	Auto Switch Off	Yes
Bridge 210 x 390	Pause / Recall	Yes
Induction Technology	Over temperature protection	Yes
B4	Volatge Abnormality Protection	Yes
Power		163
7400 w	Container Detection System	Yes
Voltage	Pot Detection	Yes
220 - 240 v	Power On Indicator	Yes
Frequency	Child lock	Yes
50 / 60 hz		
	Power Limitation	2800w / 3500w /4500w / Full



STANDARD INSTALLATION



FLUSH FIT INSTALLATION





GALILEO SMART can be ducted out via the rear or to the sides, see page 140 for full ducting program





GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP





GALILEO NG can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm Code Nr: F01RGS100 €225



All retail prices include VAT at 23% For technical information log onto www.fff.ie T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice



# **HOOD FEATURES**

# HOOD PERFORMANCE

**ORDER CODES** 

Finish	Speed	1	3	8	INT	BOOST
Black Glass / Cast Iron Grid	Air m3/h	245	350	505	550	700
Controls	Pressure	290	525	550	555	560
Touch Slider Controls	Input	35	65	130	140	220
	Noise dB(A)	51	57	65	66	72

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

220 x 90 mm	Art. Nr.	Width	Finish	R.R.P
Energy Class	FAGON83BG	830 mm	Black Glass / Cast Iron Grid	€2,399

A+++

Suction Speed

HOB FEATURES

6.6 mps

[2]		$\bigcirc$		
BRIDGE ZONE	SPACE SAVING	BOOSTER	TIMER	TOUCHSLIDER

# **INDUCTION HOB FUNCTIONS**

Product Dimensions	Induction Zone	4			
830 x 520 mm	Bridge Cooking	2			
Induction Zone					
4	Power Settings (Stages)	9			
2100 - 3700 W Single	Timer	1-59 mins			
4200 - 7400 W Paired	Booster	Yes			
Induction Zone Dimensions					
Single 230 x 210	Auto Switch Off	Yes			
Bridge 460 x 210	Pause / Recall	Yes			
Induction Technology	Over temperature protection	Yes			
G5					
Power	Volatge Abnormality Protection	Yes			
7400 w	Container Detection System	Yes			
Voltage	Pot Detection	Yes			
220 - 240 v	Power On Indicator	Yes			
Frequency	Child lock	Yes			
50 / 60 hz					

# WALL

BELLA COMFORT	71	SOFT EDGE	46
CHLOÈ	66	SOFT SLIM	47
CHLOÈ XL	68	SOLARIS	78
COCKTAIL	62	STILO COMFORT	72
DAISY PLUS	60	STILO GLASS SMART	73
GLAM-FIT	57	STILO SMART	74
GLAM FIT ZERO DRIP	50	STRIP	76
GLAM FIT ZERO DRIP PLUS	48	STRIP SMART	75
GLAM-LIGHT	58	TALÌKA	54
GLAM LIGHT ZERO DRIP	51	T-DARK	64
GLAM LIGHT ZERO DRIP PLUS	49	T-LIGHT	65
GRÈXIA	59	TWEET	61
NICE	70	TWICE	53
ONYX-T	63	VESTA	77
ONYX-V	52	VEIL	56
RAY	69		



**Touch Controls** 

Controls

Lighting

LED Lights

**ORDER CODES** 

Art. Nr.

FASEV80BK

FASEV80WH

FASEV80GR

	Speed	1	2	3	INT
	Air m3/h	310	420	580	720
-	Pressure	440	500	540	550
	Input	175	220	255	270
-	Noise dB(A)	52	56	62	65

Finish

**FENIX Black Swallow** 

FENIX Grey London

**FENIX White Kos** 

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 /	150	mm
-------	-----	----

## Width

800 mm

# **Energy Class**

A+

# **ACCESSORIES**

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter

F01CF02LL €100

# **High Performance Filter**

F01CF02HP €58


# **Remote Control**

F05RC2 €70

# **Recycling Diverter Black**

F05HC1B €28

46



Width

800 mm

800 mm

800 mm



R.R.P

€879


€879

€879



YEAR TIONAL L

Option



T = Lead times apply for these models of up to 6 Weeks



**Touch Controls** 

Controls

Lighting

LED Lights

# PERFORMANCE

**ORDER CODES** 

Art. Nr.

FASSV80BK

FASSV80WH

FASSV80GR

Speed	1	2	3	INT
Air m3/h	190	250	400	570
Pressure	300	450	540	650
Input	100	115	120	125
Noise dB(A)	52	58	67	73

Finish

FENIX Black Swallow

FENIX Grey London

**FENIX White Kos** 

Width

800 mm

800 mm

800 mm

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 /	150	mm
-------	-----	----

#### Width

800 mm

# **Energy Class**

А


# ACCESSORIES

# **Charcoal Filter**

F01CF20 €30

# **Remote Control**

F05RC2 €70





R.R.P

€899

€899

€899





T = Lead times apply for these models of up to 6 Weeks Subject to technical modifications and changes to the range without notice



OPTIONAL HIGH PERFORMANCE FILTER

A REMOTE CONTROL Optional



**Touch Controls** 

Controls

Lighting

2 x LED

# PERFORMANCE

**ORDER CODES** 

FAGF80DBZDP

FAGF80SGZDP

FAGF80BGZDP 800 mm

Art. Nr.

Speed	1	2	3	INT
Air m3/h	180	270	390	530
Pressure	320	460	540	630
Input	100	110	115	125
Noise dB(A)	54	57	67	74

Finish

Black Glass Matt

Sand Glass Matt

Dusty Blue Glass Matt

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 / 150 mm

## Width

800 mm


# **Energy Class**

А

# ACCESSORIES

**Charcoal Filter** 

F01CF20 €30



Width

800 mm

800 mm



R.R.P

€1,029

€1,029

€1,029

ENERG

0

C

ERO DRI

0

NTITO

Sand Glass Matt



Dusty Blue Glass Matt

T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice



**Touch Controls** 

Controls

Lighting

2 x LED

# PERFORMANCE

**ORDER CODES** 

FAGL80DBZDP

FAGL80SGZDP

FAGL80BGZDP 800 mm

Art. Nr.

 Speed	1	2	3	INT
Air m3/h	300	410	560	690
Pressure	410	450	500	520
 Input	190	230	255	270
Noise dB(A)	53	60	67	71

Finish

Black Glass Matt

Sand Glass Matt

Dusty Blue Glass Matt

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 / 150 mm

## Width

800 mm

# **Energy Class**

А

# ACCESSORIES

**Charcoal Filter** 

F01CF02 €43

# Long Life Filter


F01CF02LL €100

# **High Performance Filter**

F01CF02HP €58

# **Recycling Diverter**

F05HC1B Black €28 F05HC1W White €28



Width

800 mm

800 mm



R.R.P

€999

€999

€999

ENERG

C

3 YEAR

TIONAL LO

ZERO DRI


ο

NTITOU

Black Glass Matt



**Dusty Blue Glass Matt** 





**Touch Controls** 

Controls

Lighting

2 x LED

# PERFORMANCE

Art. Nr.

FAGF80BGZD

FAGF80DBZD

FAGF80SGZD

_	Speed	1	2	3	ΙΝΤ
	Air m3/h	180	270	390	530
	Pressure	320	460	540	630
-	Input	100	110	115	125
	Noise dB(A)	54	57	67	74

Finish

Black Glass Matt

Sand Glass Matt

Dusty Blue Glass Matt

	I
B(A)	

Width

800 mm

800 mm

800 mm

#### Cassettes Dishwasher Safe **ORDER CODES**

# Ø of Air Outlet

120 / 150 mm

**Grease Filter** 

# Width

800 mm

# **Energy Class**


А

50

# **ACCESSORIES**

# **Charcoal Filter**

F01CF20 €30





R.R.P

€729

€729

€729

ENERG

0

0

11711

ED LIGI

Sand Glass Matt



Dusty Blue Glass Matt



T = Lead times apply for these models of up to 6 Weeks



# PERFORMANCE

Controls	Speed	1	2	3	INT	Г
Touch Controls	Air m3/h	320	490	640	730	_
Lighting	Pressure	340	450	480	520	- L' F
2 x LED	Input	145	180	230	250	
ZXLLD	Noise dB(A)	53	63	68	71	- L

# **Grease Filter**

Cassettes Dishwasher Safe

# **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
120 / 150 mm	AIL NI.	width	FIIII3II	R.R.F
120 / 130 11111	FAGL80BGZD	800 mm	Black Glass Matt	€679
Width	FAGL80DBZD	800 mm	Dusty Blue Glass Matt	€679
800 mm	FAGL80SGZD	800 mm	Sand Glass Matt	€679

# **Energy Class**

В

# ACCESSORIES

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter


F01CF02LL €100

# **High Performance Filter**

# F01CF02HP €58



All retail prices include VAT at 23% For technical information log onto www.fff.ie





**Black Glass Matt** 



Dusty Blue Glass Matt

T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice 0

TENS

ERO DRII



Squarcle Touch

Controls

Lighting

2 x LED

# PERFORMANCE

**ORDER CODES** 

Art. Nr.

 Speed	1	2	3	INT	BOOST
Air m3/h	210	310	370	590	780
Pressure	390	400	420	480	530
 Input	55	60	80	90	170
Noise dB(A)	46	51	52	63	69

Finish

Black Glass / S-Steel

Width

FAOXV90BGSS 900 mm

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 / 150 mm

# Width

900 mm

#### **Energy Class**

A++

# ACCESSORIES

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter

F01CF02LL €100

# High Performance Filter


All retail prices include VAT at 23%


For technical information log onto www.fff.ie

F01CF02HP €58

# **Remote Control**

F05RC2 €70





IL & STIL

**(\*** 

USHLE

(a

Optional

ο

NTENSI

3 YEAR

TIONAL L

R.R.P

€1,449



Squarcle Touch

Controls

Lighting 2 x LED

# PERFORMANCE

**ORDER CODES** 

FATW90BGSS

FATW90SSMB

Art. Nr.

	Speed	1	2	3	INT	BOOST	Г
ı	Air m3/h	180	250	430	500	610	
	Pressure	220	290	500	510	540	
	Input	50	70	140	150	280	1
	Noise dB(A)	40	45	57	61	66	Å

Finish

Black Glass/Stainless Steel

Stainless Steel/Matt Black

Width

900 mm

900 mm

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 / 150 mm

#### Width

900 mm

# **Energy Class**

A+


# ACCESSORIES

**Charcoal Filter** 

F01CF20 €30 x 2

# **Remote Control**

F05RC2 €70





R.R.P

€1,699

€1,699

Stainless Steel Matt Black



A٩



Optional

T = Lead times apply for these models of up to 6 Weeks



Squarcle Touch

Controls

Lighting

2 x LED

# PERFORMANCE

**ORDER CODES** 

FATA80DCON

FATA80CT

Art. Nr.

Speed	1	2	3	BOOST
Air m3/h	200	300	410	560
Pressure	360	470	560	650
 Input	100	110	120	135
Noise dB(A)	51	59	66	72

Finish

Dark Grey Concrete

**Cross Titanium** 



Optional

# Grease Filter

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 /	150	mm
-------	-----	----

#### Width

800 mm

#### **Energy Class**

А


# ACCESSORIES

# **Charcoal Filter**

F01CF20 €30

# **Remote Control**

F05RC2 €70



Width

800 mm

800 mm



R.R.P

€1,599

€1,599

# Dark Grey Concrete





Squarcle Touch

Controls

Lighting

2 x LED

# PERFORMANCE

**ORDER CODES** 

Art. Nr.

FATA80DG

FATA80CO

Speed	1	2	3	INT
Air m3/h	200	300	410	560
Pressure	360	470	560	650
 Input	100	110	120	135
Noise dB(A)	51	59	66	72

Finish

Copper

Dark Grey Matt

Width

800 mm

800 mm

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 / 150 m	m
-------------	---

## Width

800 mm

# **Energy Class**

А


# ACCESSORIES

# **Charcoal Filter**

F01CF20 €30

# **Remote Control**

F05RC2 €70





R.R.P

€1,259

€1,599

Dark Grey Matt



All retail prices include VAT at 23% For technical information log onto www.fff.ie

T = Lead times apply for these models of up to 6 Weeks Subject to technical modifications and changes to the range without notice

55

0

0

ED LIGH

Optional

ENERG



Controls Electronic

Lighting

2 x LED

# PERFORMANCE

 Speed	1	2	3	INT
Air m3/h	300	410	570	700
Pressure	420	490	530	550
 Input	190	230	255	270
Noise dB(A)	50	58	65	69



# **Grease Filter** Cassettes Dishwasher Safe

# **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
120 / 150 mm	FAVL90W	900 mm	Matt White	€1,049
Width	FAVL90B	900 mm	Matt Black	€1,049

Width 900 mm

# **Energy Class**

A+

# **ACCESSORIES**

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter

F01CF02LL €100

# High Performance Filter

F01CF02HP €58


# **Remote Blower Kit**

F10RB01 €238

Optional Rear back outlet

All retail prices include VAT at 23%

For technical information log onto www.fff.ie





Matt Black

T = Lead times apply for these models of up to 6 Weeks



# PERFORMANCE

Controls	Speed	1	2	3	INT
Touch Control	Air m3/h	190	250	400	570
Lighting	Pressure	300	450	540	650
2 x LED	Input	100	115	120	125
	Noise dB(A)	52	58	67	73
<b>A H</b> <sup>1</sup> 11	1		•		



# **Grease Filter**

Cassettes Dishwasher Safe

# **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
120 / 150 mm	FAGE55BG	550 mm	Black Glass	€639
				£039
Width	FAGF55WG	550 mm	White Glass	€639
550 / 800 mm	FAGF80BG	800 mm	Black Glass	€679
Energy Class	FAGF80WG	800 mm	White Glass	€679


# **Energy Class**

А

# ACCESSORIES

# **Charcoal Filter**

F01CF20 €30





Glam Fit 55 cm White Glass

T = Lead times apply for these models of up to 6 Weeks



Controls **Touch Control** 

Lighting

2 x LED

# PERFORMANCE

**ORDER CODES** 

FAGT80DGLG

FAGT80WHT

FAGT80WG

FAGT80WGWG

Art. Nr.

Speed	1	2	3	INT
Air m3/h	310	420	580	720
Pressure	440	500	540	550
 Input	175	220	255	270
Noise dB(A)	52	56	62	65

Finish

Width

800 mm

800 mm

800 mm

800 mm

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 /	150	mm	
-------	-----	----	--

## Width

800 mm

# **Energy Class**

A+

# ACCESSORIES

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter


F01CF02LL €100

# **High Performance Filter**

F01CF02HP €58

# **Recycling Diverter**

F05HC1B Black €28 F05HC1W White €28



Dark Grey/Light Gret

Warm Grey 1C/3C

White Glass/Transparent

White Glass/Warm Grey

White/Warm Grey

Warm Grey1C/3CT

Subject to technical modifications and changes to the range without notice


R.R.P

€729

€729

€729

€729





Controls

Lighting

2 x LED

# PERFORMANCE

**ORDER CODES** 

Speed	1	2	3	INT
Air m3/h	300	480	620	690
Pressure	340	430	470	480
- Input	145	180	230	250
Noise dB(A)	53	64	69	72

# **Grease Filter**

Cassettes Dishwasher Safe

Squarcle Touch Control

# Ø of Air Outlet

	– Art. Nr.	Width	Finish	R.R.P
120 / 150 mm	FAGX60DG	600 mm	Dark Grey Stone/Black	€519
Width	FAGX60LG	600 mm	Light Grey Stone/S-Steel	€519
600 / 900 mm	FAGX90DG	900 mm	Dark Grey Stone/Black	€559
	FAGX90LG	900 mm	Light Grey Stone/S-Steel	€559

**Energy Class** 

С

# ACCESSORIES

# **Charcoal Filter**


F01CF02 €43

# Long Life Filter

F01CF02LL €100

# High Performance Filter

F01CF02HP €58





Grexia 60 cm Light Grey Stone / Stainless Steel

 ${f T}$  = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice ඟු

NCEALE

3 YEAR

O



**Touch Control** 

Controls

Lighting

2 x LED

# PERFORMANCE

**ORDER CODES** 

FADAP55BG

FADAP55WG

FADAP80BG

FADAP55WG

Art. Nr.

Speed	1	2	3	INT
Air m3/h	n 310	420	580	720
Pressure	440	500	540	550
Input	175	220	255	270
Noise dE	B(A) 52	56	62	65

Finish

Black Glass

White Glass

**Black Glass** 

White Glass

# **Grease Filter**

Cassettes Dishwasher Safe

# Ø of Air Outlet

120 / 150	mm
-----------	----

## Width

550 / 800 mm

# **Energy Class**

А

# ACCESSORIES

**Charcoal Filter** 

F01CF02 €43

# Long Life Filter

F01CF02LL €100

# **High Performance Filter**


F01CF02HP €58

# **Remote Blower Kit**

F10RB01 €238

# **Recycling Diverter**

F05HC1 S-Steel €34



Width

550 mm

550 mm

800 mm

800 mm



А

ENERG

П

Ú,

R.R.P

€499

€489

€559

€559

0

NTENSIVI SPEED

ŝ

ONCEALED

3 YEAR

Daisy 80 cm White Glass

# T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

All retail prices include VAT at 23% For technical information log onto www.fff.ie





# PERFORMANCE

Controls	Speed	1	2	3	INT
Touch Control	Air m3/h	300	470	620	700
Lighting	Pressure	340	440	480	500
2 x LED	Input	145	180	230	250
	Noise dB(A)	53	63	68	71



# **Grease Filter**

Cassettes Dishwasher Safe

# **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
120 / 150 mm		wiath	ГШЭП	N.N.F
1207 130 11111	FATW55WG	550 mm	White Glass	€449
Width	FATW55BG	550 mm	Black Glass	€449
550 / 800 mm	FATW80WG	800 mm	White Glass	€469
Energy Class	FATW80BG	800 mm	Black Glass	€469

# **Energy Class**

С

# ACCESSORIES

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter

F01CF02LL €100

# High Performance Filter

F01CF02HP €58

# **Remote Blower Kit**


F10RB01 €238

# **Recycling Diverter**

F05HC1B Black €28

# F05HC1W White €28

All retail prices include VAT at 23% For technical information log onto www.fff.ie





Tweet 55 cm Black Glass

# T = Lead times apply for these models of up to 6 Weeks



# PERFORMANCE

Controls	Speed	1	2	3	INT
Touch Control	Air m3/h	310	480	630	720
Lighting	Pressure	350	450	480	520
2 x LED	Input	145	180	230	250
	Noise dB(A)	52	62	67	70

# **Grease Filter**

Cassettes Dishwasher Safe

# **ORDER CODES**

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
120 / 150 mm		wiath	Fillish	R.R.F
120 / 150 11111	FACO80WG	800 mm	White Glass	€639
Width	FACO80BG	800 mm	Black Glass	€639



# **Energy Class**

В

800 mm

# **ACCESSORIES**

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter

F01CF02LL €100


# High Performance Filter

F01CF02HP €58

# Chimney

62

F03W290B Black €79 F03W846W White €79





Cocktail 80 cm Black Glass

T = Lead times apply for these models of up to 6 Weeks



# PERFORMANCE

Controls	Speed	1	2	3	INT	BOOST
Squarcle Touch Control	Air m3/h	240	300	380	550	750
Lighting	Pressure	360	400	450	460	500
LED	Input	55	60	70	100	170
	Noise dB(A)	45	50	52	63	68
Grease Filter	I	,	1 1	1	1	I

# Cassettes Dishwasher Safe Ø of Air Outlet

120 / 150 mm

# **ORDER CODES**

 Art. Nr.	Width	Finish	R.R.P
FAOXT90BGSS	900 mm	Black Glass/Stainless Steel	€1,089



900 mm

# **Energy Class**

A++

# ACCESSORIES

# **Charcoal Filter**


F01CF01 €37

# Long Life Filter

F01CF01LL €74

# **Remote Control**

F05RC2 €70



 $A^+$ 

ENERG

1

0

INTENS

YEAR

PTIONAL L

a

BOOS

LED LIGHT

(\*\*

USHLE

( B

Optional



# PERFORMANCE

**ORDER CODES** 

Art. Nr.

FATD90BSS

Controls	Speed	1	2	3	INT
Touch Control	Air m3/h	260	330	415	720
Lighting	Pressure	380	430	470	530
LED	Input	165	190	225	270
	Noise dB(A)	53	57	61	72
Grease Filter	I		I		I

Width

900 mm

Finish

Black Stainless Steel



# Width

900 mm

#### **Energy Class**

Ø of Air Outlet

120 / 150 mm

Cassettes Dishwasher Safe

A+

# ACCESSORIES

# **Charcoal Filter**

F01CF01 €37

# Long Life Filter

F01CF01LL €74

# **Remote Control**


F05RC2 €70

## **Remote Blower Kit**

All retail prices include VAT at 23%

For technical information log onto www.fff.ie

F10RB01 €238



R.R.P

€879



# PERFORMANCE

Controls	Speed	1	2	3	INT
Squrale Electronic	Air m3/h	290	420	580	690
Lighting	Pressure	410	470	520	530
Perimeter LED	Input	190	230	255	270
	Noise dB(A)	50	58	65	68

# **Grease Filter**

Cassettes Dishwasher Safe

# **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
120 / 150 mm	FATL90SS		Stainless Steel	€1,249
Width	FATL90MW	900 mm	Matt White	€1,449



# **Energy Class**

А

# ACCESSORIES

# **Charcoal Filter**


F01CF01 €37

# Long Life Filter

F01CF01LL €74

# **Remote Control**

F05RC2 €70









Controls Electronic LED

Lighting LED

# PERFORMANCE

	Speed	1	2	3	INT
	Air m3/h	300	420	590	700
-	Pressure	440	500	540	550
	Input	190	230	255	270
	Noise dB(A)	51	59	66	69

# Cassettes Dishwasher Safe

**Grease Filter** 

# **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
120 / 150 mm	ALL NI.	wiath	FIIIISII	
120 / 150 mm	FACH70OC	700 mm	Old Copper	€1,149
Width	FACH700B	700 mm	Old Brass	€1,149
700 mm	FACH700M	700 mm	Old Metal	€1,149



А

# **ACCESSORIES**

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter

F01CF02LL €100

# High Performance Filter


F01CF02HP €58

# **Remote Blower Kit**

F10RB01 €238

66

Optional Rear back outlet



ENERG

С

TENSI

24

**3**也

DELAY 3

FILTER

ED LIGH

3 YEAR

Old Brass



Old Metal

T = Lead times apply for these models of up to 6 Weeks





Controls Electronic LED

Lighting

# PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	420	590	700
Pressure	440	500	540	550
 Input	190	230	255	270
Noise dB(A)	51	59	66	69

# **Grease Filter** Cassettes Dishwasher Safe

# **ORDER CODES**

Ø of Air Outlet	— Art. Nr.	Width	Finish	R.R.P
120 / 150 mm		Wiath	1 111311	КіКіГ
	FACH70CI	700 mm	Cast Iron	€1,279
Width	FACH70DG	700 mm	Dark Matt Grey	€999
700 mm	FACH70CG	700 mm	Country Matt Grey	€999

# **Energy Class**

А

# ACCESSORIES

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter

F01CF02LL €100

# High Performance Filter


F01CF02HP €58

# **Remote Blower Kit**

F10RB01 €238

Optional Rear back outlet

All retail prices include VAT at 23% For technical information log onto www.fff.ie



ENERG

С

TENSI

24

**3**也

FILTER

3 YEAR

# Country Matt Grey



Dark Matt Grey

T = Lead times apply for these models of up to 6 Weeks



Controls

Lighting

LED

# PERFORMANCE

**ORDER CODES** 

FACHX110MG

FACHX110CI

Art. Nr.

Speed	1	2	3
Air m3/h	280	420	570
Pressure	200	260	320
 Input	90	105	140
Noise dB(A)	51	60	67

Finish

Cast Iron

Matt Country Grey

Width

1100 mm

1100 mm



# **Grease Filter**

Cassettes Dishwasher Safe

Electromechanical Knob

# Ø of Air Outlet

120 / 150 mm

## Width

1100 mm

# **Energy Class**

С

# **ACCESSORIES**

# **Charcoal Filter**

F01CF02 €43

# Long Life Filter

F01CF02LL €100


# High Performance Filter

All retail prices include VAT at 23%

F01CF02HP €58

# **Remote Blower Kit**

F10RB01 €238





R.R.P

€729


€729

Cast Iron



# PERFORMANCE

Controls	Speed	1	2	3
Squarcle Touch	Air m3/h	220	300	420
Lighting	Pressure	150	190	210
2 LED	Input	85	95	115
	Noise dB(A)	54	62	68



# Grease Filter

Cassettes Dishwasher Safe

# ORDER CODES

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
120 / 150 mm		width	FIIII3II	R.R.F
	FARA60SS	600 mm	Stainless Steel / Glass	€269
Width	FARA90SS	900 mm	Stainless Steel / Glass	€289

600 / 900 mm

# **Energy Class**

С

# ACCESSORIES

# **Charcoal Filter**

F01CF01 €37

# Long Life Filter


F01CF01LL €74

# **HFH Filter Kit**

F01HFH01 €323

# **Remote Blower Kit**

F10RB01 €238





# PERFORMANCE

Controls	Speed	1	2	3
Squarcle Touch	Air m3/h	220	300	420
Lighting	Pressure	150	190	210
2 LED	Input	85	95	115
	Noise dB(A)	54	62	68

20	
ENERGY DIFFUSER	
OPTIONAL	
HIGH FILTERING	LED LIGHT
	3
	YEAR
	OPTIONAL LONG LASTING FILTER

# **Grease Filter**

Cassettes Dishwasher Safe

# **ORDER CODES**

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
120 / 150 mm	FANI60SS		Stainless Steel / Glass	€269
Width	FANI90SS	900 mm	Stainless Steel / Glass	€289

600 / 900 mm

# **Energy Class**

С

# ACCESSORIES

# **Charcoal Filter**

F01CF01 €37

# Long Life Filter

F01CF01LL €74


# **HFH Filter Kit**

F01HFH01 €323

# **Remote Blower Kit**

All retail prices include VAT at 23%

F10RB01 €238





#### PERFORMANCE

Controls	Speed	1	2	3	INT
Squarcle Touch	Air m3/h	300	460	620	700
Lighting	Pressure	330	430	490	500
2 LED	Input	145	180	230	250
	Noise dB(A)	52	62	69	71



#### **Grease Filter** Cassettes Dishwasher Safe

.. .

#### **ORDER CODES**

Ø of Air Outlet	— Art. Nr.	Width	Finish	R.R.P
120 / 1E0 mm		Width	Fillişli	К.К.Р
120 / 150 mm	FABC60SS	600 mm	Stainless Steel	€499
Width	FABC90SS	900 mm	Stainless Steel	€539

600 / 900 mm

#### **Energy Class**

В

#### ACCESSORIES

**Charcoal Filter** 

F01CF01 €37

Long Life Filter


F01CF01LL €74

#### **Remote Blower Kit**

F10RB01 €238

#### **Remote Control**

F05RC2 €70



## **STILO COMFORT**

#### FEATURES

Squarcle Touch

Controls

Lighting 2 LED

**ORDER CODES** 

Width

600 mm

900 mm

600 mm

900 mm

Art. Nr.

FASC60SS

FASC90SS

FASC60MB

FASC90MB

Speed	1	2	3	INT
Air m3/h	310	470	610	690
Pressure	320	420	480	490
 Input	145	180	230	250
Noise dB(A)	54	63	69	72

Finish

Stainless Steel

Stainless Steel

Matt Black

Matt Black

- 5033

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

#### Width

600 / 900 mm

#### Energy Class

В

#### ACCESSORIES

**Charcoal Filter** 

F01CF01 €37

#### Long Life Filter

F01CF01LL €74


#### **HFH Filter Kit**

F01HFH01 €323

#### **Remote Blower Kit**

F10RB01 €238

72






T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

ENERGY DIFFUSER	OPTIONAL REMOTE BLOWER
OPTIONAL HIGH FILTERING	LED LIGHT
INTENSIVE SPEED	OPTIONAL LONG LASTING FILTER



R.R.P



**Touch Controls** 

Controls

Lighting

2 LED

#### PERFORMANCE

**ORDER CODES** 

Width

600 mm

900 mm

Art. Nr.

FASGS60SS

FASGS90SS

Speed	1	2	3	INT
Air m3/h	310	470	610	690
Pressure	320	420	480	490
 Input	145	180	230	250
Noise dB(A)	54	63	69	72

Finish

Stainless Steel / Black Glass

Stainless Steel / Black Glass

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

120 / 150 mm

#### Width

600 / 900 mm

#### **Energy Class**

В

#### ACCESSORIES

#### **Charcoal Filter**

F01CF01 €37

#### Long Life Filter

F01CF01LL €74

#### **HFH Filter Kit**

F01HFH01 €323


#### **Remote Blower Kit**

F10RB01 €238

#### Remote Control

F05RC2 €70

All retail prices include VAT at 23% For technical information log onto www.fff.ie



# 1188

73

**3**U

DELAY 30

0

REMO

Optional

R.R.P

€449

€489

LED LIGHT

YEAR

TIONAL LO

HIGH



Controls Electronic

Lighting 2 LED

#### PERFORMANCE

**ORDER CODES** 

Width

600 mm

900 mm

Art. Nr.

FASOS60SS


FASOS90SS

Speed	1	2	3
Air m3/h	230	320	435
Pressure	150	190	210
 Input	85	95	115
Noise dB(A)	54	61	68

Finish

Stainless Steel

Stainless Steel



# Grease Filter

Cassettes Dishwasher Safe

#### Ø of Air Outlet

120 / 150 mm

#### Width

600 / 900 mm

#### **Energy Class**

D

#### ACCESSORIES

#### **Charcoal Filter**

F01CF01 €37

#### Long Life Filter

F01CF01LL €74

#### **HFH Filter Kit**


F01HFH01 €323

#### **Remote Blower Kit**

All retail prices include VAT at 23%

For technical information log onto www.fff.ie

F10RB01 €238



R.R.P

€279

€299

74

# . ...

#### **FEATURES**

#### PERFORMANCE

Controls	Speed	1	2	3	INT	
Electronic	Air m3/h	320	500	650	740	
Lighting	Pressure	330	430	490	500	
2 x LED Lights	— Input	145	180	230	250	
Z X LED LIGHTS	Noise dB(A)	53	63	68	71	



#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	— Art. Nr.	Width	Finish	R.R.P
150 / 100		Wiath	1 1111311	R.R.F
150 / 120 mm	FASS60SS	600 mm	Stainless Steel	€229
Width	FASS90SS	900 mm	Stainless Steel	€259
600 / 900 mm				

**Energy Class** 

В

#### ACCESSORIES

**Charcoal Filter** 

F01CF02 €43

#### **High Performance Filter**


F01CF02HP €58

Long Life Filter

F01CF02LL €100

#### **Remote Blower Kit**

F10RB01 €238





#### PERFORMANCE

Controls	Speed	1	2	3	Г
Electromechanical	Air m3/h	240	290	380	OI PI
Lighting	Pressure	165	200	220	
2 x LED Lights	Input	70	100	125	
	Noise dB(A)	53	57	64	



#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAST60SS		Stainless Steel	€169
Width	FAST90SS	900 mm	Stainless Steel	€189

600 / 900 mm

#### **Energy Class**

D

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### **High Performance Filter**

All retail prices include VAT at 23%

For technical information log onto www.fff.ie


F01CF02HP €58

#### Long Life Filter

F01CF02LL €100

#### **Remote Blower Kit**

F10RB01 €238





Controls

Lighting

#### PERFORMANCE

 Speed	1	2	3
Air m3/h	255	330	430
Pressure	260	290	300
 Input	95	125	145
Noise dB(A)	58	62	67

|--|

#### **Grease Filter**

2 x LED Lights

Electromechanical

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAVE60SS	600 mm	Stainless Steel	€135
Width	FAVE90SS	900 mm	Stainless Steel	€145
600 / 900 mm	FAVE60BK	600 mm	Black	€125
Energy Class	FAVE90BK	900 mm	Black	€135

#### **Energy Class**

D


#### ACCESSORIES

**Charcoal Filter** 

F01CF08 €14

#### Long Life Filter

F01CF08LL €50





Vesta 60 cm Black Finish

All retail prices include VAT at 23% For technical information log onto www.fff.ie T = Lead times apply for these models of up to 6 Weeks



#### PERFORMANCE

Controls	Speed	1	2	3
Electromechanical	Air m3/h	300	440	570
Lighting	Pressure	220	280	320
4 x LED	Input	90	105	140
	Noise dB(A)	57	64	71

#### **Grease Filter**

Ø of Air Outlet 120 / 150 mm

Cassettes Dishwasher Safe

#### **ORDER CODES**

 Art. Nr.	Width	Finish	R.R.P
FASO100SS	1000 mm	Stainless Steel	€799

#### Width

1000 x 1000 mm

#### **Energy Class**

D

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### High Performance Filter


F01CF02HP €58

#### **Remote Blower Kit**

All retail prices include VAT at 23%

For technical information log onto www.fff.ie

F10RB01 €238



Subject to technical modifications and changes to the range without notice

REM

Ď

EVO

3 YEAR

# CEILING ISLAND

BELLA COMFORT ISLAND	90
GLASSY ISLAND	89
HEAVEN 2.0	84
HEAVEN 2.0 FLAT	83
HEAVEN COMPACT	85
HIGH-LIGHT	81
ONYX-C	82
SKYPAD	86
STILO COMFORT ISLAND	91
STILO GLASS SMART ISLAND	92
T-LIGHT ISLAND	87
T-SHELF	80
TRATTO ISLAND	88



#### PERFORMANCE

Controls	Speed	1	2	3	ΙΝΤ	
Rotative Controls	Air m3/h	300	460	610	700	
Lighting	Pressure	310	420	460	490	
2 LED Bar Lights	Input	145	180	230	250	
	Noise dB(A)	59	66	69	70	LEI

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

#### Width

1800 mm

#### **Energy Class**

С

80

#### ACCESSORIES

**Charcoal Filter** 


F01CF01 €37

#### Long Life Filter

F01CF01LL €74

#### **ORDER CODES**

 Art. Nr.	Width	Finish	R.R.P
FATS180MT	1800 mm	Matt Titanium	€2,249
FATS180MB	1800 mm	Matt Black	€2,249





ED LIGH

3 YEAR

PTIONAL L

D LIGH



T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice



Electronic LED

Controls

Lighting

#### PERFORMANCE

**ORDER CODES** 

 Speed	1	2	3	INT
Air m3/h	165	350	490	700
Pressure	40	150	320	700
 Input	10	30	65	145
Noise dB(A)	40	58	65	72

#### **Grease Filter**

Perimeter LED

Cassettes Dishwasher Safe

#### Ø of Air Outlet

9 OF All Outlet	——————————————————————————————————————	Width	Finish	R.R.P
220 x 90 mm	FAHI91SS	910 mm	Stainless Steel	€1,549
Width	FAHI91WG	910 mm	White Matt	€1,649
910 / 1210 mm	FAHI91BG	910 mm	Black Matt	€1,899
Energy Class	FAHI121SS	1210 mm	Stainless Steel	€1,649
A+	FAHI121WG	1210 mm	White Matt	€1,749
A'	FAHI121BG	1210 mm	Black Matt	€1,999



Α


3 YEAR TIONAL LONG STING FILTER	

#### ACCESSORIES

#### Long Life Filter

F01CF11LL €123 (910 mm)

F01CF12LL €160 (1210 mm)







#### PERFORMANCE

**ORDER CODES** 

FAOXC90BGSS 900 mm

Art. Nr.

Controls	Speed	1	2	3	INT	BOOST
Squarcle Touch	Air m3/h	230	320	430	600	780
Lighting	Pressure	420	430	450	470	520
LED	Input	60	70	75	90	170
	Noise dB(A)	40	47	52	61	67
Grease Filter	I		I	I	I	I

Width

Finish

Black Glass / S-Steel

Cassettes Dishwasher Safe

#### Ø of Air Outlet

#### Width

900 mm

#### **Energy Class**

A++

#### ACCESSORIES

#### **Charcoal Filter**


F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### High Performance Filter

F01CF02HP €58



#### YOUR KITCHEN'S SILENT GUARDIAN.

R.R.P

€1.749

(\*\*

0


NTENSIV

3 YEAR

**(A**)

Look up and you'll appreciate its linear design, but otherwise Onyx-C blends into the background, and all you notice is the pure air.

Onyx-C incorporates FABER's exclusive SIL & STILL technology. This new technology includes an Eco button that activates an ultra-silent mode to bring your kitchen maximum comfort with minimum energy consumption. The button's green light is the sole proof the system is working. The silence is broken only by applause for the Faber technology that places the hood in energy efficiency class A++.





PE	RFO	RM/	ANCE

**ORDER CODES** 

---

Controls	Speed	1	2	3	INT
Electronic LED	Air m3/h	165	350	490	700
Lighting	Pressure	40	150	320	700
2 x LED (4 x LED S-Steel)	Input	10	30	65	145
2 X LLD (4 X LLD 3-3(eei)	Noise dB(A)	40	58	65	72

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

220	Х	90	mm

#### Width

900 / 1200 mm

#### **Energy Class**

A+

Art. Nr.	wiath	FINISN	R.R.P
FAHEF90WG	900 mm	White Glass	€1,499
 FAHEF90SS	900 mm	Stainless Steel	€1,099
FAHEF120SS	1200 mm	Stainless Steel	€1,199

**F**iniah

#### **ORDER CODES - K-LINK Version**


ما **د** ار ۸۷

Art. Nr.	Width	Finish		OPTIONAL LONG	
FAHEFK90WG	900 mm	White Glass	€1,779	LASTING FILTER	K-LINK Option
FAHFFK90SS	900 mm	Stainless Steel	<b>€</b> 1,399		

## ACCESSORIES Long Life Filter

F01CF11LL €123 (910 mm)

F01CF12LL €160 (1210 mm)





All retail prices include VAT at 23% For technical information log onto www.fff.ie

T = Lead times apply for these models of up to 6 Weeks

(\*\*

USHLE

O

24

‡19 cm.

A٩

**3**也

DELAY

FILTER



Controls Electronic LED

Lighting

#### PERFORMANCE

**ORDER CODES** 

Art. Nr.

FAHE90WG

FAHE90SS

FAHE120SS

Speed	1	2	3	INT
Air m3/h	290	400	560	700
Pressure	430	490	530	560
Input	190	230	255	270
Noise dB(A)	53	62	70	72

Finish

White Glass

Stainless Steel

Stainless Steel

## Grease Filter

Cassettes Dishwasher Safe

2 x LED (4 x LED S-Steel)

#### Ø of Air Outlet

150 /	120	mm	

900 / 1200 mm

#### Energy Class

1	^	١		
^			۱	

#### **ORDER CODES - K-LINK Version**

Width

900 mm

900 mm

1200 mm

Art. Nr.	Width	Finish	R.R.P	OPTI
FAHEK90SS	900 mm	Stainless Steel	€1.249	

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### High Performance Filter


All retail prices include VAT at 23%

For technical information log onto www.fff.ie

F01CF02HP €58

#### **Remote Blower Kit**

F10RB01 €238



Air Outlet adjustable in 4 positions



R.R.P

€1,459

€1,059

€1,159

REMO

0

24

ED LIGH

ELAY 3

FILTER

**8**3

3 YEAR

models of up to 6 Weeks

# HEAVEN COMPACT <sup>T</sup>

#### FEATURES

#### PERFORMANCE

**ORDER CODES** 

FAHC90SSWG

Art. Nr.

Controls	Speed	1	2	3	INT
Electronic LED	Air m3/h	300	460	580	640
Lighting	Pressure	360	440	500	510
2 x LED	Input	145	180	230	250
	Noise dB(A)	53	63	68	70

Width

900 mm

Finish

Stainless Steel/White Glass €999

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

150 / 120 mm

#### Width

900 mm

#### **Energy Class**

С

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### Long Life Filter


F01CF02LL 100

#### High Performance Filter

F01CF02HP €58

#### **Remote Blower Kit**

F10RB01 €238



#### Air Outlet adjustable in 4 positions

All retail prices include VAT at 23% For technical information log onto www.fff.ie T = Lead times apply for these models of up to 6 Weeks





LED LIGHT

R.R.P





#### PERFORMANCE

Speed	1	2	3	INT
Air m3/h	440	600	780	850
Pressure (1)	-	-	-	-
— Input	60	90	140	180
Noise dB(A)	57	64	70	72
	Air m3/h Pressure (1) Input	Air m3/h440Pressure (1)-Input60	Air m3/h         440         600           Pressure (1)         -         -           Input         60         90	Air m3/h         440         600         780           Pressure (1)         -         -         -           Input         60         90         140

#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
-	FASK120SSWG	1200 mm	Stainless Steel/White Glass	€1,749


#### Width

1200 mm

#### Motors

2

#### ACCESSORIES



\* No energy data as SkyPad only works in recycle mode

		TO THE	1
Alle		-	-

(\*\* RUSHLES

ο 

DELAY 30



#### PERFORMANCE

Controls	Speed	1	2	3	INT
Squarcle Touch	Air m3/h	290	420	580	690
Lighting	Pressure	410	470	520	530
Perimeter LED	Input	190	230	255	270
Perimeter LED	Noise dB(A)	50	58	65	68

#### **Grease Filter**

Ø of Air Outlet 150 / 120mm

Cassettes Dishwasher Safe

#### **ORDER CODES**

 Art. Nr.	Width	Finish	R.R.P
FATLI100SS	1000 mm	Stainless Steel	€1,429



1000 mm

#### **Energy Class**

А

#### ACCESSORIES

#### **Charcoal Filter**


F01CF01 €37

#### Long Life Filter

F01CF01LL €74

#### **Remote Control**

F05RC2 €70



T = Lead times apply for these models of up to 6 Weeks

0

3 YEAR

TIONAL LOI

Optior

Α

ENERG

ED LIGH



#### PERFORMANCE

Controls	Speed	1	2	3	INT
Electronic	Air m3/h	300	480	620	700
Lighting	Pressure	330	430	480	500
4 x LED	Input	145	180	230	250
	Noise dB(A)	54	64	69	71



3 YEAR

PTIONAL LO

#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FATRI90SSG	900 mm	Stainless Steel/Glass	€849

#### Width

900 mm

#### **Energy Class**

В

#### ACCESSORIES

#### **Charcoal Filter**


F01CF01 €37

#### Long Life Filter

F01CF01LL €74

#### **Remote Blower Kit**

F10RB01 €238



# **GLASSY ISLAND**<sup>T</sup>



#### **FEATURES**

#### PERFORMANCE

Controls	Speed	1	2	3	INT
Electronic	Air m3/h	300	480	620	700
Lighting	Pressure	330	430	480	500
4 x LED	Input	145	180	230	250
	Noise dB(A)	54	64	69	71

OPTIONAL REMOTE BLOWER	LED LIGHT

3 YEAR

TIONAL LO



#### **Grease Filter**

Cassettes Dishwasher Safe

#### ORDER CODES

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAGLI90SSG		Stainless Steel/Glass	€979

#### Width

900 mm

**Energy Class** 

В

#### ACCESSORIES

**Charcoal Filter** 


F01CF01 €37

#### Long Life Filter

F01CF01LL €74

#### **Remote Blower Kit**

F10RB01 €238



# **BELLA COMFORT ISLAND**<sup>T</sup>



#### **FEATURES**

**Grease Filter** 

Ø of Air Outlet

150 / 120 mm

#### PERFORMANCE

Controls	Speed	1	2	3	INT
Squarcle Touch	Air m3/h	300	460	620	700
Lighting	Pressure	330	430	490	500
4 x LED	Input	145	180	230	250
	Noise dB(A)	52	62	69	71





# 3 YEAR TIONAL L

Optior

#### Cassettes Dishwasher Safe **ORDER CODES**

All retail prices include VAT at 23%

For technical information log onto www.fff.ie

 Art. Nr.	Width	Finish	R.R.P
FABCI100SS	1000 mm	Stainless Steel	€899

#### Width

1000 mm

**Energy Class** 

В

#### **ACCESSORIES**

#### **Charcoal Filter**

F01CF01 €37

#### Long Life Filter


F01CF01LL €73

#### **Remote Blower Kit**

F10RB01 €238

#### **Remote Control**

F05RC2 €70





#### PERFORMANCE

**ORDER CODES** 

Art. Nr.

FASCI90SS

FASCI90MB

FASCI90MW

Controls	Speed	1	2	3	INT
Electronic	Air m3/h	300	460	620	700
Lighting	Pressure	330	430	490	500
4 x LED	- Input	145	180	230	250
4 X LLD	Noise dB(A)	52	62	69	71

Width

900 mm

900 mm

900 mm

Finish

Stainless Steel

Matt Black

Matt White

REMOTE BLOWER	LED LIGHT
	n o



#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

#### Width

900 mm

#### **Energy Class**

В

#### **ACCESSORIES**

**Charcoal Filter** 

F01CF01 €37

#### Long Life Filter

F01CF01LL €74

#### **Remote Blower Kit**

F10RB01 €238

#### **HFH Filter Kit**

F01HFH01 €323





R.R.P

€799

€899

€899



YEAR PTIONAL LO HIGH

Option



#### PERFORMANCE

Controls	Speed	1	2	3	INT
Touch Control	Air m3/h	300	460	620	700
Lighting	Pressure	330	430	490	500
4 x LED	— Input	145	180	230	250
4 X LLD	Noise dB(A)	52	62	69	71

Grease	Filter
--------	--------

Ø of Air Outlet 150 / 120 mm

Cassettes Dishwasher Safe

#### **ORDER CODES**

 Art. Nr.	Width	Finish	R.R.P
FASGI90SSBG	900 mm	Stainless Steel/Black Glass	€799

#### Width

900 mm

**Energy Class** 

В

#### **ACCESSORIES**

#### **Charcoal Filter**

F01CF01 €37

#### Long Life Filter


F01CF01LL €74

#### **Remote Blower Kit**

F10RB01 €238

#### **HFH Filter Kit**

F01HFH01 €323










3 YEAR OPTIONAL LONG LASTING FILTER	HIGH
	Optio

# SUSPENDED





#### PERFORMANCE

**ORDER CODES** 

Art. Nr.

FABE43MB

FABE43MW

FABE43MDG

FABE43MDB

Controls	Speed	1	2	3	INT
Electronic	Air m3/h	320	430	600	720
Lighting	Pressure	430	490	520	550
2 LED Lights	Input	190	230	255	270
	Noise dB(A)	54	61	68	73

Width

430 mm

430 mm

430 mm

430 mm


Finish

Matt Black

Matt White

Matt Dark Grey

Matt Dusty Blue



TIONAL LO

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

150 mm	
--------	--

W	/i	d	t	h
		~	•	

430 mm

**Energy Class** 

А

#### **ACCESSORIES**

#### **Charcoal Filter**


F01CF02 €43

#### Long Life Filter

F01CF02LL €100

High Performance Filter

F01CF02HP €58







R.R.P

€889

€889

€889

€889



Matt White

Matt Black

Main Picture: Matt Dusty Blue

All retail prices include VAT at 23% For technical information log onto www.fff.ie T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

94



**Touch Controls** 

Controls

Lighting

#### PERFORMANCE

**ORDER CODES** 

Art. Nr.

FABE69BG

FABE69GDG

Speed	1	2	3	INT
Air m3/h	250	340	490	610
Pressure	390	470	520	540
 Input	160	200	240	250
Noise dB(A)	51	55	63	68

Finish

Burgundy/Gold

Gold/Warm Dark Grey

Width

693 mm

693 mm

#### **Grease Filter**

LED Perimeter

Cassettes Dishwasher Safe

#### Ø of Air Outlet

150 i	mm
-------	----

#### Width

693 mm

#### **Energy Class**

А

#### ACCESSORIES

#### **Charcoal Filter**


F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### High Performance Filter

F01CF02HP €58





R.R.P

€2,299

€2,349

Gold/Warm Dark Grey

Main Picture: Burgundy/Gold





RIMETER PIRATION HOUR 24

LED LIGHT

5	3
OPTIONAL HIGH PERFORMANCE FILTER	OPTIONAL LONG LASTING FILTER



**Touch Controls** 

Controls

Lighting

#### PERFORMANCE

**ORDER CODES** 

FACE60CGM

FACE60WCGM

Art. Nr.

Speed	1	2	3	ΙΝΤ
Air m3/h	250	340	490	610
Pressure	390	470	520	540
 Input	160	200	240	250
Noise dB(A)	51	55	63	68

Finish

Country Grey Matt

White/Country Grey Matt

#### **Grease Filter**

LED Perimeter

Cassettes Dishwasher Safe

#### Ø of Air Outlet

150	mm
-----	----

#### Width

600 mm

#### **Energy Class**

А

#### ACCESSORIES

#### **Charcoal Filter**


F01CF02 €43

#### Long Life Filter

F01CF02LL €100

## High Performance Filter

F01CF02HP €58



Width

600 mm

600 mm



R.R.P

€2,199

€2,199

Country Grey Matt

Main Picture: Warm White/Country grey Matt







LED LIGHT

0	(3 YEAR)
OPTIONAL HIGH PERFORMANCE FILTER	OPTIONAL LONG



**Touch Controls** 

LED Perimeter

Controls

Lighting

#### PERFORMANCE

**ORDER CODES** 

Art. Nr.

FAGW64BG

FAGW64WG

	Speed	1	2	3	INT
	Air m3/h	250	340	490	610
	Pressure	390	470	520	540
	Input	160	200	240	250
	Noise dB(A)	51	55	63	68

Finish

Black Gloss

White Gloss

Width

646 mm

646 mm

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

#### Width

646 mm

#### **Energy Class**

А

#### ACCESSORIES

#### **Charcoal Filter**


F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### **High Performance Filter**

F01CF02HP €58





R.R.P

€2,499

€2,499

White Gloss

Main Picture: Black Gloss



PERIMETER ASPIRATION

LED LIGHT

0	(YEAR)
OPTIONAL HIGH PERFORMANCE FILTER	OPTIONAL LONG LASTING FILTER



150 mm

Width 500 mm

А

#### PERFORMANCE

Controls	Speed	1	2	3	INT
Touch Controls	Air m3/h	250	340	490	610
Lighting LED Perimeter	Pressure	390	470	520	540
	Input	160	200	240	250
	Noise dB(A)	51	55	63	68

#### **Grease Filter**

Ø of Air Outlet

Cassettes Dishwasher Safe

#### **ORDER CODES**

t	Art. Nr.	Width	Finish	R.R.P
	FAOD50MB	500 mm	Matt Black	€1,999
	FAOD50MG	500 mm	Matt Grey	€1,999



24

OTIC 

OPTIONAL LONG

**Energy Class** 

#### ACCESSORIES

#### **Charcoal Filter**


F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### High Performance Filter

F01CF02HP €58





Matt Grey

Main Picture: Matt Black

T = Lead times apply for these models of up to 6 Weeks

# HOB

FBH32	107
FBH64	106
FCH64	105
FCH84	104
FCH95	102
FCH SLIM 94	103
НОО-В	100
HOO-B GLASS	100





#### НОО-В СООКТОР, THE NEXT-GENERATION FITTED HOOD

A sophisticated yet minimalist look for the new fitted HOO-B hood, which is embellished with a special aluminium trim that makes it even more stylish.

The glass panel fits over the hob without interrupting the continuity of its forms and lines, guaranteeing the utmost quality at all times. The Touch control commands also make it possible to operate the hood and induction hobs with the touch of a finger.


When in use, HOO-B opens, lifting its cover and revealing its extraction surface. When you have finished using it, the cover goes back down to create a single worktop again.

For those that love pure minimalism, the new model also comes in the HOO-B Glass version with no aluminium trim.



Hoo-B must be combined with FBH32 induction hobs.







Remove the glass cover before using The Hoo-B hood attracts all cooking streams ensuring the maximum result of extraction completely built-in the kitchen top.

T = Lead times apply for these models of up to 6 Weeks



#### **HOOD FEATURES**

#### HOOD PERFORMANCE

**ORDER CODES** 

Art. Nr.

FAHO52BG

FAHO52BGA

seperately, see page 107

F	in	ish	
		-	

Controls

Black Glass / Aluminium

Speed	1	2	3	INT
Air m3/h	415	480	540	600
Pressure	320	430	550	725
Input	55	85	115	145
Noise dB(A)	62	64	67	70

Black Glass / Aluminium Trim

#### **Grease Filter**

**Touch Controls** 

Cassettes Dishwasher Safe

#### Ø of Air Outlet


220 x 90 mm


#### Energy Class

A+

#### Long Life Filter

F01CF13LL €211





Depth


520 mm

520 mm

Finish

Black Glass

Please note price is for HOO-B extractor only, Induction hobs are ordered




R.R.P


€1,579\*

€1,579\*

HOO-B with 2 FBH32 Hoobs page 107



#### HOO-B Flush with 2 FBH32 Hoobs page 107



All retail prices include VAT at 23% For technical information log onto www.fff.ie T = Lead times apply for these models of up to 6 Weeks


Subject to technical modifications and changes to the range without notice

520 20 TIM **MIN:440-MAX:590** MIN.548-MAX.698 MIN.20-MAX.80 AIN.900-MAX.1050 MAX.560 103 268.5 MAX.560 **MIN.100** 370 150 220 163

MIN.563-MAX.713

## **INDUCTION HOB FCH95**

#### Standard Installation





**POWER COOKING ZONE** 



#### **FEATURES**


#### **FUNCTIONS**

#### **Product Dimensions** K-Link With Hood Yes **Cooking Zone 1** 900 x 520 mm 2100 W 210x190 Bridge Cooking Yes (2 Zones) 3000 W Booster Induction Zones Booster Yes **Cooking Zone 2** 5 2100 W 210x190 Child Proof Lock Yes 3000 W Booster Controls Timer Yes Slider Touch 9 Levels **Cooking Zone 3** 2300 W Ø 200 Pause / Recall Yes Power (W) 3000 W Booster 7400 **Overflow Safety Device** Yes **Cooking Zone 4** 2100 W 210x190 Voltage (V) Automatic Heat Up Yes 3000 W Booster 220 / 240 Pot Detection Yes **Cooking Zone 5** Frequency (HZ) 2100 W 210x190 **Residual Heat Indication** Yes 50/60 3000 W Booster

2500w / 3000w / 3500w **Power Limitation** 4000w / 5000w / 6000w / Full

#### **ORDER CODES**

Art. Nr.	Width	Finish	R.R.P
FAIH9050K	900 mm	Black Glass	€899





T = Lead times apply for these models of up to 6 Weeks


Subject to technical modifications and changes to the range without notice



Standard Installation







**POWER COOKING ZONE** 



#### **FEATURES**


#### **FUNCTIONS**

Product Dimensions	K-Link With Hood	Yes	Cooking Zone 1	
900 x 410 mm	Bridge Cooking	Yes (1 Zone)	2100 W 3000 W Booster	210x190
Induction Zones	Booster	Yes	Cooking Zone 2	
4	Child Proof Lock	Yes	2100 W 3000 W Booster	210x190
Controls Slider Touch 9 Levels	Timer	Yes	Cooking Zone 3	
Power (W)	Pause / Recall	Yes	1400 W 2100 W Booster	Ø 160
7400	Overflow Safety Device	Yes	Cooking Zone 4	
Voltage (V)	Automatic Heat Up	Yes	2300 W 3000 W Booster	Ø 200
220 / 240	Pot Detection	Yes		
<b>Frequency (HZ)</b> 50 / 60	Residual Heat Indication	Yes	_	
50,00	Dower Limitation 2500w / 30	00w / 3500w	-	

Power Limitation 2500w / 5000w / 5000w / 6000w / Full

#### ORDER CODES

Art. Nr.	Width	Finish	
FAIH9040K	900 mm	Black Glass	




T = Lead times apply for these models of up to 6 Weeks

**R.R.P** €899

# **INDUCTION HOB FCH84**<sup>T</sup>











#### **FEATURES**

#### **FUNCTIONS**

Product Dimensions	K-Link With Hood		Yes	Cooking Zor
780 x 520 mm	Bridge Cooking		Yes (1 Zone)	2100 W 3000 W Boo
Induction Zones	Booster		Yes	Cooking Zor
4	Child Proof Lock		Yes	2100 W 3000 W Boo
Controls Slider Touch 9 Levels	Timer		Yes	Cooking Zor
Power (W)	Pause / Recall		Yes	2300 W 3000 W Boo
7400	Overflow Safety Device		Yes	Cooking Zoı
Voltage (V)	Automatic Heat Up		Yes	1400 W 2100 W Boo
220 / 240	Pot Detection		Yes	2100 10 000
Frequency (HZ) 50 / 60	Residual Heat Indication		Yes	
	Power Limitation         2500w / 3000w / 3500w           4000w / 5000w / 6000w			


#### **POWER COOKING ZONE**

Cooking Zone 1	
2100 W 3000 W Booster	210x190
Cooking Zone 2	
2100 W 3000 W Booster	210x190
Cooking Zone 3	
2300 W 3000 W Booster	Ø 200
Cooking Zone 4	
1400 W 2100 W Booster	Ø 160
	12

Grey Glass Option

#### **ORDER CODES**

Art. Nr.	Width	Finish	R.R.P
FAIH8040K	780 mm	Black Glass	€749
FAIH8040KG	780 mm	Grey Glass	€849







T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

# **INDUCTION HOB FCH64**<sup>T</sup>









#### FEATURES

#### **FUNCTIONS**

Product Dimensions	K-Link With Hood		Yes	Cooking Zone 1
580 x 520 mm	Bridge Cooking		Yes (1 Zone)	2100 W 3000 W Booster
Induction Zones	Booster		Yes	Cooking Zone 2
4	Child Proof Lock		Yes	2100 W 3000 W Booster
Controls Slider Touch 9 Levels	Timer		Yes	Cooking Zone 3
Power (W)	Pause / Recall		Yes	2300 W 3000 W Booster
7400	Overflow Safety Device		Yes	Cooking Zone 4
Voltage (V)	Automatic Heat Up		Yes	1400 W 1850 W Booster
220 / 240	Pot Detection		Yes	
Frequency (HZ)	Residual Heat Indi	cation	Yes	
	Power Limitation	2500w / 3000 4000w / 5000	w / 3500w )w / 6000w / Full	


#### **POWER COOKING ZONE**

210x190

	Cooking Zone Z	
	2100 W	210x190
	3000 W Booster	
	Cooking Zone 3	
	2300 W	Ø 200
	3000 W Booster	
	Cooking Zone 4	
	1400 W	Ø 145
	1850 W Booster	
		-
1		3.2
		Grey Glass Option
		·
/	580	
$\langle$		

#### **ORDER CODES**

Art. Nr.	Width	Finish	R.R.P
FAIH6040K	580 mm	Black Glass	€649
FAIH6040KG	580 mm	Grey Glass	€749



All retail prices include VAT at 23% For technical information log onto www.fff.ie


T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

# **INDUCTION HOB FBH64**<sup>T</sup>







**POWER COOKING ZONE** 




#### **FEATURES**

Product Dimensions	K-Link With Hood	No	Cooking Zone 1	
580 x 520 mm	Bridge Cooking	No	1400 W 2100 W Booster	Ø 160
Induction Zones	Booster	Yes	Cooking Zone 2	
4	Child Proof Lock	Yes	1400 W 2100 W Booster	Ø 160
Controls Touch 9 Levels	Timer	Yes	Cooking Zone 3	
Power (W)	Pause / Recall	No	2300 W 3000 W Booster	Ø 200
7400	Overflow Safety Device	Yes	Cooking Zone 4	
Voltage (V)	Automatic Heat Up	No	1400 W 1850 W Booster	Ø 145
220 / 240	Pot Detection	Yes		
Frequency (HZ) 50 / 60	- Residual Heat Indication	Yes		
30,00	2500w / 3000w / 3500w			

Power Limitation 4000w / 5000w / 6000w / Full

#### **ORDER CODES**

Art. Nr.	Width	Finish	R.R.P
FAIH6040	580 mm	Black Glass	€569






 ${f T}$  = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

## INDUCTION HOB FBH32 $^{\mathrm{T}}$

#### Standard Installation





**POWER COOKING ZONE** 




#### FEATURES

#### **FUNCTIONS**

Product Dimensions	K-Link With Hood	ł	No	Cooking Zone 1	
290 x 520 mm	Bridge Cooking		No	1400 W 2100 W Booster	Ø 160
Induction Zones	Booster		Yes	Cooking Zone 2	
2 Controls	Child Proof Lock	_	Yes	1400 W 2100 W Booster	Ø 160
Touch 9 Levels	Timer		Yes		
Power (W)	Pause / Recall		No		
3700	Overflow Safety [	Device	Yes		
Voltage (V)	Automatic Heat U	lp	No		
220 / 240	Pot Detection		Yes		
Frequency (HZ)	Residual Heat Ind	ication	Yes		
·	Power Limitation	1500w / 2000w 3000w / 3500v			

#### **ORDER CODES**

Art. Nr.	Width	Finish	R.R.P
FAIH3020	290 mm	Black Glass	€389



T = Lead times apply for these models of up to 6 Weeks

# DOWNDRAFT

FABULA PLUS 60	112
FABULA PLUS 90	111



#### **FABULA 90**



#### **FEATURES**

#### PERFORMANCE

Controls	Speed	1	2	3	4	INT
Evo Touch Controls	Air m3/h	160	290	350	439	700
Lighting	Pressure	100	390	460	540	560
LED	- Input	55	120	155	210	270
	Noise dB(A)	40	53	54	60	70

**Grease Filter** 

Cassettes Dishwasher Safe

#### Ø of Air Outlet

150 / 120 mm

Width

900 mm

**Energy Class** 

А

#### ACCESSORIES

#### Long Life Filter

F01CF09LL €153

#### **Remote Blower Kit**

F10RB02 €170

#### **Remote Control**

F05RC2 €70

800

812 m

Width	Finish	R.R.P
900 mm	Black Glass	€1,599
900 mm	White Glass	€1,699
	900 mm	WidthFinish900 mmBlack Glass900 mmWhite Glass

10.

109 1



3 YEAR

Α

0

LED LIGHT

ο 



Option

.....

ED LIGH

(24

HOUR 24

**3**U DELAY 30



 ${f T}$  = Lead times apply for these models of up to 6 Weeks

Mar Mar B mar



#### PERFORMANCE

Controls	Speed	1	2	3	4	INT
EVO Touch Controls	Air m3/h	150	280	350	440	630
Lighting	Pressure	120	420	490	550	630
LED	- Input	55	120	155	190	270
	Noise dB(A)	43	56	60	65	72

Finish

Grease Filter
---------------

Cassettes Dishwasher Safe

#### **ORDER CODES**

Art. Nr.

Ø of Air Outlet 150 / 120 mm

#### Width

600 mm

**Energy Class** 

В

#### ACCESSORIES

#### Long Life Filter


F01CF13LL €211

#### **Remote Blower Kit**


F10RB02 €170

#### **Remote Control**

F05RC2 €70



Width









R.R.P

€1,499







112

# **BUILT IN**

104	135	INCA LUX 2.0	118
2104	134	INCA LUX GLASS	116
2108	133	INCA PLUS HC	122
FLEXA	131	INKA SMART C	124
FLEXA GLASS	129	INKA SMART HC	123
FLEXA GLASS LUX	128	INKA PLUS HCS	121
FLEXA HIP	130	MAXIMA ECO	127
IN-LIGHT	114	MAXIMA EV8	126
IN-NOVA COMFORT	119	MAXIMA TOUCH	125
IN-NOVA PREMIUM	115	OMNIA	132
IN-NOVA SMART	120	VICTORY 2.0	117



Electronic LED

Controls

Lighting Perimeter LED

**ORDER CODES** 

Art. Nr.

FAINL52SS

FAINL52MW

FAINL70SS

FAINL70MW

Speed	1	2	3	INT
Air m3/h	260	380	525	635
Pressure	390	500	510	530
Input	170	215	245	275
Noise dB(A)	56	65	70	72

Finish

Stainless Steel

**Stainless Steel** 

Matt White

Matt White

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

120 / 1	50 mm
---------	-------

520 / 700 mm

#### **ACCESSORIES**

#### **Charcoal Filter**


F01CF02 €43

#### Long Life Filter

F01CF02LL €100

#### **High Performance Filter**

F01CF02HP €58



Width

520 mm

520 mm

700 mm

700 mm



A

ENERG

(24

**3**()

DELAY 30

нои

R.R.P

€799

€829

€829

€899

ED LIGH

ð

ο

V.

3 YEAR

${ m T}$ = Lead times apply for these	Subje
models of up to 6 Weeks	and char

ect to technical modifications and changes to the range without notice

All retail prices include VAT at 23% For technical information log onto www.fff.ie

Energy	Class
А	





Controls

Lighting

LED

#### PERFORMANCE

_	Speed	1	2	3	INT
	Air m3/h	280	420	570	670
	Pressure	420	465	510	520
_	Input	175	220	255	270
	Noise dB(A)	53	62	68	70

Finish

Stainless Steel

Stainless Steel

Stainless Steel

#### **Grease Filter** Cassettes Dishwasher Safe

Electronic SENSOR

**ORDER CODES** 

Art. Nr.

FAINP60SS

FAINP90SS

FAINP120SS

#### Ø of Air Outlet

120 / 15	

#### Width

600 / 900 / 1200 mm

#### **Energy Class**

А

#### **ORDER CODES K Link Version**

Width

600 mm

900 mm

1200 mm

Art. Nr.	Width	Finish	R.R.P
FAINP60SSK	600 mm	Stainless Steel	€599
FAINP90SSK	900 mm	Stainless Steel	€689
FAINP120SSK	1200 mm	Stainless Steel	€739



**ACCESSORIES** 

**Charcoal Filter** F01CF01 €37


F01CF01LL €73

#### **Remote Control**

F05RC2 €70

#### **Remote Blower Kit**

F10RB01 €238



 ${f T}$  = Lead times apply for these models of up to 6 Weeks

.....

ED LIGH

ð

0

3 YEAR

TIONAL LOI

K-LIN Option

A

ENERG

 $( \bigcirc )$ 

LE-STA

Π

R.R.P

€549

€579

€629

REMOT

PERIMETER

ZREMOT

Option



Controls Electronic

Lighting

**Grease Filter** 

Ø of Air Outlet

120 / 150 mm

Ρ	ER	FC	R	1A	NC	:E !	52	0	mm
								<u> </u>	

**ORDER CODES** 

Art. Nr.

FAIL52BG

FAIL52WG

FAIL70BG

FAIL70WG

Speed	1	2	3	ΙΝΤ
Air m3/h	300	460	590	660
Pressure	350	440	480	510
Input	145	180	230	250
Noise dB(A)	54	65	69	71

Width

#### 700 mm

1	2	3	INT
315	480	630	710
350	450	480	510
145	180	230	250
52	62	68	70

R.R.P

€449

€449

€459

€459



#### ORDER CODES K Link Version

Art. Nr.	Width	Finish	R.R.P
FAIL52BGK	520 mm	Stainless Steel / Black Glass	€479
FAIL70BGK	700 mm	Stainless Steel / Black Glass	€509

## 

520 mm Stainless Steel / Black Glass

520 mm Stainless Steel / White Glass

700 mm Stainless Steel / Black Glass

520 mm Stainless Steel / White Glass

Finish

**Width** 520 / 700 mm

#### **Energy Class**

B (700 mm) C (520 mm)

Cassettes Dishwasher Safe

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### Long Life Filer

F01CF02LL €100

#### **High Performance Filter**

F01CF02HP €58

#### **Remote Blower Kit**

F10RB01 €238



T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

116



Controls

Lighting LED

Electronic

#### PERFORMANCE

Speed	1	2	3	INT
Air m3/h	235	360	495	605
Pressure	360	450	480	500
 Input	135	170	215	250
Noise dB(A)	50	61	67	70

## **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	— Art. Nr.	Width	Finish	R.R.P
120 / 150 mm		wiath	Fillisii	R.R.F
120 / 150 11111	FAVI277SS	770 mm	Stainless Steel	€479
Width	FAVI299SS	990 mm	Stainless Steel	€499
770 / 990 mm				



<b>30</b> DELAY 30	
PERIMETER ASPIRATION	OPTIONAL HIGH PERFORMANCE FILTER

#### **Energy Class** А


#### ACCESSORIES

#### **Charcoal Filter**

F01CF01 €37

#### Long Life Filer

F01CF01LL €74





Controls Electronic

Lighting LED

PFR	FO	RM	ΔΝ	CF	520	mm
FER		RPL		CE.	320	

**ORDER CODES** 

Art. Nr.

FAIL52SS

FAIL70SS

Speed	1	2	3	ΙΝΤ
Air m3/h	300	460	590	660
Pressure	350	440	480	510
Input	145	180	230	250
Noise dB(A)	54	65	69	71

Width

700 mm

1	2	3	INT
315	480	630	710
350	450	480	510
145	180	230	250
52	62	68	70

R.R.P

€399

€419



#### Cassettes Dishwasher Safe

#### Ø of Air Outlet

120 / 150 mn

**Grease Filter** 

#### Width

520 / 700 mm

#### **Energy Class**

B (700 mm) C (520 mm)


#### **ORDER CODES K Link Version**

ACCESSORIES	Art. Nr.	Width	Finish	R.R.P
	FAIL52SSK	520 mm	Stainless Steel	€509
Charcoal Filter	FAIL70SSK	700 mm	Stainless Steel	€539

Finish

520 mm Stainless Steel

700 mm Stainless Steel



Long Life Filer F01CF02LL €100

F01CF02 €43

High Performance Filter

F01CF02HP €58

#### **Remote Blower Kit**

F10RB01 €238

T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

118



Controls Electronic

Lighting

#### PERFORMANCE

**ORDER CODES** 

Width

900 mm

1200 mm

Art. Nr.

FAINC90SS

FAINC120SS

Speed	1	2	3
Air m3/h	270	410	540
Pressure	190	260	300
 Input	90	105	140
Noise dB(A)	56	64	69

Finish

Stainless Steel

Stainless Steel



#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

120 / 150 mm

#### Width

900 / 1200 mm

#### **Energy Class**

С


#### ACCESSORIES

#### **Charcoal Filter**

F01CF16 €46

#### **Remote Blower Kit**

F10RB01 €238



R.R.P

€429

€459



Controls Pul Out Knob

Lighting 2 x LED

#### PERFORMANCE

**ORDER CODES** 

Width

900 mm

1200 mm

Art. Nr.

FAINS90SS

FAINS120SS

 Speed	1	2	3	3 YEAR
Air m3/h	200	260	360	OPTIONAL LONG LASTING FILTER
Pressure	220	270	290	
 Input	90	115	145	-
Noise dB(A)	57	62	68	-

Finish

Stainless Steel

Stainless Steel

#### **Grease Filter**

Cassettes Dishwasher Safe

#### Ø of Air Outlet

120 / 150 mm

#### Width

900 / 1200 mm

#### **Energy Class**

D


#### ACCESSORIES


#### **Charcoal Filter**

F01CF08 €14

#### Long Life Filter

F01CF08LL €50





T = Lead times apply for these models of up to 6 Weeks

R.R.P

€319

€349





#### PERFORMANCE

Controls	Speed	1	2	3
Electromechanical Controls	Air m3/h	260	400	580
Lighting	Pressure	220	280	320
LED Lights x 2	Input	95	110	125
	Noise dB(A)	56	61	70



## **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAIKS52SS	520 mm	Stainless Steel	€205
Width	FAIKS70SS	700 mm	Stainless Steel	€225

520 / 700 mm

#### **Energy Class**

В

#### ACCESSORIES

#### **Charcoal Filter**


F01CF02 €43

#### **High Performance Filter**

F01CF02HP €58

#### Long Life Filter

F01CF02LL €100







#### PERFORMANCE

Controls	Speed	1	2	3	Г
Electromechanical Controls	Air m3/h	260	400	580	
Lighting	Pressure	220	280	320	
2 x LED Lights	Input	95	110	125	
	Noise dB(A)	56	61	70	OP LA

#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAIKP52SS	520 mm	Stainless Steel	€165
Width	FAIKP70SS	700 mm	Stainless Steel	€179

520 / 700 mm

#### **Energy Class**

В

#### ACCESSORIES

#### **Charcoal Filter**


F01CF02 €43

#### **High Performance Filter**

F01CF02HP €58

#### Long Life Filter

F01CF02LL €100



3 YEAR





#### PERFORMANCE

Controls	Speed	1	2	3
Electromechanical Controls	Air m3/h	180	270	390
Lighting	Pressure	220	240	260
	Input	80	90	110
2 x LED Lights	Noise dB(A)	54	62	70
			1	1



#### Grease Filter

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAIKC52SS	520 mm	Stainless Steel	€145
Width	FAIKC70SS		Stainless Steel	€155
520 / 700 mm				

#### Energy Class

В


#### ACCESSORIES

#### **Charcoal Filter**

F01CF17 €15

#### Long Life Filter

F01CF17LL €44





#### PERFORMANCE

Controls	Speed	1	2	3
Electromechanical Controls	Air m3/h	160	220	335
Lighting	Pressure	230	260	280
2 x LED Lights	Input	80	95	115
	Noise dB(A)	54	59	66



#### Grease Filter

Cassettes Dishwasher Safe

#### ORDER CODES

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm		Width	1 111311	
130 / 120 11111	FAIK52GR	520 mm	Light Grey	€89
Width	FAIK70GR	700 mm	Light Grey	€99

520 / 700 mm

#### **Energy Class**

С


#### ACCESSORIES

#### **Charcoal Filter**

F01CF17 €15

#### Long Life Filter

F01CF17LL €44





#### PERFORMANCE

Controls	Speed	1	2	3	INT	
Touch Controls	Air m3/h	310	490	640	730	_
Lighting	Pressure	340	450	490	520	
2 x LED Lights	Input	145	180	230	250	
	Noise dB(A)	51	61	67	70	-

#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm		Width	1 111311	
150 / 120 11111	FAMXT60SS	600 mm	Stainless Steel	€409
Width	FAMXT90SS	900 mm	Stainless Steel	€459
600 / 900 mm				

Energy Class

В

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### Long Life Filter


F01CF02HP €58

#### Long Life Filter

F01CF02LL €100

#### **Remote Blower Kit**

F10RB01 €238



3 YEAR



#### PERFORMANCE

Controls	Speed	1	2	3
Push Button Controls	Air m3/h	310	490	640
Lighting	Pressure	340	450	490
LED Lights	Input	145	180	250
	Noise dB(A)	51	61	67



### Grease Filter

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm		width	Fillisii	Кікіг
150 / 120 11111	FAMXE60ASS	600 mm	Alu / Stainless Steel	€299
Width	FAMXE90ASS	900 mm	Alu / Stainless Steel	€309
600 (000				

600 / 900 mm

#### **Energy Class**

В

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### High Performance Filter


F01CF02HP €58

#### Long Life Filter

F01CF02LL €100

#### **Remote Blower Kit**

F10RB01 €238



Subject to technical modifications and changes to the range without notice





#### PERFORMANCE

Controls	Speed	1	2	3
Electromechanical Slider	Air m3/h	310	490	640
Lighting	Pressure	340	450	490
LED Lights	Input	145	180	250
LED LIGHTS	Noise dB(A)	51	61	67
<b>• • •</b>		I	1	1

LED LIGHT	OPTIONAL HIGH PERFORMANCE FILTER
EVO DIFFUSER	OPTIONAL LONG LASTING FILTER
OPTIONAL	

Grease Filter

Cassettes Dishwasher Safe

ORDER CODES

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAMXS60ASS		Alu / Stainless Steel	€259
Width	FAMXS90ASS	900 mm	Alu / Stainless Steel	€299

600 / 900 mm

#### **Energy Class**

В

#### ACCESSORIES

#### **Charcoal Filter**

F01CF02 €43

#### High Performance Filter


F01CF02HP €58

#### Long Life Filter

F01CF02LL €100

#### **Remote Blower Kit**

F10RB01 €238





#### PERFORMANCE

Controls	Speed	1	2	3
Push Button	Air m3/h	220	320	420
Lighting	Pressure	180	200	220
LED Lights	Input	90	105	140
	Noise dB(A)	55	66	69



Grease Filter

Cassettes Dishwasher Safe

#### ORDER CODES

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAFGL60BG	600 mm	Black / Black Glass	€175

#### Width

600 mm

#### **Energy Class**

D


#### ACCESSORIES

#### **Charcoal Filter**

F01CF08 €14

#### Long Life Filter

F01CF08LL €50







#### PERFORMANCE

Controls	Speed	1	2	3
Electromechanical Slider	Air m3/h	180	220	310
Lighting	Pressure	230	250	260
LED Lights	Input	85	100	125
	Noise dB(A)	57	62	67



#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**


Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAFG60BG	600 mm	Black / Black Glass	€139
Width				
600 mm				
Energy Class				
D		IB	24 151	
		224 185	24	5
ACCESSORIES	Br		280	24

#### **Charcoal Filter**

F01CF08 €14

#### Long Life Filter

F01CF08LL €50





#### PERFORMANCE

Controls	Speed	1	2	3
Push Button	Air m3/h	220	320	420
Lighting	Pressure	180	200	220
LED Lights	Input	90	105	140
LED LIGHTS	Noise dB(A)	55	66	69
<b>a -</b> '''			1	I



Grease Filter

Cassettes Dishwasher Safe

#### ORDER CODES

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAFH60ASS	600 mm	Alu / Stainless Steel	€145
Width	FAFH90ASS	900 mm	Alu / Stainless Steel	€165

600 / 900 mm

#### **Energy Class**

D


#### ACCESSORIES

#### **Charcoal Filter**

F01CF08 €14

#### Long Life Filter

F01CF08LL €50



T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice



#### PERFORMANCE

Controls	Speed	1	2	3
Electromechanical Slider	Air m3/h	220	300	350
Lighting	Pressure	260	280	290
LED Lights	Input	100	125	138
	Noise dB(A)	59	65	69



### Grease Filter

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAFXA60ASS	600 mm	Alu / Stainless Steel	€125
Width				
600 mm				
Energy Class				
D		B	24 0151	
ACCESSORIES	Brot	225 185	28	5
Charcoal Filter				135
F01CF08 €14	20			
Long Life Filter		20	B. Alban	8
F01CF08LL €50		598 - 898	50 753558	10:30
			30	
			a <sup>0-12-</sup>	

T = Lead times apply for these models of up to 6 Weeks



#### PERFORMANCE

Controls	Speed	1	2	3	4	Г
Electromechanical Controls	Air m3/h	270	375	430	480	
Lighting	Pressure	130	260	280	300	
LED Lights	Input	110	170	220	280	-
LED LIGHTS	Noise dB(A)	53	60	63	67	-

#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FAOM60ASS		Alu / Stainless Steel	€229
Width	FAOM90ASS		Alu / Stainless Steel	€259
600 / 900 mm				


#### **Energy Class**

С

#### ACCESSORIES

#### **Charcoal Filter**

F01CF05 €17





#### PERFORMANCE

Controls	Speed	1	2	3	Г
Electromechanical Controls	Air m3/h	300	430	550	
Lighting	Pressure	260	340	410	
LED Lights	Input	175	200	276	
LED LIGHTS	Noise dB(A)	60	64	72	

#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	—— Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FA210860GR		Light Grey	€215
Width	FA210869GR	900 mm	Light Grey	€225

600 / 900 mm


#### Energy Class

D

#### ACCESSORIES

#### Charcoal Filter

F01CF03 €15 (Order 2 for Twin Motors)





#### PERFORMANCE

Controls	Speed	1	2	3	Г
Micro Switch Controls	Air m3/h	250	370	490	
Lighting	Pressure	140	280	370	
LED Lamps	- Input	155	175	230	
LED Lamps	Noise dB(A)	51	58	66	

#### **Grease Filter**

Cassettes Dishwasher Safe

#### **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FA2104GR	600 mm	Grey	€109

#### Width

600 mm


#### **Energy Class**

Е

#### ACCESSORIES

#### **Charcoal Filter**

F01CF03 €15 (Order 2 for Twin Motors)





#### PERFORMANCE

Controls	Speed	1	2	3	Г
Micro Switch Controls	Air m3/h	130	170	240	_ <b> </b> .
Lighting	Pressure	140	260	380	
2 x LED Lights	Input	85	85	115	
	Noise dB(A)	47	53	61	

#### **Grease Filter**

Metal Filters

#### **ORDER CODES**

Ø of Air Outlet	Art. Nr.	Width	Finish	R.R.P
150 / 120 mm	FA104GR		Grey	€89

#### Width

600 mm


#### **Energy Class**

D

#### ACCESSORIES

#### **Charcoal Filter**

F01CF03 €15



T = Lead times apply for these models of up to 6 Weeks

# ACCESSORIES

## **FABER**

## **HFH Filter - Premium Performance**

HFH filters only reduce extraction rate by 5% and they can be washed in the diswasher up to five times.

Filter Code	Cooker Hood	RRP	
F01HFH01	HFH kit including filter for; Nice, Ray,	€323	
F01HFH01R	Replacement filter for HFH kit	€211	

## **Hood Cap**

For use with hoods in recycle mode without chimney. Deflects exhased air from hitting the ceiling and prevents dirt from falling into the motor.

Filter Code	Cooker Hood	RRP	
F05HC1	Stainless Steel for use with Daisy	€34	
F05HC1BK	Black Finish for use with V-Air, Soft Edge, Glam Light Zero Drip Plus, Glam Light Zero Drip, Glam Light, Tweet	€28	
F05HC1WH	White Finish for use with V-Air, Soft Edge, Glam Light Zero Drip Plus, Glam Light Zero Drip, Glam Light, Tweet	€28	

## **Remote Blower**

138

The ability to install the motor away from the hood frees it from architectural constraints and reduces noise in the kitchen. Motor can be installed up to 7 meteres from the hood.

Filter Code	Cooker Hood	RRP	
F10RB01	Bella, Chloe, Chloe XL, Daisy, Glassy Island, Heaven, Heaven Air, Heaven Compact, Heaven Glass, Inca Lux, Inca Lux Glass, In-Nova Comfort, In-Nova Premium, Maxima, Nice, Ray, Solaris, Stilo Island, Strip, Strip Smart, T-Dark, Tratto Island, Tweet, Veil	€238	
F10RB02	Fabula	€170	



### **Remote Control**

Filter Code	Cooker Hood	RRP	
F05RC2	Bi-Air, Bella Comfort, Bella Comfort Island, C-Air, Fabula Plus, Glow, Heaven 2.0, Heaven Air, Heaven Flat, High- Light, In-Light, In Nova Premium, Inca Lux, Odette, Onyx-C, Onyx-V, Onyx-T, SkyPad, Soft Edge, Soft Slim, T-Air, T-Dark, T-Light, T-Light Island, Talika, Twice, V-Air, V-Air Flat	€70	1 and and

## Splashbacks

High Quality Stainless Steel Splashbacks for 60 and 90 cm wide hoods

Code	Cooker Hood	RRP	
F06W6063	60 cm Bella, Strip, Vesta	€79	
F06W9063	90 cm, Strip, T-Air, T-Light, Vesta	€132	900 45 630 53
F06W1001	100 cm Solaris Corner	€269	



## Accessories

Flat air duct system accessories for Ø 120 and 150mm

Description	System	Dimensions	Code	RRP	
Flat Ducting Tube	Ø120	1500L x 220W x 55H	F02FD1215	€31	H
Flat Ducting Tube	Ø150	1200L x 220W x 90H	F02FD1512	€44	
Flat to Round	Ø120	260L x 226W x 60H x125D	F02RR12	€11	
adapter	Ø150	180L x 225W x 90H x150D	F02RR15	€17	
	Ø120	A226 x B60 x 105	F02VB91	€7	
Vertical 90° Bend	Ø150	A226 x B90 x 115	F02VB90	€14	
	Ø120	226W x 60H	F02HB91	€13	
Horizontal 90° Bend	Ø150	220W x 90H	F02HB90	€20	
Flat Duct Connector	Ø120	53D x 226W x 60H	F02FDC12	€5	
	Ø150	53D x 220W x 90H	F02FDC15	€10	H
Flexible Hose	Ø120	1500L x Ø130	F02FXD1215	€8	
	Ø150	1500L x Ø150	F02FXD1515	€9	<u> </u>
Round Pipe	Ø120	Ø125 x 1000L	F02RD1210	€18	1000
	Ø150	Ø150 x 1000L	F02RD1510	€20	
Dight Apple Day d	Ø120	90º x 125	F02RAB12	€18	
Right Angle Bend	Ø150	90º x 150	F02RAB15	€25	



Subject to technical modifications and changes to the range without notice



## Accessories

Flat air duct system accessories for Ø 120 and 150mm

Description	System	Dimensions	Code	RRP	
Vertical 90° Bend Round to Rectangle	Ø120	161D x 226W x 90H x 125Ø x 60H2	F02VBRR12	€7	CT CT
	Ø150	180D x 226W x 100H x 150Ø x 90H2	F02VBRR15	€16	I N
Round Connector	Ø120	-	-	-	
	Ø150	150D	F02RC15	€12	
Flexible Connector	Ø120	-	-	-	use and the
	Ø150	Max 600L x 90H	F02FFD15	€50	- Da

## Valves

Code	Description	RRP	
NA4022049	Flow 125 Thermobox • Black / Silver	€78	
NA4043064	Thermobox 150 • Black / Silver	€81	
NA4033042	Flow Star GTS 125 Connection O  • White finish	€365	Ø
NA4043040	Flow Star GTS 150 Connection O <ul> <li>White finish</li> </ul>	€365	




## Chimneys

Extra height Chimneys for high ceilings - Lead times of 6 weeks apply

Code	Cooker Hood	RRP	
F03W290B	Chimney for Cocktail Black	€79	300 Max 990
F03W846W	Chimney for Cocktail White	€79	Min.530 - M
F03W02 Ŧ	Bella, Gemma, Glove, Look, Nice, Ray Stilo, Stilux	€107	P5 7251,75 006 297

## **External Motor Hoods**

Lead times of 6 weeks apply





HEAVEN GLASS FAHE90WGEM €2,149



RAY FARA90SSEM €1,099

142





HEAVEN 2.0 FAHE90SSEM €1,649



STILO 90cm FASE90SSEM €1,179



FAFA90BGEM €2,449



STILO ISLAND FASAI90SSEM €1,599

T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice

## CHOOSE THE RIGHT HOOD

The necessary extraction capacity is determined by the volume of the kitchen. An effective hood changes the air of the kitchen 10 times per hour. A powerful motor is quieter and uses less energy because it is effective at low speeds.

-A hood does not create noise disturbance if its capacity is

sufficient without exceeding 55 dB(A) of sound power.

-A powerful motor can be efficient even at lower, quieter speeds.

1 Fan Handbook - F. Bleier 1998


EFFECTIVENESS = kitchen Height x 10 Changes of Air

Example: A 15 m<sup>2</sup> kitchen which is 3 m tall requires a hood which aspirates at least 450 m3/h. Infact: 15 m<sup>2</sup> x 3 m x 10 = 450 m<sup>3</sup>/h

Now consult the performance table found in the product catalogue.


The hood is efficient if an equal or higher capacity value is found in one of the speed columns.

Speed	1	2	3	4	INT
Air capacity IEC point	110	195	260	313	430
Pressure	-	-	-	-	-
Input	30	45	55	70	100
Noise level	48	53	58	62	69




## INSTALLATION


Proper installation begins with an inspection. When choosing a hood, you should know:




Kitchen volume (which determines the necessary aspiration capacity). See above "Choosing the right hood."



Length of the cooking top (thehood is generally as long as thecooking top area).



The position and distance of the exit hole (very long and very curved right-angled tubes limit hood efficiency).




The hood is to be installed at a minimum distance of 65 cm from the cooking top, except for particular models where is specified in the technical drawing and instructions manual.

ATTENTION: the product guarantee will not be considered valid if this distance is not respected. The hood may not reach declared performance levels if the distance from the cooking top exceeds 75 cm. Some vertical-installation models (ex. Cocktail) are to be installed lower.

Please check the product's technical manual and installation guide for min and max didtances for each hood.

## **USE AND MAINTENANCE**



Switch on the hood a minute before cooking begins to create air flow that channels fumes and steam toward the aspiration surfaces. If necessary, leave the hood switched on even after cooking is finished so that all steam and odours can be properly aspirated.



- Wash the metal anti-grease filters by hand or in the dishwasher every two months<sup>1</sup>

- Replace synthetic anti-grease filters every two months

- Regular filter maintenance

guarantees

efficient hood use ATTENTION: grease deposited on the filters is inflammable: be sure to perform regular maintenance

<sup>1</sup> These intervals of time refer to a regular use of the hood, approximately 3 hours per day



Hood cleaning

- Remove impurities with a damp sponge and a small amount of neutral soap<sup>2</sup>

- Rinse with a damp cloth

- Dry with a soft cloth, if the hood is in stainless steel, follow the steel brushing

- Clean the internal hood conduit once a year

<sup>2</sup> Acid-based cleaning products can damage hood surfaces

#### First cleaning

- Remove the protective films

- Remove impurities with a damp sponge and a
- small amount of neutral soap
- Rinse with a damp cloth
- Dry with a soft cloth. If the hood is in stainless steel, continue witha steel glaze
- You can give stainless steel hoods a protective treatment with the Faber Clin&Clin tissue

- We were the first in the kitchen hood sector to obtain an ISO 9001 company qualitysystem certificate.

Faber hoods benefit from 60 years of competence in air treatment

 System integrated with Quality, Safety and Environment certified by SGS respecting the ISO 9001:2000, OHSAS 18001 and ISO 14001 norms.
 We have received the SGS Excellence Certificate, the absolute first in

the world, number 001. - All Faber hoods conform to European safety standards (EC mark of conformity), and have also been certified by the IMQ, a reliable, independent organisation further guaranteeing clients on quality (IMQ

#### Faber Hoods are designed for Safety



Hammered internal edges and tempered glass to avoid risks of cutting.

144



mark of security).

Thermo-protected motors and selfextinguishing plastics help avoid any risk of fire.

Electronics are solid state, cables and connections are all placed correctly to avoid electric shock or dangerous sparks. All Faber hoods have undergone safety and performance tests. Aspiration and noise capacity have beenmeasured according to standard norms:

- EN 61591

- EN 60704-3 unique specifications for surveying kitchen hood performance.

ATTENTION: Comparisons between differentbrand hoods should be carried out on complete data obtained according to these standards.

The Faber laboratory is NEMKO and IMQ certified.

T = Lead times apply for these models of up to 6 Weeks Subject to technical modifications and changes to the range without notice

## **FABER**

Notes:




If you wish to view the range of Faber Hoods, why not visit our showroom and advisory centre, simply contact us to make an appointment



Free parts guarantee



Flanagan Fittings Falcon House Dublin Airport Logistics Park St. Margarets Co. Dublin K67 F303 Ireland.



Telephone +353 (0)1 844 8400

Fax +353 (0)1 844 8009

E-mail sales@fff.ie

Web www.fff.ie







FlanaganFittings



FlanaganFittings

