





BUILT IN COLLECTION

Programme	Page Nr.
Built In Hood	6.03
Telescopic Hood	6.04
Canopy Hoods	6.05



WALL COLLECTION

Programme	Page Nr.
Chimney Wall Hoods	6.08
Glass Wall Hoods	6.09
T-Shape Wall Hoods	6.10
Corner Wall Hood	6.11



VERTICAL & DESIGNER COLLECTION

Programme	Page Nr.
Vertical Hood	6.12
Designer Hoods	6.15




ISLAND HOODS

Programme	Page Nr.
Down Draft Hoods	6.16
Ceiling Hoods	6.18



EXTERNAL MOTOR HOODS

Programme	Page Nr.
Island	6.22
Wall	6.22




ACCESSORIES AND TECHNICAL

Programme	Page Nr.
Ducting / Filters	6.24
Remote Controls /Remote Blowers	6.25
Splash Backs / Chimneys	6.26
Technical Drawings	6.28




Hood can be vented directly out without the use of the chimney



This technology offers pleasant natural lighting and faithfully reproduces the colour of the illuminated items at just 2W.



Allows the hood to be switched on for 24 hours a day for continuous air renewal with a level of noise that is imperceptible.



High Filtration kit that reduces extraction by just 5%, the filter can be placed in the dishwasher and reused



Filter saturation alarm: warns you when it is time to clean the anti-grease filter or substitute the anti-odour filter.



A high performance filter that only reduces extraction by 15% and lasts twice as long as standard filters



Reduced light intensity with the simple press of a button with low level of energy consumption, light can be left on for long periods of time.




Allows automatic delayed switching off of the motor to complete elimination of residual odours.



Reduces the perceived sound by up to 25%. (*) Washable sound-absorbing cushions which sound proof the hood. (*) Equal to a reduction of 3dB(A) according to norm EN 60704-3



Offers maximum comfort and practicality in the kitchen: operated by remote control the hood gently lowers onto the hob increasing its efficiency.



Reduces the perceived sound by 25%. This aspiration guarantees optimised effectiveness



Double extraction is derived from the overlapping of two glass panels in vertical hoods, ensuring greater hood effectiveness



The new Faber diffuser enables a leap in energy quality from Class C to Class A. It also provides high performance with low power consumption.



85% power consumption (kW/h) at medium-low speeds that are most often used. It is the most silent motor on the market.



Energy Diffuser: it reduces noise up to 3dB(A) and higher hood efficiency by 30% even in the presence of long air outlet.



The Evo diffuser has an optimised geometry that results in excellent energy efficiency, reduced power consumption and noise level.



The ability to install the motor away from the hood frees it from architectural constraints and reduces noise in the kitchen.




Function which activates maximum aspiration for 6 minutes to meet special cooking needs.



A special range of hoods and hobs that communicate and can be controlled via the hob.



Faber hoods with electronic commands come with remote controls, which are particularly useful for people with reduced mobility.



Hoods that have the motor concealed in the main body, thus eliminating the need for a chimney in recycle mode.



Anti-fingerprint steel, Special anti-fingerprint steel for a perfectly clean hood and a steel surface free of annoying marks.



Eliminates the condensation effect under and around the hood. Controlled air jets released from the hood create two vortices that control the intake of smoke and steam.

104

FA104 Single Motor



Finish: Grey

Micro Switch controls

Width: 600 mm

Metal Filters

Incandescent lamps

Energy: E rated

Speed	1	2	3
Air m³/h	120	160	230
Noise dB(A)	52	56	62

2104

FA2104 Twin Motor



Finish: Grey

Micro Switch controls

Width: 600 mm

Dishwasher Safe Filters

Incandescent lamps

Energy: E rated

Speed	1	2	3
Air m³/h	250	370	490
Noise dB(A)	56	61	67

2108

FA210860GR - 600 mm

FA210869GR - 900 mm



Finish: Light Grey

Electromechanical Controls

Width: 600 / 900 mm

Dishwasher Safe Filters

2 x 28W lights

Energy: D rated

Speed	1	2	3
Air m³/h	240	310	510
Noise dB(A)	60	64	72

Scrigno

FASC60SSG - 563 mm

FASC90SSG - 863 mm



Finish: Stainless Steel

Electromechanical Controls

Width: 560 / 860 mm

Dishwasher Safe Filters

2 x 20W lights

Energy: C rated

Speed	1	2	3
Air m³/h	310	480	620
Noise dB(A)	49	58	65

Flexa

FAFL60GR - 600 mm



Finish: Metal Grey

Electromechanical Controls

Width: 600 mm

Dishwasher Safe Filters

2 x 28W lights

Energy: E rated

Speed	1	2	3
Air m³/h	190	250	300
Noise dB(A)	50	56	62

Flexa Hip

FAFH60ASS - 600 mm



Finish: Alu / Stainless Steel

Electromechanical Controls

Width: 600 mm

Dishwasher Safe Filters

2 x 28W lights

Energy: E rated

Speed	1	2	3
Air m³/h	220	320	420
Noise dB(A)	57	65	69

Omnia

FAOM60ASS - 600 mm

FAOM90ASS - 900 mm



Finish: Alu / Stainless Steel

Electromechanical Controls

Width: 600 / 900 mm

Dishwasher Safe Filters

2x9W lights

Energy: E rated

Speed	1	2	3	4
Air m³/h	270	375	430	480
Noise db(A)	53	60	63	67

Maxima

FAMX60ASS - 600 mm

FAMX90ASS - 900 mm



Finish: Alu / Stainless Steel

Electromechanical Controls

Width: 600 / 900 mm

Dishwasher Safe Filters

2 x 20W lights

Energy: B rated

Speed	1	2	3
Air m³/h	310	490	640
Noise dB(A)	51	61	67

Inca Smart

FAIS52GR - 520 mm



Finish: Light Grey
Electromechanical Controls
Width: 520 mm

Synthetic Filters
2 x 28W lights
Energy: E rated

Speed	1	2	3
Air m³/h	120	160	220
Noise dB(A)	50	54	59

Inca Smart HC

FAIH52SS - 520 mm
FAIH70SS - 700 mm



Finish: Stainless Steel
Electromechanical Controls
Width: 520 / 700 mm

Dishwasher Safe Filters
2 x 28W lights
Energy: E rated

Speed	1	2	3
Air m³/h	235	330	400
Noise dB(A)	57	66	70

Inca Plus

FAIP52SS - 520 mm
FAIP70SS - 700 mm



Finish: Stainless Steel
Electromechanical Controls
Width: 520 / 700 mm

Dishwasher Safe Filters
2 x 28W lights
Energy: D rated

Speed	1	2	3
Air m³/h	250	340	505
Noise dB(A)	52	59	69

In-Nova Smart

FAINS90SS - 900 mm
FAINS120SS - 1200 mm



Finish: Stainless Steel
Pull Out Knob Control
Width: 900 / 1200 mm

Dishwasher Safe Filters
2 LED lights
Energy: D rated

Speed	1	2	3
Air m³/h	220	325	390
Noise dB(A)	55	64	69

In- Nova Comfort

FAINC90SS - 900 mm
FAINC120SS - 1200 mm



Finish: Stainless Steel
Pull Out Knob Control
Width: 900 / 1200 mm

Dishwasher Safe Filters
2 x LED lights
Energy: C rated

Speed	1	2	3
Air m³/h	270	410	540
Noise dB(A)	56	64	69

Inca Lux 2.0

FAIL52SS - 520 mm
FAIL70SS - 700 mm



Finish: Stainless Steel
Electronic LED Controls
Width: 520 / 700 mm

Dishwasher Safe Filters
2 x LED lights
Energy: B-700 C-520

Speed	1	2	3	4
Air m³/h	300	460	590	660
Noise dB(A)	54	65	69	71

Victory 2.0

FAVI277SS - 770 mm
FAVI299SS - 990 mm



Finish: Stainless Steel
Electronic LED Controls
Width: 770 / 990 mm

Dishwasher Safe Filters
LED lights
Energy: C rated

Speed	1	2	3	INT
Air m³/h	230	350	485	585
Noise dB(A)	50	61	67	70

Inca Lux Black Glass

FAIL52BG - 520 mm
FAIL70BG - 700 mm



Finish: Glass/Stainless Steel
Electronic Touch Controls
Width: 520 / 700 mm

Dishwasher Safe Filters
2 x LED lights
Energy: B-700 C-520


Speed	1	2	3	4
Air m³/h	300	460	590	660
Noise dB(A)	54	65	69	71

Built In Collection

Inca Lux White Glass

FAIL52WG - 520 mm

FAIL70WG - 700 mm



Finish: Glass/Stainless Steel

Electronic Touch Controls

Width: 520 / 700 mm

Dishwasher Safe Filters

2 x LED lights


Energy: B-700 C-520

Speed	1	2	3	INT
Air m³/h	300	460	590	660
Noise dB(A)	54	65	69	71

In-Nova Premium

FAINP90SS - 900 mm

FAINLP120SS - 1200 mm



Finish: Stainless Steel

Electronic SENSOR

Width: 900 / 1200 mm

Dishwasher Safe Filters

2 LED lights

Energy: A rated

Speed	1	2	3	INT
Air m³/h	280	420	570	670
Noise dB(A)	53	62	68	70

In-Light

FAINL52SS - 520 mm

FAINL70SS - 700 mm



Finish: Stainless Steel

Electronic LED Controls

Width: 520/700 mm

Dishwasher Safe Filters

Perimeter LED light

Energy: A rated

Speed	1	2	3	INT
Air m³/h	260	380	525	635
Noise dB(A)	56	65	70	72

Swift

FASW60WG - 600 mm

FASW90WG - 900 mm



Finish: S-Steel/White Glass

Knob/Sliding Glass Controls

Width 600 / 900 mm

Dishwasher Safe Filters

LED lights

Energy: A rated

Speed	1	2	3	INT
Air m³/h	240	380	460	520
Noise dB(A)	59	66	69	71

Vesta Black

FAVE60BK - 600 mm
FAVE90BK - 900 mm



Finish: Black
Electromechanical Controls
Width: 600 / 900 mm

Dishwasher Safe Filters
2 x 28W lights
Energy: E rated

Speed	1	2	3
Air m³/h	230	330	430
Noise dB(A)	53	61	67

Vesta

FAVE60SS - 600 mm
FAVE90SS - 900 mm



Finish: Stainless Steel
Electromechanical Controls
Width: 600 / 900 mm

Dishwasher Safe Filters
2 x 28W lights
Energy: E rated

Speed	1	2	3
Air m³/h	230	330	430
Noise dB(A)	53	61	67

Strip

FAST60SS - 600 mm
FAST90SS - 900 mm



Finish: Stainless Steel
Push Button Controls
Width: 600 / 900 mm

Dishwasher Safe Filters
2 x 28W lights
Energy: E rated

Speed	1	2	3
Air m³/h	265	355	410
Noise db(A)	49	54	61

Gemma

FAGE60SS - 600 mm
FAGE90SS - 900 mm



Finish: Stainless Steel
Electromechanical Controls
Width: 600 / 900 mm

Dishwasher Safe Filters
2 x 28W lights
Energy: E rated

Speed	1	2	3
Air m³/h	210	285	370
Noise dB(A)	52	59	63

Wall Collection

Ray

FARA60SS - 600 mm
FARA90SS - 900 mm



Finish: Glass/Stainless Steel Dishwasher Safe Filters
Electronic Touch Controls 2 x 20W Lights
Width: 600 / 900 mm Energy: E rated

Speed	1	2	3
Air m³/h	210	330	410
Noise dB(A)	50	60	66

Nice

FANI60SS - 600 mm
FANI90SS - 900 mm



Finish: Glass/Stainless Steel Dishwasher Safe Filters
Electronic Touch Controls 2 x 20W Lights
Width: 600 / 900 mm Energy: E rated

Speed	1	2	3
Air m³/h	210	330	410
Noise dB(A)	50	60	66

Stilo

FASE60SS - 600 mm
FASE90SS - 900 mm



Finish: Stainless Steel Dishwasher Safe Filters
Electronic Touch Controls 2 x LED lights
Width: 600 / 900 mm Energy: B rated

Speed	1	2	3	INT
Air m³/h	300	460	620	700
Noise dB(A)	52	62	69	71

Glove

FAGL60SS - 600 mm
FAGL90SS - 900 mm




Finish: Stainless Steel Dishwasher Safe Filters
Electronic Touch Controls 2 x LED lights
Width: 600 / 900 mm Energy: C rated

Speed	1	2	3	INT
Air m³/h	275	400	480	510
Noise dB(A)	57	64	68	70

Bella

FABE60SS - 600 mm
FABE90SS - 900 mm




Finish: Stainless Steel
Electronic LED Controls
Width: 600 / 900 mm

Dishwasher Safe Filters
2 x 20W lights
Energy: C rated

Speed	1	2	3	INT
Air m³/h	315	480	610	685
Noise dB(A)	54	62	67	71

Stilux

FASX60SSG - 600 mm
FASX90SSG - 900 mm




Finish: Glass/Stainless Steel
Touch Controls
Width: 600 / 900 mm

Dishwasher Safe Filters
2 x LED lights
Energy: A+ rated

Speed	1	2	3	INT
Air m³/h	300	420	580	700
Noise dB(A)	52	59	66	69

Look

FALO90SS - 900 mm




Finish: Glass/Stainless Steel
Evo Touch Controls
Width: 900 mm

Dishwasher Safe Filters
2 x LED lights
Energy: A+ rated

Speed	1	2	3	4	INT
Air m³/h	200	400	510	620	680
Noise db(A)	40	54	61	65	69

T-Light

FATL90SS - 900 mm



Finish: Stainless Steel
Square Touch Controls
Width: 900 mm

Dishwasher Safe Filters
Perimeter LED light
Energy: A rated

Speed	1	2	3	INT
Air m³/h	290	420	580	690
Noise dB(A)	50	58	65	68

Solaris

FASO100SS - 1000 mm



Finish: Stainless Steel

Electromechanical Controls

Width: 1000 x 1000 mm

Dishwasher Safe Filters

4 x 20 W lights

Energy: D rated

Speed	1	2	3
Air m³/h	300	440	570
Noise dB(A)	57	64	71

Tweet

FATW80BG - 800 mm
FATW80WG - 800 mm



Finish: Black/White Glass Dishwasher Safe Filters
Electronic LED Controls 2 x 20W lights
Width: 800 mm Energy: C rated

Speed	1	2	3	INT
Air m³/h	310	480	620	700
Noise dB(A)	52	61	67	70

Daisy

FADA55BG - 550 mm
FADA80BG - 800 mm




Finish: Glass/Stainless Steel Dishwasher Safe Filters
Electronic Touch Controls 2 x 20W
Width: 550 / 800 mm Energy: D rated

Speed	1	2	3	INT
Air m³/h	290	430	510	550
Noise dB(A)	56	63	68	70

Steelmax

FASM55BGSS - 550 mm
FASM80BGSS - 800 mm



Finish: Glass/Stainless Steel Dishwasher Safe Filters
Electronic Touch Controls 2 x 20W
Width: 550 / 800 mm Energy: C rated

Speed	1	2	3	INT
Air m³/h	310	480	620	700
Noise dB(A)	52	61	67	70

Vanity

FAVA80BG - 800 mm




Finish: Black Glass Dishwasher Safe Filters
Electronic Touch Controls 2 x LED Lights
Width: 800 mm Energy: C rated

Speed	1	2	3	INT
Air m³/h	290	430	520	570
Noise dB(A)	56	63	68	70

Cocktail XS

FAC055BG - 550 mm
FAC055WG - 550 mm




Finish: Glass/Stainless Steel Dishwasher Safe Filters
Touch Controls 2 x LED lights
Width: 550 mm Energy: C rated

Speed	1	2	3	INT
Air m³/h	285	415	500	535
Noise dB(A)	56	62	66	68

Cocktail

FAC080BG - 800 mm
FAC055WG - 800 mm



Finish: Glass/Stainless Steel Dishwasher Safe Filters
Touch Controls 2 x LED lights
Width: 800 mm Energy: C rated

Speed	1	2	3	INT
Air m³/h	285	415	500	535
Noise dB(A)	56	62	66	68

Glam-Light

FAGT80WG - 800 mm



Finish: White Glass Dishwasher Safe Filters
Touch Controls LED Lights
Width: 800 mm Energy: A+ rated

Speed	1	2	3	INT
Air m³/h	310	420	580	720
Noise dB(A)	52	56	62	65

Chloe XL

FACHX110MG - Matt Grey 1100 mm
FACHX110CI - Cast Iron 1100 mm




Finish: Matt Grey/ Cast Iron Dishwasher Safe Filters
Electromechanical Knob 2 LED lights
Width: 1100 mm Energy: C rated

Speed	1	2	3
Air m³/h	280	420	570
Noise dB(A)	51	60	67

Vertical & Designer Collection

Northia

FANO90BG - Black Glass
FANO90WG - White Glass




Finish: Glass/Stainless Steel Dishwasher Safe Filters
Touch Controls 2 x LED lights
Width: 900 mm Energy: A rated

Speed	1	2	3	INT
Air m³/h	300	410	580	720
Noise dB(A)	52	59	66	70

Jolie

FAJO80BG - 800 mm




Finish: Black Glass Dishwasher Safe Filters
Electronic Backlit Controls 2 x LED lights
Width: 800mm Energy: C rated

Speed	1	2	3	INT
Air m³/h	280	400	480	520
Noise db(A)	57	63	68	69

Black Tie

FABT90BG - 800 mm




Finish: Black Glass Dishwasher Safe Filters
Touch Controls 2 x LED light
Width: 800 mm Energy: A+ rated

Speed	1	2	3	4	INT
Air m³/h	200	390	500	620	700
Noise dB(A)	43	57	62	67	69

Infinity

FAIN80BG - Black Glass
FAIN80AG - Almond Glass



Finish: Glass Dishwasher Safe Filters
EVO Touch Controls LED bar light
Width: 800 mm Energy: A rated

Speed	1	2	3	INT
Air m³/h	300	420	590	720
Noise dB(A)	52	60	67	61

Vertical & Design Collection

Chloe

FACH700C - Old Copper
FACH700CI - Cast Iron
FACH700B - Old Brass
FACH700M - Old Metal



Finish: OC/CI/OB/OM

Electronic LED

Width: 700 mm

Dishwasher Safe Filters

LED light

Energy: A rated

Speed	1	2	3	INT
Air m³/h	300	420	590	700
Noise dB(A)	51	59	66	69

Veil

FAVE90CON -Concrete
FAVE90TS - Tibetan Silver
FAV90MWH -Matt White
FAVE90MBK -Matt Black



Finish: CON/TS/MW/MB

Electronic Touch Controls

Width: 900 mm

Dishwasher Safe Filters


2 x LED lights

Energy: A+ rated

Speed	1	2	3	INT
Air m³/h	300	410	570	700
Noise dB(A)	50	58	65	69

Talika

FATA80CO - Copper T
FATA80DCON - Concrete T



Finish: Copper / Concrete

Square Controls

Width: 800 mm

Dishwasher Safe Filters

LED lights

Energy: A rated

Speed	1	2	3	INT
Air m³/h	260	385	445	530
Noise dB(A)	55	64	68	69

Downdraft and Hob Collection

Hoo-B Glass Downdraft

FAHO52BG



Finish: Glass

Electronic Touch Controls

Width: 520 mm

Dishwasher Safe Filters

Min 600mm worktop

Energy: A + rated

Speed	1	2	3	Int
Air m³/h	415	480	540	600
Noise dB(A)	62	64	67	70

Hoo- B Glass/ Alu Downdraft

FAH052BGA



Finish: Glass/ Aluminium

Electronic Touch Controls

Width: 520mm

Dishwasher Safe Filters

Min 600mm worktop

Energy: A+ rated

Speed	1	2	3	INT
Air m³/h	415	480	540	600
Noise dB(A)	62	64	67	70

Induction Hob FCH32

FAP1290G



NEW

Finish: Glass

Touch Controls

Width: 290 mm

9 Power Levels

Timer 1-99 min

Booster

Min-Max pan size: 110-225.

Energy: 3700W

Auto Switch off

Over Heat Protection

Auto Shutdown Protection

Power On Indicator

Induction Hob FCH32C Alu Frame

FAP1290GA



NEW

Finish: Glass/Aluminium

Touch Controls

Width: 290 mm

9 Power Levels

Timer 1-99 min

Booster

Min-Max pan size: 110-225.

Energy: 3700W

Auto Switch off

Over Heat Protection

Auto Shutdown Protection


Power On Indicator

Downdraft and Hob Collection

Induction Hob FCH64
FAPI580G



NEW




Finish: Glass
Touch Controls
Width: 580 mm
9 Power Levels
Timer 1-99 min
Booster

Min-Max pan size: 110-225.
Energy: 7400W
Auto Switch off
Over Heat Protection
Auto Shutdown Protection
Power On Indicator

Induction Hob FCH93
FAPI90G T




NEW



Finish: Glass
Touch Controls
Width: 900 x 350 mm
9 Power Levels
Timer 1-99 min
Booster

Min-Max pan size: 110-265
Energy: 6700W
Auto Switch off
Over Heat Protection
Auto Shutdown Protection
Power On Indicator

Fabula
FAFA90BG



Finish: Glass/ Stainless Steel
EVO Touch Controls
Width: 900 mm

Dishwasher Safe Filters
LED Light
Energy: A rated

Speed	1	2	3	4	INT
Air m³/h	160	290	350	439	700
Noise db(A)	46	57	61	65	70

Heaven 2.0

FAHE90SS - 900 mm
FAHE120SS - 1200 mm 7




Finish: Stainless Steel Dishwasher Safe Filters
Electronic LED Touch Controls 4 x LED lights
Width: 900/ 1200 mm Energy: A rated

Speed	1	2	3	INT
Air m³/h	290	400	560	700
Noise dB(A)	53	62	70	70

Heaven 2.0 Glass

FAHE90WG




Finish: White Glass Dishwasher Safe Filters
Electronic LED Touch Controls 2 x LED lights
Width: 900 mm Energy: A rated

Speed	1	2	3	INT
Air m³/h	290	400	560	700
Noise dB(A)	53	62	70	70

Heaven 2.0 Flat

FAHEF90SS - 900 mm
FAHEF120SS - 1200 mm 7




Finish: Stainless Steel Dishwasher Safe Filters
Electronic LED Touch Controls 4 x LED lights
Width: 900 / 1200 mm Energy: A+ rated

Speed	1	2	3	INT
Air m³/h	480	550	620	700
Noise dB(A)	63	66	70	72

Heaven 2.0 Flat Glass

FAHEF90WG




Finish: White Glass Dishwasher Safe Filters
Electronic LED Touch Controls 2 x LED lights
Width: 900 mm Energy: A+ rated

Speed	1	2	3	INT
Air m³/h	480	550	620	700
Noise dB(A)	63	66	70	72

High-Light

FAHI91SS - 910 mm ƒ
FAHI121SS - 1210 mm ƒ




Finish: Stainless Steel Dishwasher Safe Filters
Electronic LED Touch Controls Perimeter LED light
Width: 910 /1210 mm Energy: A+ rated

Speed	1	2	3	INT
Air m³/h	415	490	550	710
Noise dB(A)	63	65	68	71

High-Light Matt White

FAHI91WG ƒ





Finish: White Glass Dishwasher Safe Filters
Electronic LED Touch Controls Perimeter LED light
Width: 910 mm Energy: A+ rated

Speed	1	2	3	INT
Air m³/h	415	490	550	710
Noise dB(A)	63	65	68	71

Heaven Compact

FAHC90SSWG




Min space requirement 319 mm

Finish: Stainless Steel/Glass Dishwasher Safe Filters
Electronic Controls 2 x LED lights
Width: 900 mm Energy: C rated

Speed	1	2	3	INT
Air m³/h	300	460	580	640
Noise db(A)	53	63	68	70

SkyPad 2.0

FASK120SSWG ƒ



Finish: Stainless Steel/Glass Dishwasher Safe Filters
Electronic Controls 2 x LED lights
Width: 1200 mm Energy: N/A

Speed	1	2	3	INT
Air m³/h	440	600	780	850
Noise db(A)	57	64	70	72

Pareo Plus

FATPP50SS - Stainless Steel ₹
FAPP50TS - Tibetan Silver ₹




Finish: SS/TS Dishwasher Safe Filters
Electronic Controls Micro LED lights
Width: Ø 500 mm Energy: A rated

Speed	1	2	3	INT
Air m³/h	270	340	430	620
Noise dB(A)	52	58	64	71

Tratto Island

FATRI90SSG




Finish: Glass/Stainless Steel Dishwasher Safe Filters
Electronic Controls 4 x LED lights
Width: 900 mm Energy: B rated

Speed	1	2	3	INT
Air m³/h	300	480	620	700
Noise dB(A)	54	64	69	71

Stilo Island

FASAI90SS




Finish: Stainless Steel Dishwasher Safe Filters
Electronic Controls 4 x LED lights
Width: 900 mm Energy: B rated

Speed	1	2	3	INT
Air m³/h	300	460	620	700
Noise dB(A)	52	62	69	71

T Light Island


FATLI100SS ₹



Finish: Stainless Steel Dishwasher Safe Filters
Soft Touch Controls Perimeter LED Light
Width: 1000 mm Energy: A rated

Speed	1	2	3	INT
Air m³/h	290	420	580	690
Noise dB(A)	50	58	65	68

Vanilla Plus
FAVA52SSWG ₹



Finish: Glass/Stainless Steel Dishwasher Safe Filters
Electronic Touch Controls Micro LED Lights
Width: 520 mm diameter Energy: A rated

Speed	1	2	3	INT
Air m³/h	270	340	430	620
Noise dB(A)	52	58	64	71

Kaleidos Plus
FAKA60SSBF ₹



Finish: Stainless Steel/Fabric Dishwasher Safe Filters
Electronic Touch Controls Micro LED Lights
Width: 600 mm diameter Energy: A rated

Speed	1	2	3	INT
Air m³/h	270	340	430	620
Noise dB(A)	52	58	64	71


Lybra Plus
FALY40SSG ₹



Finish: Stainless Steel Dishwasher Safe Filters
Electronic Touch Controls 2 X LED lights
Width: 409 X 409 mm Energy: A rated

Speed	1	2	3	INT
Air m³/h	270	340	430	620
Noise dB(A)	52	58	64	71

Lybra Plus Limited Edition
FALY40SSBG ₹



Finish: Black Streaked Glass Dishwasher Safe Filters
Electronic Touch Controls 2 X LED lights
Width: 409 X 409 mm Energy: A rated

Speed	1	2	3	INT
Air m³/h	270	340	430	620
Noise dB(A)	52	58	64	71

Hood with External Motors

Heaven with External Motor

FAHE90SSEM - Stainless Steel



Finish: Stainless Steel

Dishwasher Safe Filters

Electronic LED Touch Controls

4 x LED lights

Width: 900 mm

Energy: B rated

Speed	1	2	3	INT
Air m³/h	280	380	440	520
Noise dB(A)	53	61	66	68

Heaven with External Motor

FAHE90WGEM - White Glass 7



Finish: White Glass

Dishwasher Safe Filters

Electronic LED Touch Controls

2 x LED lights

Width: 900 mm

Energy: B rated

Speed	1	2	3	INT
Air m³/h	230	340	390	650
Noise dB(A)	54	57	59	71

Fabula

FAFA90BGEM 7



Finish: Stainless Steel/Glass

Dishwasher Safe Filters

EVO TOUCH Controls

LED lights

Width: 900 mm

Energy: B rated

Speed	1	2	3	4	INT
Air m³/h	280	370	440	330	530
Noise db(A)	55	64	67	59	69

Jolie with External Motor

FAJO80BGEM - 800 mm 7



Finish: Glass

Dishwasher Safe Filters

LED Electronic Controls

2 x LED lights

Width: 800 mm

Energy: B rated

Speed	1	2	3	INT
Air m³/h	280	370	440	530
Noise dB(A)	55	64	67	69

Hoods with External Motors

Ray with External Motor

FARA90SSEM - 900 mm Ȧ



Finish: Stainless Steel
LED Electronic Controls
Width: 900 mm

Dishwasher Safe Filters
4 x LED lights
Energy: B rated

Speed	1	2	3	INT
Air m³/h	290	390	455	540
Noise dB(A)	54	58	62	67

Stilo with External Motor

FASE90SSEM - 900 mm Ȧ



Finish: Stainless Steel
LED Electronic Controls
Width: 900 mm

Dishwasher Safe Filter
2 x LED lights
Energy: B rated

Speed	1	2	3	INT
Air m³/h	290	390	455	540
Noise dB(A)	54	58	62	67

Stilo Island with External Motor

FASAI90SSEM - 900 mm



Finish: Stainless Steel
LED Electronic Controls
Width: 900 mm

Dishwasher Safe Filters
4 x LED lights
Energy: B rated

Speed	1	2	3	INT
Air m³/h	290	390	455	540
Noise dB(A)	54	58	62	67

Please note that all extraction rates and noise levels reported are in accordance with IEC standards. The IEC Airflow rate is the 2010 certified testing of Cooker Hoods with 1 meter of ducting and 90° angle bend in accordance with CECEC Code of Conduct. The CECEC Code establishes clear rules of measurement common to all cooker hood manufacturers IEC/EN 61591. Please ensure that any cooker hoods you make look at comply with the code of conduct to make an accurate comparison.



Ducting Kits

In order to achieve the highest extraction rates a ducting kit should be used. Extraction rates will drop and noise levels will change when the hood is used in recycle mode with filters. All hoods in this brochure can be vented or used in a recycle mode.

Ducting Code	Description
F02DK120	2 mtr. 120 mm Ø Flexible ducting, External Vent White, 2 x fixing clips

Charcoal Filters - Standard

Where venting is not possible, use of charcoal filters allows the air to be recycled. Charcoal filters reduce extraction rate by 40% and last up to 3 months. Charcoal filters are available to suit whichever cooker hood you choose. To order replacement filters simply call us on + 353 1 844 8400

Filter Code	Cooker Hood	
F01CF01	Bella, Gemma, Glove, Look, Nice, Ray, Stilo, Stilo Island, Stilux, T-Light, T-Light island, Tratto Island, Victory, Victory 2.0	
F01CF02	Black Tie, Cocktail, Cocktail XS, City, Daisy, Glam Light, Heaven 2.0, Heaven glass, In-Light, Inca Lux, Inca Lux Glass, Infinity, Jolie, Kaleidos, Maxima, Northia, Scrigno, Skypad, Steelmax, Strip, Solaris, Vanilla, Vertigo	
F01CF03	104, 2104, 2108 (Order 2 for twin Motors)	
F01CF04	Inca Plus,	
F01CF05	Omnia	
F01CF08	Flexa, Flexa HIP, Vesta, Inca Smart HC, Inca Smart	
F01CF09	Fabula and Hoo-B Downdraft	
F01CF10	Luft	
F01CF11	Heaven 2.0 Flat 90, Heaven 2.0 Flat Glass 90, High-Light 910	
F01CF12	Heaven 2.0 Flat 120, High-Light 1210	

Special Filter Holder


The filter holder ensures humidity does not remain in the cabinet

Filter Code	Cooker Hood
F01CF13	Fabula and Hoo-B Downdraft including filter, replacement filters F01CF09 in table above

Accessories


Charcoal Filters - High Performance

Several hoods have High performance filters available to suit. These special Charcoal filters only reduce extraction rate by 15% and last up to 6 months..

Filter Code	Cooker Hood	
F01CF02HP	Black Tie, Cocktail, Cocktail XS, City, Daisy, Glam Light, Heaven 2.0, Heaven glass, In-Light, Inca Lux, Inca Lux Glass, Infinity, Jolie, Kaleidos, Maxima, Northia, Scrigno, Steelmax, Strip, Solaris, Talika, Vanilla, Vertigo	
F01CF04HP	Skypad	

HFH Filter - Premium Performance

HFH filters only reduce extraction rate by 5% and they can be washed in the dishwasher up to five times.

Filter Code	Cooker Hood	
F01HFH01	HFH kit including filter for; Bella, Gemma, Look, Nice, Ray, Stilo, Stilux, T-Light, T-Light island,	
F01HFH01R	Replacement filter for HFH kit	

Hood Cap

For use with hoods in recycle mode without chimney. Deflects exhaled air from hitting the ceiling and prevents dirt from falling into the motor.


Filter Code	Cooker Hood	
F05HC1	Black Tie, Cocktail, Cocktail XS, City, Daisy, Glam Light, Infinity, Jolie, Northia, Steelmax.	

Remote Control

Filter Code	Cooker Hood	
F05RC1	Black Tie, Glam Light, Heaven 2.0, Heaven Flat, High-Light, Hoo-b, In-Light, Inca Lux, Infinity, Kaleidos, Look, Luft, SkyPad, T-Light, T-Light Island, Talika, Vanilla, Vertigo	

Remote Blower

The ability to install the motor away from the hood frees it from architectural constraints and reduces noise in the kitchen. Motor can be installed up to 7 metres from the hood.

Filter Code	Cooker Hood	
F10RB01	Bella, City, Daisy, Gemma, Glove, Heaven, Heaven Glass, Inca Lux, Inca Lux Glass, Infinity, Jolie, Maxima, Nice, Ray, Stilo, Stilux, Strip, Tratto island	
F10RB02	Fabula	




Silent Kit

Reduces the perceived sound by up to 25%* Washable sound-absorbing cushions which sound proof the hood. *Equal to a reduction of 3dB(A) according to norm EN 60704-3.

Code	Cooker Hood	
F04SK1	Bella, Gemma, Nice, Premio, Ray, Stilo, Stilux, Tratto island,	



Splashbacks

High Quality Stainless Steel Splashbacks for 60 and 90 cm wide hoods


Code	Cooker Hood	
F06W6063	60 cm Bella, Gemma, Glove, Stilo, Stilux, Strip, Vesta	
F06W9063	90 cm Bella, Gemma, Glove, Look, Stilo, Stilux, Strip, T-Light Vesta	
F06W1001	100 cm Solaris Corner	

Chimneys


Extra height Chimneys for high ceilings - Lead times of 6 weeks apply

Code	Cooker Hood	
F03W290B	Chimney for Cocktail Black	
F03W846W	Chimney for Cocktail White	
F03W01SS ƚ	High Chimney Stainless Steel for; Black Tie, Infinity, Jolie	
F03W02 ƚ	Bella, Gemma, Glove, Look, Nice, Ray Stilo, Stilux	


104/2104




2108




Scrigno




Flexa




Flexa Hip




Omnia




Maxima




Inca Smart




Inca Smart HC




Inca Plus




In-Nova Smart




In-Nova Comfort




Inca Lux 2.0




Victory 2.0




Inca Lux Glass




In-Nova Premium




In-Light




Swift




Vesta




Strip




Gemma




Ray




Nice




Stilo




Glove




Bella




Stilux




Look




T-Light




Solaris




Tweet




Daisy




Steelmax




Vanity




Cocktail XS




Cocktail




Glam-Light




Chloe XL




Northia




Jolie




Black Tie




Infinity




Chloe



Veil




Talika




Technical Drawings


Hoo-B Glass/Alu




FCH32 Hob/Alu




FCH64 Hob




Fabula




FCH93 Hob




Heaven 2.0 Glass




Heaven 2.0



Heaven 2.0 Flat Glass



Heaven 2.0 Flat



Technical drawing of the 1000 Series Power Supply Unit showing dimensions in inches. The drawing includes the following dimensions:

- Top width: 503
- Top depth: 541
- Front depth: 186
- Bottom depth: 186.5
- Bottom width: 473
- Bottom depth: 496
- Internal width: 584 - 1184
- Internal depth: 217
- Internal width (bottom): 908 - 1208
- Internal depth (bottom): 253.2

Technical drawing of the 1089 model showing dimensions:

- Total height: 735
- Top section height: 462
- Top diameter: $\varnothing 500$
- Middle section height: 420
- Middle diameter: $\varnothing 402$
- Bottom section height: 494
- Bottom diameter: $\varnothing 450$
- Overall height: MAX 1089


[illegible]

MAX ASP. 1155 - MAX FIL 1305

405

518

Kaleidos Plus



Lybra Plus

