

# KITCHEN & BEDROOM LIGHTING

20  
24

MAKING  
LIGHTING  
SIMPLE



**sensio®**

## BEAUTIFULLY SIMPLE LIGHTING SOLUTIONS


Since 2007 we've been creating lighting in harmony with modern life. Specialising in kitchens, bedrooms and bathrooms, quality and innovation has always been at the heart of what we do, from lighting that stands the test of time to technology that's exclusive to us.

At Sensio we pride ourselves on providing premium products matched with a flawless execution and service. All of our lighting solutions are designed and developed right here in the UK, where we can constantly strive to create new concepts to brighten people's lives. Always pushing to pioneer new technology that seamlessly illuminates customers' homes, our passion is making lighting both intelligently simple and beautiful.

We hope to inspire your space with the power of lighting and thank you for partnering with us at Sensio.

Michael Linsky  
Managing Director

## OUR PROMISES TO YOU



### Making Lighting Simple

Making Lighting Simple - one of the defining principles by which we live and breathe. Everything we do, whether it is in the design of our products, our customer service or how we communicate, we strive to always have Making Lighting Simple at the core. If it's not simple for you, our customer, we find another way until it is.



### Market Leading Innovation

We place our focus on doing things a little differently. We are dedicated to designing and developing new and innovative lighting solutions that meet various design requirements. Our high quality range of products offer the very latest LED technology and features to work in harmony with customer's kitchens and bedrooms. With our own in-house Product Development Team, we have the ability to not only work closely with customers to design products we know they need, but also innovate and lead the way in creating first to market, patented products.



### Extraordinary Service

We're here to offer our exemplary service levels to every single customer. Whether that's a quick resolution to your email query, ensuring your orders get to you on time and in full or proactive communication and exceptional account management, we're committed to offering extraordinary service at every point.



Members of:



# PIONEERING DESIGN



Designing in-house, we develop our products and packaging with the future in mind. Thinking about efficiency and waste reduction whilst creating high quality innovation.

## WE DON'T JUST FOLLOW THE TRENDS - WE HELP SET THEM

Our expertise and industry knowledge is an integral part of our business with our in-house product development and design team based here in the UK. To us, every detail makes the difference and we're not satisfied until each product is finished to the highest standard.

A number of our lights and profiles carry Registered Design Rights. This means as we strive to continually bring innovative and exciting products to the market, our valued partners can be assured of having access to products they won't find elsewhere.

Our extensive product range is also constantly reviewed, enhanced and improved to ensure we stay at the forefront of our industry.

## SUPERIOR QUALITY, GUARANTEED DURABILITY

We pride ourselves on using only the best components and materials to guarantee long life performance, high light output and enhanced durability. All of our products go through rigorous third-party testing and we're proud to be ISO 9001 accredited.

Our products have won awards for their design excellence time and time again and we're so confident that each product will exceed your expectations that we offer a 5-year guarantee on all of our kitchen and bedroom fittings.

## INSPIRING SERVICE & SOLUTIONS

We're always researching the latest trends, technology and fashion to deliver solutions that stand the test of time. We delve deep into the market to shine a light on how our products can improve home environments and the way people live. So whenever you choose a Sensio product, you can be assured it's been thoughtfully created for the future.

## WE'RE WORKING TOWARDS A MORE SUSTAINABLE FUTURE AND ARE COMMITTING RESOURCES TO ACTIVELY REDUCE OUR FOOTPRINT.

We care about our impact on the world and have set ourselves goals over the next 3, 5 and 10 years to meet high standards throughout our processes, operations and products to limit or mitigate our impact on the environment. These include:



We aim to reduce plastics from our product packaging as much as possible, including recyclable plastics, in favour of paper and cardboard



All products will be created with Long Design Life in mind, ensuring robust, long serving products including use of high quality LEDs for maximum life span



Careful selection of our production partners evaluated in accordance with our guidelines and carry ISO 14001



Improve the robustness of our supply chain to mitigate air carriage, maximise sea freight efficiencies and increase local production to help achieve our target of Net Zero



# CONTENTS

## 01 THE POWER OF LIGHTING

- 10 Creating a lighting plan
- 12 Choosing kitchen lighting
- 14 Custom Colour
- 16 Technical Centre
- 22 The Sensio Series
- 24 Product Features Guide

## 02 FLEXIBLE LED STRIP LIGHTING

NEW

- 28 Dart
- 30 Primo 2
- 31 Neutron
- 32 Viva 3
- 34 Sigma 2
- 36 Polar
- 38 Radiant
- 39 Razor
- 40 Ion 8
- 41 Ion 5
- 42 Polar Pro
- 43 Radiant Pro
- 44 Flux

## 03 PROFILES & INTEGRATED SOLUTIONS

NEW

NEW

- 48 The Profile Range
- 49 Ray
- 50 Gamma
- 51 Blaze
- 52 Accent
- 53 Adapt
- 54 Glow
- 55 Vector
- 56 Adorn
- 57 Beam
- 58 Fino
- 59 Linia
- 60 Manta
- 61 Contour
- 62 Expanse Pro / Expanse
- 63 Verona
- 64 Glow Pro / Glow
- 66 Genoa
- 67 Torino

## 04 UNDER CABINET LIGHTING

- 70 Plaza
- 71 Solo
- 72 Treos
- 73 Velos
- 74 Zeta
- 76 Ark
- 77 Bermuda
- 78 Nexus
- 79 Apex TrioTone®
- 80 Ark TrioTone®
- 81 Astro TrioTone®
- 82 Bermuda TrioTone®
- 83 Horizon TrioTone®
- 84 Hype TrioTone®
- 85 Neo TrioTone®
- 86 Nexus TrioTone®
- 87 Ark Pro
- 88 Astro Pro
- 89 Horizon Pro
- 90 Hype R Pro
- 91 Neo Pro
- 92 Axis
- 93 Connex
- 94 Connex TrioTone®
- 95 Corner Pantry Pack

## 06 PLINTH SPOTLIGHTS

NEW

- 98 Iris
- 99 Luce TrioTone®
- 100 Halo TrioTone®
- 101 Stellar Pro

## 07 BATTERY, DRAWER & WARDROBE LIGHTING

NEW

- 104 Alto
- 105 Incline
- 106 Magnum
- 107 Dura Plus
- 108 Verso
- 109 Strata

## 09 CEILING & FEATURE LIGHTING

NEW

NEW

NEW

NEW

- 112 Bellatrix
- 113 Zirconia
- 114 Solinas
- 115 TrioTone® IP65 Fire Rated Downlight
- 116 TrioTone® Pure Dual Power Downlight
- 117 TrioTone® IP65 Cube & Circa
- 118 TrioTone® Cube & Circa Dual Power
- 119 Cara
- 119 Elena TrioTone®

## 08 SENSIPOD POP-UP SOCKETS

- 122 Sensiopod E
- 123 Sensiopod M
- 124 Sensiopod M Bluetooth

## 10 LIGHTING CONTROL

NEW

- 128 Titan+
- 130 Titan Dimmable
- 131 Titan Smart RGB CCT
- 132 Titan Smart Kinetic
- 133 Titan Kinetic Switch
- 133 Titan 240V Kinetic Receiver
- 134 Universal Remote Control
- 135 Receivers
- 136 Wireless PIR
- 137 Link-S Magnet & Reed Switch

## 13 PRODUCT INDEX

## 14 FAQ

## 15 GET IN TOUCH



# THE POWER OF LIGHTING

Lighting can completely transform your space beyond the practical benefit it brings. It creates ambience, a brighter, more spacious and multi-dimensional feel and highlights design features.

Considering a lighting scheme at the initial design stages will influence the overall atmosphere of the interior space.





# CREATING A LIGHTING PLAN

Add impactful lighting to the kitchen by following our simple and stress-free tips.

We know how important it is for customers to envision how their kitchen design will look in the initial stages. To ensure the process runs as smoothly as possible, we are partnered with leading kitchen design software to bring your dream plans to life: 2020, KBB Connect, KBB Smart and Compusoft.



## LIGHT IN LAYERS

Splitting lighting into three categories from task to mood and convenience gives you the opportunity to layer your lighting. Start with task lighting around food preparation areas, transition into convenience lighting inside cupboards or drawers and then consider how mood lighting could create an ambient atmosphere.

## FACTOR IN THE POWER

Creating multiple zones of lighting calls for power to different parts of the kitchen. It's much easier to install the wiring before the kitchen installation, so plan where wiring needs to be included so you can power the lights once installed. Think about the wall units, base units and the island unit if you want to create feature lighting under worktop edges or plinths.

## COMPLEMENT THE KITCHEN DESIGN

Is the kitchen contemporary or traditional? Rustic or modern? This may help inform the style of fitting you choose but also the colour temperature of the lights. Warm white LEDs emit a yellow glow and complement a traditional style kitchen featuring wood surfaces and muted worktops perfectly, whereas cool white LEDs are more suited to contemporary style kitchens. The white light bounces off gloss or contemporary surfaces like granite for a mesmerising finish.



## GET CREATIVE

Much more than a functional feature, lights can truly transform a space. Zoning the lights so they run from different switches really helps make the most of the space as you're in control of which lights turn on and when.

## CONSIDER THE CONTROLS

Lighting elements can be controlled either together or separately depending on the kind of lighting you install and how the kitchen space will be used. For example, you may want all the under cabinet lighting to turn on together, you may want the kitchen cupboards to light up when the cupboard door is opened, or you may want to create a relaxing ambience with feature lighting switched on with the touch of a remote or smart phone app.



# CHOOSING KITCHEN LIGHTING

Kitchen lighting can be split in to three categories, with each offering its own purpose and benefits:

## 1 TASK LIGHTING

As the name suggests, task lighting is perfectly positioned to ensure the kitchen is an efficient working space for everyday tasks such as cooking. Typically, kitchen task lighting is positioned under wall units to illuminate the worktop, focusing light exactly where it is needed.

## 2 CONVENIENCE LIGHTING

Convenience lighting illuminates cupboards, wardrobes and drawers when opened for ultimate ease of use, while adding a luxurious finish to the kitchen or bedroom design.

## 3 MOOD LIGHTING

Mood lighting creates depth and dimension, which is essential for creating atmosphere within a room. If you're looking to brighten the mood of the kitchen, consider lighting along the plinth, up-lighting above wall units, lighting beneath breakfast bars or the underside of a worktop and lighting the inside of glass fronted cabinets. Mood lighting is often overlooked, but one that can have a profound impact.





# CUSTOM COLOUR

## THE LED COLOUR YOU CHOOSE CAN MAKE A HUGE IMPACT ON THE OVERALL LOOK

Choosing the right lighting colour will boost the aesthetics of the design by complimenting the chosen colours and materials.

Typically, LEDs are available as cool, natural or warm, and we use a measure called the Kelvin scale (K) to determine the temperature output of our lights.

Anything between 2500K and 3000K is considered warm, 3500K and 4500K is natural, while anything between 4500K and 6500K emits a cooler temperature.



Cool white LEDs are more suited to contemporary or modern styles. Cool white bounces off gloss or contemporary surfaces to create a stunning effect.



Natural white sits between warm and cool white and recreates the effect of natural daylight. Natural white's versatility means it can complement a range of styles.



Warm white LEDs emit a yellow glow (similar to that of a halogen) and perfectly complement traditional styles with features such as timber finishes and muted worktops.





## TRIOTONE®

A Sensio trademarked concept first introduced in 2017, TrioTone® provides 3-in-1 lighting choice in one fitting. These diverse products are specifically designed to provide the option to select or change the colour temperature without having to replace the whole fitting.

Sensio TrioTone® products can be set to 3000K (warm white), 4000K (natural white) or 5000K (cool white).

TrioTone® lights feature a switch to set the colour temperature on individual fittings.



## CCT

Correlated Colour Temperature (CCT) is a concept that provides a seamless transition from warm to cool white temperatures.

CCT gives the user the power to cycle through the full spectrum of temperatures between cool, natural and warm light. This allows you to accurately mimic outside lighting conditions - a feature that has been scientifically proven to have a positive impact on our health.

CCT products allow for advanced control via our Universal Remote & CCT receiver or Titan Smart Kinetic Driver paired with the kinetic switch, Link Sensio app or smart home device




# TECHNICAL CENTRE

Some lights present different options for installation, linking together and control. These pages, alongside the detailed information around choosing the correct driver found on pages 180-181, will make the process of selecting and installing our lighting as simple as possible.

## 12-VOLT VS. 24-VOLT LIGHTING

ALL SENSIO LIGHTS ARE 24-VOLT, OFFERING A NUMBER OF BENEFITS OVER ALTERNATIVE 12-VOLT SOLUTIONS.



### LESS VOLTAGE DROP

24-Volt allows for longer runs of light with no loss of power or brightness over distance.

### STAYS COOLER


24-volt lighting dissipates less heat and stays cooler over time. This means more efficient lights which don't overheat.

### UP TO 75% MORE EFFICIENT

For a given power wattage, a 24-volt Sensio product will consume 50% less current than the 12-volt equivalent, offering up to 75% more efficiency when factoring reduced heat loss.

## POWER


### 240V PRODUCTS



240 volt products can either be plugged into a power socket or wired directly to the mains.

**PLEASE NOTE: THE MAJORITY OF 240V PRODUCTS DO NOT COME WITH A PRE-WIRED PLUG.**

### 24V PRODUCTS




24V is significantly lower than the mains electricity that comes into our homes.

Our low voltage products require an LED driver that converts the voltage from 240V to 24V.

All our 24V products are Plug & Play - this means they plug directly into the LED driver without the need for an electrician.


### WATTAGE AND LED DRIVERS



The number of lights that an LED driver can power is determined by the wattage, so it is important that the driver selected has an adequate wattage for the lights.

The appropriate LED driver can be easily found by calculating the total wattage of all lights in the run. The total wattage should not exceed the rated wattage of the LED driver.


### DAISY CHAIN PRODUCTS




To make installation as simple as possible, some of our products can be linked together in a daisy chain.

This is a great way to extend the range of an LED driver in a long run of lights. Especially when powered with a higher voltage, such as 24V.


## CONNECTORS




**2-Pin**  
The most-common type of connector in the Sensio range and compatible with all drivers (with exception of the CCT Titan Smart Kinetic Driver). This type of connector is also compatible with the Single Colour Receiver.



**4-Pin**  
These are found on our CCT products and are compatible with Titan Smart Kinetic Drivers and the CCT Receiver.



**6-Pin**  
These are found on our RGB CCT products and assist in the control of both colour temperature and RGB in compatible products.




**Quick Connect**  
This port enables the driver connection cable to plug directly into the back of the lamp, simplifying installation.

## LIGHTING CONTROL

**Receivers and Remotes**  
Receivers and remotes allow for additional lighting control such as dimming, changing colour temperature and RGB. These can be added to most Sensio products.

**Smart Products**  
Smart Drivers allow Sensio 24V products to connect to smart home devices such as the Google Assistant and Amazon Alexa via the Link Sensio App, adding smart lighting control. See more on p188.



## SENSORS & SWITCHES




**Infrared (IR) sensors**  
IR sensors are used to control lighting with close-range hand gestures. Example: waving to turn your lights on/off.




**Passive infrared (PIR) sensors**  
PIR sensors are used to control lighting when somebody enters the detection range. Example: entering a room.




**Gate Sensor**  
Gate (or door) sensors are used to control lighting with the opening and closing of doors. Example: opening a cabinet or drawer.



**Push switch**  
Push switches are used to control lighting with the push of a button.



**Magnet and reed switch**  
A magnet and reed switch is used to control lighting with the opening and closing of doors. The advantage a magnet and reed switch system has over a gate sensor is that multiple switches can be set up to control the same set of lights. It is also wireless.



**Kinetic switch**  
Kinetic switches are used in conjunction with the Titan Smart Kinetic drivers to offer the freedom of wireless control. The switches require no additional power or installation and offer advanced control such as dimming and colour adjusting when configured with CCT lights. 1, 2 and 3 gang switches available.



# TECHNICAL CENTRE

With the introduction of new EU energy labels on electrical products, here's what the new labels mean for your Sensio lighting products.

## WHY HAVE A NEW EU ENERGY LABEL?

Due to the popularity of light emitting diodes, lighting has become very efficient over the past 20 years with most products on the market falling comfortably into the A to A+++ rating.

To make way for future improvements in energy saving technology, a new grading system has been implemented which simplifies the grading system as well as making it much harder for products to achieve higher ratings.


The grades now range from A to G and all products are re-classified on this new scale.

Customers can be assured they are still receiving the high quality lighting products from Sensio they did previously. However, the simplified scale now makes it easier to make an informed decision when choosing their lighting as well as allowing room on the scale for products with future advancements in energy saving technology.


Regulation: (EU) 2019/2015

## HOW THE LABELS HAVE CHANGED

Previous energy labels



New energy labels



- Seven step rating now runs from A to G
- Additional QR code links to further details on the labelling and product specification

## OUR RATED PRODUCTS

The below list of lighting products carry the required energy labels and have the following ratings:



PRODUCT	LIGHTING TYPE	TECHNOLOGY	PAGE
Axis	Under Cabinet Strip Light	Single Colour	134
Bermuda	Under Cabinet Spot Light	Single Colour	110
Bermuda TrioTone®	Under Cabinet Spot Light	TrioTone®	112
Connex	Under Cabinet Strip Light	Single Colour	135
Connex TrioTone®	Under Cabinet Strip Light	TrioTone®	136
Hype	Under Cabinet Spot Light	Single Colour	116
Hype TrioTone®	Under Cabinet Spot Light	TrioTone®	118
Hype R Pro	Under Cabinet Spot Light	CCT	130
Nexus	Under Cabinet Spot Light	Single Colour	124
Nexus TrioTone®	Under Cabinet Spot Light	TrioTone®	125
Treos	Under Cabinet Spot Light	Single Colour	96
Zeta	Under Cabinet Spot Light	Single Colour	100



PRODUCT	LIGHTING TYPE	TECHNOLOGY	PAGE
Bellatrix	Pendant Light	Single Colour	160
Dart	Flexible LED Strip	Single Colour	34
Expanse	In-Cabinet Back Panel	Single Colour	86
Expanse Pro	In-Cabinet Back Panel	CCT	86
Ion 5	Flexible LED Strip	CCT	50
Ion 8	Flexible LED Strip	CCT	48
Neutron	Flexible LED Strip	Single Colour	38
Polar	Flexible LED Strip	Single Colour	44
Polar Pro	Flexible LED Strip	CCT	52
Primo 2	Flexible LED Strip	Single Colour	36
Radiant	Flexible LED Strip	Single Colour	46
Sigma 2	Flexible LED Strip	Single Colour	42
TrioTone® IP65 FR Downlight	Ceiling Spot Light	TrioTone®	166
TrioTone® IP65 Cube	Ceiling Spot Light	TrioTone®	168
TrioTone® IP65 Circa	Ceiling Spot Light	TrioTone®	168
Viva 3	Flexible LED Strip	Single Colour	40
Zirconia	Pendant Light	Single Colour	164



PRODUCT	LIGHTING TYPE	TECHNOLOGY	PAGE
Arcade	Under Cabinet Spot Light	Single Colour	102
Ark	Under Cabinet Spot Light	Single Colour	104
Ark Pro	Under Cabinet Spot Light	CCT	126
Ark TrioTone®	Under Cabinet Spot Light	TrioTone®	106
Astro Pro	Under Cabinet Spot Light	CCT	128
Astro TrioTone®	Under Cabinet Spot Light	TrioTone®	108
Flux	Flexible LED Strip	RGCCT	54
Fusion	Under Cabinet Spot Light	Single Colour	92
Neo	Under Cabinet Spot Light	Single Colour	120
Neo Pro	Under Cabinet Spot Light	CCT	132
Neo TrioTone®	Under Cabinet Spot Light	TrioTone®	122
Plaza	Under Cabinet Spot Light	Single Colour	93
Solo	Under Cabinet Spot Light	Single Colour	94
Stellar Pro	Plinth Spot Light	CCT	157
Velos	Under Cabinet Spot Light	Single Colour	97

# THE SENSIO SERIES

DESIGN AND INNOVATION ARE AT THE CORE OF SENSIO,  
STRIVING FOR SIMPLICITY WITHOUT COMPROMISE

Our Series 1 3 & 5 collections are designed to group products by features to make the lighting design process easy. Ranging from a simple all natural white set, controlled at the wall through to voice activated, custom colour solutions.

All Sensio lights feature the same quality components and designs at their core to deliver stylish and efficient products, you can trust will last a lifetime:



50,000 Hours  
Light Life

Fantastic longevity providing the equivalent life to having the lights switched on continuously for 5 hours a day, for 27 years!



High Efficiency

Not only does each light benefit from a superb lumen output, ensuring bright illumination, each light runs off 24V, making them exceptionally efficient to run and providing maximum light performance.



High Colour Accuracy

Brightness and consistency of the lights is of exceptional standard and provides a true reflection of the colour temperature.



Quality Guaranteed

Each light has been designed and manufactured to guarantee superb performance, longevity and quality and benefits from Sensio's 5 year guarantee.

## SERIES SIMPLICITY

Series 1 offers a concise range of simple, high quality LED lights with no compromise on quality or efficiency whilst benefitting from excellent pricing (based on minimum order quantities).

## SERIES CHOICE

Series 3 provides choice and customisation offered across a wide selection of products adding colour temperature options and different product finishes.


## SERIES TECHNOLOGY

Series 5 brings advanced lighting colour technology and control options to truly bring smart connectivity to the home.


# PRODUCT FEATURES

All our products have their own unique features. To help compare and select products quickly and easily, you will find icons on each product page.


## LIGHTING




Dimmable




Correlated Colour Temperature (CCT) - see p19




TrioTone® - colour temperature selection- see p18




Full RGB CCT spectrum control



Cool white lighting




Natural white lighting




Warm white lighting


## LIFESTYLE




Integrated speakers for audio playback




Charging socket for shavers and toothbrushes




Integrated Qi charger for wireless capable devices




Integrated demister pad to clear the mirror



Bluetooth connectivity enabled



Sync with your smart home devices



Can be controlled via the 'Link Sensio' App

## STYLING



Stainless steel finish



Brushed steel finish



Copper finish



Brass finish



Matt black finish



Aluminium finish



Transparent finish



Black nickel finish



Chrome finish



White finish




Champagne finish




Opaque white finish


## CONNECT & CONTROL




Infra-red sensor - swipe activated




Touch activated




Activates on opening of a door or drawer




Push button activated




Rocker switch to control additional features



Simple pull cord activation



Wireless Kinetic



PIR sensor - motion activated

## INSTALLATION



Standard UK 240V powered



Values other than 240V indicated power supply from the product



Battery powered (Replacable)



Rechargeable battery power



Supplied cable length



Fire rated for additional safety



Product can be retrofitted - no wiring required



Bathroom zone suitability, determined by IP rating



Resistant to larger objects such as fingers. No water protection



Resists ingress of objects over 1mm and water splashes



Resists partial dust ingress and water splashes



Dust and air tight. Resists low pressure water jets



Mounts by seating on wall brackets



Mounts to a back box secured to the wall



Simple keyhole mounting on screws



Can be installed in portrait or landscape orientation

## NOTES

- All products are IP20 unless stated as higher
- Always refer to the installation guides provided with all our products for more detailed information on fitting
- Whilst Sensio lights are designed to be simple plug & play systems, any mains electrical work should be carried out by a certified electrician



# FLEXIBLE LED STRIP LIGHTING



- Simple to use and can be installed almost anywhere
- Adds depth to the kitchen by illuminating above the wall units, along the plinth or under the worktop edge
- Perfect for creating ambient mood lighting
- Can be used inside profiles, which offer an alternative way to secure the strip, diffuse and angle the light





# DART

## FLEXIBLE LED STRIP



- A simple, highly efficient flexible strip light with superb light output
- Available in natural white making it ideal for a range of kitchen styles
- Cut marks are indicated every 100mm to enable the strip to be cut closer to the desired length
- Cut sections can be re-utilised with the joining clips and leads (sold seperately)
- 3M VHB (Very High Bond) tape underneath the strip for secure installation
- Compatible with all Sensio single-colour lighting controls
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Compatible with the Universal profile range
- Supplied in a 5m reel
- The Dart can also be purchased as a kit with a 2.5m driver connection cable, pre-wired 13A 3pin plug and LED driver



Dart Flexible LED Strip - Natural White (4000K), 60 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10355N0	3.6 W/m	24V	5000mm	Required	440 lm/m
SE10355N1	3.6 W/m	24V	5000mm	30W included	440 lm/m

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE101080	2.5m Driver Connection Cable
SE100050	Interconnecting Clip
SE101050	50mm Corner Connector
SE100750	1.5m Interconnecting cable
SE9009	2.5m Extension Cable



## PRIMO 2 FLEXIBLE LED STRIP



- A versatile and economic flexible strip ideal for kitchen or bedroom use, under cabinets, along plinths or inside cabinets or wardrobes
- The entire reel can be used with cut marks indicated every 100mm avoiding wastage
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- Compatible with Sensio single-colour receivers to enable dimming functionality
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Supplied in a 5m reel

### REGISTERED DESIGN RIGHT - 6024616

#### Primo 2 LED Flexible Strip - Cool White (5000K), 60 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10755C0	3.6 W/m	24V	5000mm	Required	425 lm/m
SE10755C1	3.6 W/m	24V	5000mm	30W included	425 lm/m

#### Primo 2 LED Flexible Strip - Warm White (3000K), 60 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10755W0	3.6 W/m	24V	5000mm	Required	415 lm/m
SE10755W1	3.6 W/m	24V	5000mm	30W included	415 lm/m

#### Cables, Connectors & Accessories

CODE	DESCRIPTION
SE101080	2.5m Driver Connection Cable
SE100050	Interconnecting Clip
SE101050	50mm Corner Connector
SE100750	1.5m Interconnecting cable
SE9009	2.5m Extension Cable



## NEUTRON 3.5MM NANO LED FLEXIBLE STRIP



- The industry's smallest flexible strip measuring at only 3.5mm in width
- Ideal choice for kitchen designs where inconspicuous lighting is essential
- Highly compacted diodes greatly reduce the appearance of dots whilst providing a powerful light output
- Cut marks every 25mm enable the strip to be cut closer to the desired length reducing potential dark spots at each end
- Driver connection cables pre-soldered at either end of the strip
- Compatible with Sensio single-colour receiver to enable dimming functionality
- 3M VHB (Very High Bond) tape underneath the strip for secure installation
- Supplied in a 5m reel
- Compatible with the Nano-Lines and Micro-Lines profile ranges



#### Neutron LED Flexible Strip - Cool White (5000K), 280 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10455C0	4.8 W/m	24V	5000mm	Required	565 lm/m

#### Neutron LED Flexible Strip - Natural White (4000K), 280 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10425N0	4.8 W/m	24V	2000mm	Required	560 lm/m
SE10455N0	4.8 W/m	24V	5000mm	Required	560 lm/m

#### Neutron LED Flexible Strip - Warm White (3000K), 280 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10455W0	4.8 W/m	24V	5000mm	Required	535 lm/m

#### Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



## VIVA 3 FLEXIBLE LED STRIP



- A versatile flexible strip light which can be used in multiple areas of the kitchen or bedroom including under cabinet, plinths or inside wardrobes
- Male and female ends for simple installation
- Strip can be cut once and the remaining section used with a connector clip and interconnecting lead if required
- Can be cut to length every 50mm
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP54 rated - limited ingress of dust and protected against sprays from any angle
- Supplied in a 1m, 2m or 5m reel
- Compatible with the Universal Profile range

*2.5m Driver Connection Cable (SE10314) is required to run the Viva 3 (sold separately if not bought as part of a kit)*

### Viva3 LED Flexible Strip - Cool White (5500K), 120 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10745CO	3.6 W/m	24V	500mm	Required	470 lm/m
SE10715CO	3.6 W/m	24V	1000mm	Required	520 lm/m
SE10715C1	3.6 W/m	24V	1000mm	6W included	520 lm/m
SE10725CO	3.6 W/m	24V	2000mm	Required	520 lm/m
SE10725C1	3.6 W/m	24V	2000mm	15W included	520 lm/m
SE10655CO	3.6 W/m	24V	5000mm	Required	520 lm/m
SE10655C1	3.6 W/m	24V	5000mm	30W included	520 lm/m

### Viva3 LED Flexible Strip - Natural White (4000K), 120 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10715N0	3.6 W/m	24V	1000mm	Required	505 lm/m
SE10715N1	3.6 W/m	24V	1000mm	6W included	505 lm/m
SE10725N0	3.6 W/m	24V	2000mm	Required	505 lm/m
SE10725N1	3.6 W/m	24V	2000mm	15W included	505 lm/m
SE10655N0	3.6 W/m	24V	5000mm	Required	505 lm/m
SE10655N1	3.6 W/m	24V	5000mm	30W included	505 lm/m

### Viva3 LED Flexible Strip - Warm White (3000K), 120 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10745W0	3.6 W/m	24V	500mm	Required	470 lm/m
SE10715W0	3.6 W/m	24V	1000mm	Required	470 lm/m
SE10715W1	3.6 W/m	24V	1000mm	6W included	470 lm/m
SE10725W0	3.6 W/m	24V	2000mm	Required	470 lm/m
SE10725W1	3.6 W/m	24V	2000mm	15W included	470 lm/m
SE10655W0	3.6 W/m	24V	5000mm	Required	470 lm/m
SE10655W1	3.6 W/m	24V	5000mm	30W included	470 lm/m

### Cables, Connectors & Accessories

CODE	DESCRIPTION
SE10314	2.5m Driver Connection Cable
SE10317	1.5m Interconnecting Lead
SE10316	50mm Corner Connector
SE10318MCC	Mini Cut Connector Clip
SE9009	2.5m Extension Cable



# SIGMA 2

## BENDABLE LED FLEXIBLE STRIP



- An innovative bendable flexible strip that handles corners with ease
- A unique PCB board cut in a 'zig-zag' shape provides superb flexibility allowing you to bend the light around a corner
- Can be bent around 90 degree corners without the need for corner cables or starting a new run of strip
- The entire reel can be used with cut marks indicated every 50mm avoiding wastage
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- Compatible with Sensio single-colour receiver to enable dimming functionality
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Supplied in a 5m reel



2.5m Driver Connection Cable (SE970850) is required to run the Sigma 2 (sold seperately)

REGISTERED DESIGN RIGHT - 6024618

### Sigma2 LED Flexible Strip - Cool White (5000K), 120 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10855C0	4.8 W/m	24V	5000mm	Required	570 lm/m
SE10855C1	4.8 W/m	24V	5000mm	30W included	570 lm/m

### Sigma2 LED Flexible Strip - Natural White (4000K), 120 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10855N0	4.8 W/m	24V	5000mm	Required	575 lm/m
SE10855N1	4.8 W/m	24V	5000mm	30W included	575 lm/m

### Sigma2 LED Flexible Strip - Warm White (3000K), 120 LED/m


CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10855W0	4.8 W/m	24V	5000mm	Required	530 lm/m
SE10855W1	4.8 W/m	24V	5000mm	30W included	530 lm/m

### Cables, Connectors & Accessories

CODE	DESCRIPTION
SE970750	1.5m Interconnecting cable
SE970850	2.5m Driver Connection Lead
SE970950	Joining Clip
SE9009	2.5m Extension Cable



POLAR  
COB FLEXIBLE LED STRIP



- Provides a completely diffused line of light with no visible
- LED dots eliminating the need for a profile or cover
- Chip on Board (COB) technology provides superior light output
- Excellent thermal conduction resulting in a cool running strip
- 24V allows long runs of light without any light fade
- Compatible with Sensio single-colour receiver to enable dimming functionality
- Supplied with pre-soldered, 1.5m driver connection cables with 2-pin connectors at each end of the strip
- Can be cut to length (every 31mm) and the whole reel can be utilised with the Polar Joining Clips (sold separately)
- Supplied in a 5m reel
- VHB (Very High Bond) adhesive tape backing for secure installation
- Compatible with the Universal Profile range



Polar COB LED Flexible Strip - Cool White (6000K), 512 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE20055C0	6 W/m	24V	5000mm	Required	600 lm/m
SE20055C1	6 W/m	24V	5000mm	30W included	600 lm/m

Polar COB LED Flexible Strip - Natural White (4000K), 512 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE20125N0	6 W/m	24V	2000mm	Required	600 lm/m
SE20125N1	6 W/m	24V	2000mm	15W Included	600 lm/m
SE20055N0	6 W/m	24V	5000mm	Required	600 lm/m
SE20055N1	6 W/m	24V	5000mm	30W included	600 lm/m

Polar COB LED Flexible Strip - Warm White (3000K), 512 LED/m


CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE20055W0	6 W/m	24V	5000mm	Required	580 lm/m
SE20055W1	6 W/m	24V	5000mm	30W included	580 lm/m

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE112940	Polar Transparent Joining Clip
SE112990	Polar Joining Clip
SE105790	1.5m Polar Interconnecting Lead
SE105990	50mm Polar Corner Connector
SE103990	2.5m Polar Driver Connection Lead
SE9009	2.5m Extension Cable



## RADIANT DIFFUSED FLEXIBLE LED STRIP



Clear Mounting Bracket  
(included)

Radiant LED Flexible Strip - Cool White (5500K), 160 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10555CO	4.8 W/m	24V	5000mm	Required	305 lm/m
SE10555C1	4.8 W/m	24V	5000mm	30W included	305 lm/m

Radiant LED Flexible Strip - Natural White (4000K), 160 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10795NO	4.8 W/m	24V	1800mm	Required	293 lm/m
SE10595NO	4.8 W/m	24V	1950mm	Required	293 lm/m
SE10695NO	4.8 W/m	24V	2150mm	Required	293 lm/m
SE105105NO	4.8 W/m	24V	3000mm	Required	293 lm/m
SE105105N1	4.8 W/m	24V	3000mm	30W included	293 lm/m
SE10555NO	4.8 W/m	24V	5000mm	Required	293 lm/m
SE10555N1	4.8 W/m	24V	5000mm	30W included	293 lm/m

Radiant LED Flexible Strip - Warm White (3000K), 160 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10555WO	4.8 W/m	24V	5000mm	Required	285 lm/m
SE10555W1	4.8 W/m	24V	5000mm	30W included	285 lm/m

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE900940	Pack of 5 Mounting Brackets



## RAZOR DIFFUSED EDGE-LIT RECESSABLE LED STRIP



- A super-slim evolution of our fully diffused Polar COB strip.
- Thin 2mm depth creates a discreet appearance while providing superb light output
- Narrow channel for routed installation can easily be made with a simple saw cut
- Excellent thermal conduction resulting in a cool running strip
- 24V allows long runs of light without any light fade
- Supplied with pre-soldered, driver connection cables at both ends
- Can be cut to length (at 31mm intervals) with both ends of the strip being utilised
- Supplied with VHB tape pre-applied

Razor Edge Lit - Natural White

CODE	VHB TAPE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE20095NO	Yes	4.8 W/m	24V	5000mm	Required	lm/m
SE20099NO	Yes	4.8 W/m	24V	3000mm	Required	lm/m

Razor Edge Lit - Warm White

CODE	VHB TAPE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE20095WO	Yes	4.8 W/m	24V	5000mm	Required	lm/m
SE20099WO	Yes	4.8 W/m	24V	3000mm	Required	lm/m

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE900970	Razor Edge 2500mm Driver Connection Cable (L&R)
SE901950	Razor Edge 50mm Corner Connector
SE902950	Razor Edge 1500mm Inter Connecting Cable
SE903950	Razor Edge Joining Clip





# ION 8

CCT FLEXIBLE LED STRIP



- Over four times the number of LEDs per metre than it's predecessor, Ion 8 greatly reduces the appearance of visible LEDs providing a premium light output
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Can be cut to length (every 50mm) and the whole reel can be utilised with the Ion Joining Clips (sold separately)
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied in a 5m reel
- Compatible with the Universal Profile range

2.5m driver connection cable required to run the Ion 8 (sold separately unless part of a kit)

Ion 8 CCT LED Flexible Strip - (2700K-6000K), 252 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10855P0	6 W/m	24V	5000mm	Required	605 lm/m
SE10855PS1	6 W/m	24V	5000mm	*Smart Kit	605 lm/m
SE10855P1	6 W/m	24V	5000mm	** Remote Kit	605 lm/m

\*Smart Kit - Includes 30W Titan Smart & 2.5m driver connection cable

\*\* Remote Kit - Includes 30W Titan Driver, CCT Receiver, Remote Control & 2.5m driver connection cable

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE111990	Ion 8 Joining Clip
SE106990	50mm Ion 8 Corner Connector
SE106790	1.5m Ion 8 Interconnecting Lead
SE113990	2.5m Ion 8 Driver Connection Cable
SE770390	Universal Remote Control
SE771990	CCT Receiver
SE90010	2.5m CCT Extension Lead

# ION 5

CCT FLEXIBLE LED STRIP



- Cousin to the wider Ion 8, Ion 5 benefits from a slimmer width at just 5mm
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Supplied with pre-soldered, 1.5m driver connection cables with a 4-pin connector at each end of the strip.
- Can be cut to length (at 50mm intervals) with both ends of the strip being utilised
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied in a 5m reel
- Compatible with both the Universal and Micro-Lines Profile ranges

Ion 5 CCT LED Flexible Strip - (2700K-6000K), 252 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10755P0	6 W/m	24V	5000mm	Required	600 lm/m
SE10755PS1	6 W/m	24V	5000mm	*Smart Kit	600 lm/m
SE10755P1	6 W/m	24V	5000mm	** Remote Kit	600 lm/m

\*Smart Kit - Includes 30W Titan Smart

\*\* Remote Kit - Includes 30W Titan Driver, CCT Receiver & Remote Control

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE770390	Universal Remote Control
SE771990	CCT Receiver
SE90010	2.5m CCT Extension Lead





# POLAR PRO

## CCT COB LED FLEXIBLE STRIP



- A superior, colour temperature changing, flexible strip
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Chip on Board (COB) technology provides superior light output
- Excellent thermal conduction resulting in a cool running strip
- 24V allows long runs of light without any light fade
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- Supplied with pre-soldered, 2.5m driver connection cables with 4-pin connectors at each end of the strip
- Can be cut to length (at 31mm intervals) with both ends of the strip being utilised
- VHB (Very High Bond) adhesive tape backing for secure installation
- Compatible with the Universal Profile range



Polar Pro CCT COB LED Flexible Strip - (2700K-6000K), 512 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE20055P0	6 W/m	24V	5000mm	Required	600 lm/m

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE770390	Universal Remote Control
SE771990	CCT Receiver
SE900890	2.5m Driver Connection Lead
SE901790	1.5m Interconnecting Lead
SE902990	50mm Corner Connector
SE903990	Joining Clip
SE90010	2.5m CCT Extension Lead

# RADIANT PRO

## CCT DIFFUSED FLEXIBLE LED STRIP



- A diffused, colour temperature changing and bendable, silicone flexible strip light ideal for application across the kitchen or bedroom
- No visible LED dots
- Discreet, slimline 4mm width
- Driver connection cables pre-soldered at either end of the strip so two lengths can be used from the same reel if required
- Cut marks are indicated every 50mm on the back of the strip
- Ideal for a flush, recessed finish with a simple push-fit application
- Can be surface mounted with the use of the mounting brackets. (6 supplied with 3000mm and 10 supplied with 5000mm reels)
- Supplied end caps provide a clean and IP rated finish to cut ends
- Able to navigate around curves on island units and cabinetry
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- Supplied in a 5m reel (and 3m reel - natural white only)



Radiant Pro LED Flexible Strip - (2700K-6000K), 160 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10555P0	4.8 W/m	24V	5000mm	Required	285 lm/m

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE900940	Pack of 5 Mounting Brackets
SE90010	2.5m CCT Extension Lead





# FLUX

## RGCCT LED FLEXIBLE STRIP

- A fully customisable, flexible strip light to suit any style, mood or atmosphere
- A combination of RGB and CCT provides the ultimate colour changing solution enabling colours to be mixed and matched to create millions of combinations
- Features 24 pre-set RGB colours and 11 shades of white (CCT)
- Colours can be set individually or RGB colours can be mixed with the CCT colours to create a multitude of different shades
- Each colour can also be dimmed to achieve further customisation
- A high number of LEDs per metre significantly reduces the appearance of individual LEDs
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan RGBCCT Smart Driver to control, zone and dim the lights\*
- Cut marks are indicated every 142.5mm on the back of the strip
- VHB (Very High Bond) adhesive tape backing for secure installation
- 5m reel supplied with driver lead attached to both ends (2m reel with lead at one end only)
- Compatible with the Universal Profile range

*\*optimum colour choice and control is achieved using the RGBCCT Receiver and Universal Remote Control*



Set to one of multiple colour options with a full range of RGB and cool to warm white

Flux RGBCCT LED Flexible Strip - (2700K-6000K + RGB), 245 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS (RGB)	LUMENS (CCT)
SE10625R0	6 W/m	24V	2000mm	Required	220 lm/m	340 lm/m
SE106105R0	6 W/m	24V	3000mm	Required	220 lm/m	340 lm/m
SE10655R0	6 W/m	24V	5000mm	Required	220 lm/m	340 lm/m
SE10655R1*	6 W/m	24V	5000mm	30W included	220 lm/m	340 lm/m

\*Kit includes Flux Flexible Strip, RGBCCT Receiver, Universal Remote Control & 30W Driver

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE770390	Universal Remote Control
SE770990	RGBCCT Receiver
SE405595	RGBCCT Smart Driver
SE991990	RGBCCT Port Expander

— CCT Mode —



— RGB Mode —





# PROFILES & INTEGRATED SOLUTIONS



- Profiles coupled with flexible strips offer a non-intrusive way of lighting the kitchen while enhancing the overall design
- Perfect for creating a flush, sleek look
- Creates fully diffused expanses of light without visible light diodes
- Simple to use and install, the versatility of flexible strip lighting makes it suited to a range of applications across the kitchen and using one of our Profiles increases the possibilities even further.





THERE ARE THREE FAMILIES OF PROFILES IN THE RANGE:

NANO
















Blaze, Gamma & Ray (to fit 3.5mm flexible strips)

MICRO

Vector, Accent, Adapt & Glow (to fit 5mm flexible strips)

UNIVERSAL

Adorn, Contour, Linia, Fino & Beam (to fit all flexible strips up to 10mm)

	PROFILE	STYLE	TYPE	APPLICATION	COMPATIBLE FLEX STRIPS
	Ray	Nano	Angled	Wardrobe / cupboard / under cabinet / shelving	Neutron
	Gamma	Nano	Surface mounted	Under cabinet / in-cabinet / under shelving	Neutron
	Blaze	Nano	Recessed	Under cabinet / in-cabinet / under shelving	Neutron
	Accent	Micro	Plinth	Plinth	Ion 5 or Neutron
	Adapt	Micro	Corner	Under cabinet / drawer / in-cabinet	Ion 5 or Neutron
	Glow	Micro	Shelf clip	Internal glass shelf	Ion5 or Neutron
	Vector	Micro	Slim	Handleless channel / under worktop	Ion 5 or Neutron
	Adorn	Universal	Shelf clip	Solid internal shelf	Compatible with all flexible strips
	Beam	Universal	Corner	Under cabinet / in-cabinet / wardrobe	Compatible with all flexible strips
	Fino	Universal	Surface mounted	Under cabinet / in-cabinet / wardrobe	Compatible with all flexible strips
	Linia	Universal	Recessed	Under cabinet / in-cabinet / wardrobe	Compatible with all flexible strips
	Contour	Universal	Handleless	Handleless channel / under worktop	Compatible with all flexible strips
	Manta	Integrated	Handleless	Cabinet base / front of shelf	Pre-installed LED strip
	Verona	Integrated	Cabinet Base panel	Under cabinet and in-cabinet	-
	Expanse	Integrated	Cabinet Back panel	In-cabinet	-




RAY  
ANGLED PROFILE



- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- Fully diffused, angled light source - prevents glare and ideal for wardrobes where the light needs to be focussed
- Suitable for a range of applications in the kitchen and bedroom including wardrobes and cupboards
- The flexible strip mounting platform inside the profile is angled to enable the flexible strip to extend around corners when paired with the Ray corner connectors
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Supplied with pre-applied VHB tape for simple "peel and stick" installation
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold separately)

Compatible with Neutron Flexible Strip



REGISTERED DESIGN RIGHT - 6077026

Ray - Angled Profile

CODE	DESCRIPTION	LENGTH
SE184720	Profile & End Caps (L&R)	1500mm
SE184820	Profile & End Caps (L&R)	2500mm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE992950	Ray Internal Corner Connector
SE991950	Ray External Corner Connector
SE990950	Ray End Cap Kit (L&R)
SE911950	Ray Mounting Brackets (x2)



SE992950  
Internal Corner  
Connector



SE991950  
External Corner  
Connector



SE990950  
End Cap Kit



SE911950  
Mounting Brackets



# GAMMA

## SLIM SURFACE MOUNTED PROFILE



- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- An incredibly thin profile that produces an even spread of light with no visible LED points from the flexible strip
- Perfect for use under cabinets, in larders or wardrobes
- Features an internal angled flexible strip mounting platform enabling the strip to extend around corners when paired with the corner connectors resulting in a fully illuminated light circuit with no dark corners
- Simple push-fit installation with brackets
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold separately)
- 1.5m length supplied with 2 mounting brackets and 2.5m length supplied with 4 mounting brackets (additional mounting brackets sold separately)

REGISTERED DESIGN RIGHT - 6077037

Gamma - Slim Surface Mounted Profile

CODE	DESCRIPTION	LENGTH
SE183720	Profile, Mounting Bracket & End Caps (L&R)	1500mm
SE183820	Profile, Mounting Bracket & End Caps (L&R)	2500mm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE989950	Gamma Internal Corner Connector
SE988950	Gamma External Corner Connector
SE987950	Gamma End Cap Kit (L&R)
SE910950	Gamma Mounting Brackets (x2)

Compatible with Neutron Flexible Strip



SE910950  
Mounting Brackets

SE989950  
Internal Corner  
Connector



SE988950  
External Corner  
Connector

SE987950  
End Cap Kit

# BLAZE

## SLIM RECESSED PROFILE



- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- An incredibly thin, diffused profile that produces an even spread of light with no visible LED points from the flexible strip
- Suitable for a range of applications in the kitchen and bedroom including wardrobes and cupboards
- The flexible strip mounting platform is angled to enable the flexible strip to extend round corners when paired with the Blaze corner connectors
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Simple push-fit installation
- Wide wings cover any router imperfections
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold separately)

REGISTERED DESIGN RIGHT - 6077034

Blaze - Slim Recessed Profile

CODE	DESCRIPTION	LENGTH
SE182720	Profile & End Caps (L&R)	1500mm
SE182820	Profile & End Caps (L&R)	2500mm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE986950	Blaze Internal Corner Connector
SE985950	Blaze External Corner Connector
SE984950	Blaze End Cap Kit (L&R)

Compatible with Neutron Flexible Strip



SE986950  
Internal Corner  
Connector

SE985950  
External Corner  
Connector

SE984950  
End Cap Kit





# ACCENT PLINTH PROFILE



- Designed for mounting flexible strip lighting along plinth boards
- Features an internal angled flexible strip mounting platform enabling the strip to extend around corners when paired with the corner connectors resulting in a fully illuminated light circuit with no dark corners
- The angled flexible strip mounting platform ensures the diffusion of individual LED points, as well being removable for ease of installation and serviceability
- Part of the Micro-Lines range exclusively designed for flexible strips 5mm in width or below
- Fits 16-18mm plinth boards
- Can be cut to size
- Supplied with 2 end caps (additional end caps sold separately)

Compatible with the Ion 5 or Neutron Flexible Strip



## REGISTERED DESIGN RIGHT - 6077029

Accent - Plinth Profile		
CODE	DESCRIPTION	LENGTH
SE185700	Profile, Mounting Bracket & End Caps (L&R)	1500mm
SE185800	Profile, Mounting Bracket & End Caps (L&R)	2500mm

Cables, Connectors & Accessories	
CODE	DESCRIPTION
SE995950	Accent Internal Corner Connector
SE994950	Accent External Corner Connector
SE996950	*Accent Installation Aid
SE993950	Accent End Caps

\*The Accent installation aid is required to apply the profile around a corner.  
(sold separately)



# ADAPT CORNER & DRAWER PROFILE



- A corner profile perfect for installation under cabinets, shelves or inside larger units or drawers
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Features an innovative living hinge allowing the two parts of the profile to stay attached when the flexible strip is installed and making it simple to clip the two sections back together
- Fully diffused resulting in an even spread of light with no visible LED points from the flexible strip
- Can be cut to size
- Supplied with 2 end caps (additional end caps sold separately)
- 1500mm supplied with 2x mounting brackets and 2500mm supplied with 4 mounting brackets
- Drawer mounting brackets sold separately

Compatible with the Ion 5 or Neutron Flexible Strip



## REGISTERED DESIGN RIGHT - 6077033

Adapt - Corner & Drawer Profile		
CODE	DESCRIPTION	LENGTH
SE186790	Profile, Mounting Bracket & End Caps (L&R)	1500mm
SE186890	Profile, Mounting Bracket & End Caps (L&R)	2500mm

Cables, Connectors & Accessories	
CODE	DESCRIPTION
SE997950	Adapt Mounting Brackets
SE999950	Adapt End Caps (L&R)
SE998950	Adapt Drawer Mounting Brackets







## GLOW GLASS SHELF CLIP PROFILE



Compatible with the Ion 5 or  
Neutron Flexible Strip

- An inconspicuous solution to transform the appearance and functionality of feature cabinets as well as practical convenience lighting to locate items in a cupboards
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Emits relaxing mood lighting that flows out into the kitchen when used on glass feature shelves
- Features an innovative living hinge allowing the two parts of the profile to stay attached when the flexible strip is installed and making it simple to clip the two sections back together
- Can be cut to size
- Fits 4-8mm glass shelves
- Attaches to the back of the shelf with a simple push-fit



### REGISTERED DESIGN RIGHT - 6077032

Glow - Glass Shelf Clip Profile

CODE	DESCRIPTION	LENGTH
SE190790	Shelf Clip Profile	1000mm

## VECTOR SLIM HANDLELESS PROFILE



Compatible with the Ion 5 or  
Neutron Flexible Strip

- The ideal lighting solution for contemporary handleless kitchens
- Subtle and unobtrusive whilst emitting a powerful source of mood lighting
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Provides protection of the flexible strip light when hands go to open drawers and cupboards
- Features an angled light source that guarantees the diffusion of individual LED points
- Removable strip mounting plate for ease of installation and serviceability
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Can be cut to size
- Attaches inside the handlesless channel with VHB tape



### REGISTERED DESIGN RIGHT - 6077023

Vector - Slim Handleless Profile

CODE	DESCRIPTION	LENGTH
SE181700	Profile & End Caps (L&R)	1500mm
SE181800	Profile & End Caps (L&R)	2500mm


Cables, Connectors & Accessories

CODE	DESCRIPTION
SE982950	Vector Internal Corner Connector
SE981950	Vector External Corner Connector
SE983950	*Vector Installation Aid
SE993950	Vector End Caps

\*The Vector installation aid is required to apply the profile around a corner. (sold separately)



SE982950  
Internal Corner  
Connector



SE981950  
External Corner  
Connector




SE983950  
Installation Aid



SE993950  
End Caps



## ADORN WOOD SHELF CLIP PROFILE



- A discreet profile that clips on to the back of an internal cupboard shelf
- Features upwards and downwards facing light sources to illuminate the cupboard
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Features a U-shaped channel that clips around wooden shelves
- Fits 18mm wooden shelves
- Can be cut to size
- Attaches to the shelf with a simple push-fit

*Compatible with all flexible strips*




**REGISTERED DESIGN RIGHT - 6077040**

Adorn - Wood Shelf Clip Profile

CODE	DESCRIPTION	LENGTH
SE190720	Shelf Clip Profile	1000mm

## BEAM ANGLED PROFILE



- Angled profile ideal for illuminating cupboards or larders providing an even spread of diffused light
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Light grey finished end caps
- Supplied with one cut out end cap to feed cables through and one with no cut-out for a neat finish
- Opal PC cover to diffuse the LED points
- Mounting brackets and end caps supplied with each profile (2 brackets with 1000mm & 4 with 2200mm)
- Additional mounting brackets and end caps sold separately

*Compatible with all flexible strips*



Beam - Angled Profile

CODE	DESCRIPTION	LENGTH
SE982120	Profile, Mounting Bracket & End Caps (L&R)	1000mm
SE982220	Profile, Mounting Bracket & End Caps (L&R)	2200mm
SE982320	Profile, Mounting Bracket & End Caps (L&R)	2500mm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE983050.1	Beam End Cap Set
SE984050.1	Beam Mounting Bracket Set



SE983050.1  
End Cap Set


SE984050.1  
Mounting Bracket  
Set





# FINO

## SURFACE MOUNTED PROFILE



- Perfect for use inside cabinets, larders or wardrobes
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Opal PC cover to diffuse the LED points
- Simple surface mounted application
- Mounting brackets and end caps supplied with each profile (2 brackets with the 1000mm and 4 with the 2000mm)
- Additional mounting brackets and end caps sold separately
- Available in both an aluminium and a black finish

Compatible with all flexible strips



Fino - Surface Mounted Profile

CODE	DESCRIPTION	LENGTH
SE981120	Aluminium Profile, Mounting Brackets & End Caps (L&R)	1000mm
SE981180	Black Profile, Mounting Brackets & End Caps (L&R)	1000mm
SE981220	Aluminium Profile, Mounting Brackets & End Caps (L&R)	2000mm
SE981280	Black Profile, Mounting Brackets & End Caps (L&R)	2000mm
SE981320	Aluminium Profile, Mounting Brackets & End Caps (L&R)	2500mm
SE981380	Black Profile, Mounting Brackets & End Caps (L&R)	2500mm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE982050	Fino Aluminium End Cap Set
SE982080	Fino Black End Cap Set
SE981050	Fino Mounting Bracket Set



SE982050  
Aluminium  
End Cap Set




SE982080  
Black  
End Cap Set



SE981050  
Mounting Bracket  
Set

# LINIA

## RECESSED PROFILE



- Perfect for use inside cabinets, larders or wardrobes providing a flush fit for a minimalist finish
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- End caps protrude to fill the gap in furniture when cut with a router for neat finish
- Small wings cover any imperfections in the routed edge
- Supplied with end caps (2 with the 1000mm, 4 with the 2200mm. Additional end caps sold separately)
- Can be cut to size
- Available in both aluminium and black finishes

Compatible with all flexible strips



Linia - Recessed Profile

CODE	DESCRIPTION	FINISH	LENGTH
SE980120	Profile & End Caps (L&R)	Aluminium	1000mm
SE980220	Profile & End Caps (L&R)	Aluminium	2200mm
SE980320	Profile & 4 End Caps (L&R)	Aluminium	2500mm
SE980180	Profile & End Caps (L&R)	Black	1000mm
SE980280	Profile & End Caps (L&R)	Black	2200mm
SE980380	Profile & 4 End Caps (L&R)	Black	2500mm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE980920	Linia Silver End Cap Set
SE980980	Linia Black End Cap Set



SE980920  
Silver End Caps  
(L&R)



SE980980  
Black End Caps  
(L&R)





# MANTA

## INTEGRATED HANDLELESS PROFILE



- A truly integrated lighting profile for handleless kitchens, lighting both through the top and bottom of the profile
- Pre-fitted cool white flexible strip
- Installed on the front edge of the internal cupboard base shelf/panel or in the handleless channel to illuminate both inside the cupboard and down to the worktop
- Diffused cover ensures an even spread of light and no visible LED points
- Compatible with with Sensio single-colour receiver to enable dimming functionality
- Available in 8 lengths



Manta - Integrated Handleless profile - Cool White (4500K)

CODE	WATTAGE	VOLTAGE	LENGTH	QTY	LUMENS	DRIVER
SE27012CO	6.4 W	24V	361mm	1	503 lm	Required
SE27112CO		24V	361mm	1	503 lm	Required
SE27412CO	14.3 W	24V	761mm	1	1070 lm	Required
SE27512CO	15.4 W	24V	861mm	1	1225 lm	Required
SE27712CO	21.1 W	24V	1161mm	1	1606 lm	Required

# CONTOUR

## UNDER WORKTOP HANDLELESS PROFILE



- Designed to sit just below the lip of the worktop to illuminate the handleless channel
- Provides protection of the flexible strip light when hands go to open drawers and cupboards
- Produces an even spread of light with no visible LED points from the flexible strip
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Supplied with 2 end caps (additional end caps sold separately)
- Corner connectors sold separately

Compatible with all flexible strips



REGISTERED DESIGN RIGHT - 6037414

Contour - Under Worktop Handleless Profile

CODE	DESCRIPTION	LENGTH
SE98210	Profile & End Caps (L&R)	1500mm
SE98220	Profile & End Caps (L&R)	2500mm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE97890	Contour Internal Corner Connector
SE97990	Contour External Corner Connector
SE97790	Silver Contour End Cap Set



SE97890 Internal Corner Connector  
SE97990 External Corner Connector  
SE97790 End Cap Set



## EXPANSE PRO / EXPANSE LED ILLUMINATED BACK PANEL



- Perfect for creating a showcase of glass-fronted cabinets or flooding cupboards with light
- Installs into the back of wall units with magnetic fixing brackets
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17. (Also available in single-colour natural white)
- Fully diffused light – no visible diodes
- Provided with pre-connected lead to connect directly into the driver



ExpansE Pro - CCT LED Illuminated Back Panel (2700K - 6000K)

CODE	LUMENS	WATTAGE	VOLTAGE	SIZE	CABLE LENGTH
SE14092PO	1300 lm	13 W	24V	680 x 460 x 9.5mm	1500mm
SE14192PO	2265 lm	24 W	24V	463 x 523 x 9.5mm	1500mm
SE14292PO	2960 lm	28 W	24V	563 x 523 x 9.5mm	1500mm
SE14392PO	2665 lm	28 W	24V	463 x 686 x 9.5mm	1500mm
SE14492PO	2919 lm	28 W	24V	563 x 686 x 9.5mm	1500mm

ExpansE - Natural White LED Illuminated Back Panel (4000K)

CODE	LUMENS	WATTAGE	VOLTAGE	SIZE	CABLE LENGTH
SE14092NO	1300 lm	13W	24V	680 x 460 x 10mm	1500mm



## VERONA CCT LED ILLUMINATED BASE PANEL



- A unique, integrated illuminated glass base panel with a superb light output that can transform a normal kitchen wall base unit into an illuminated base panel casting light both down to the worktops and up inside the wall unit
- The LEDs are encased between two glass panels which diffuse the light across the whole panel
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Controlled with a simple hand swipe to activate the integrated IR sensor



Verona - CCT LED Illuminated Base Panel (2700K - 6000K)

CODE	WATTAGE	VOLTAGE	SIZE
SE13792NO	1.9 W	24V	263 x 329 x 21mm
SE13092NO	2.9 W	24V	363 x 329 x 21mm
SE13292NO	3.3 W	24V	463 x 329 x 21mm
SE13392NO	4.2 W	24V	563 x 329 x 21mm
SE13492NO	5.6 W	24V	763 x 329 x 21mm
SE13592NO	6.2 W	24V	863 x 329 x 21mm
SE13692NO	7.1 W	24V	963 x 329 x 21mm

Full specification and pricing available on request






# GLOW PRO / GLOW

## ILLUMINATED GLASS SHELF CLIP



- An inconspicuous solution to transform the appearance and functionality of feature cabinets as well as practical convenience lighting to locate items in a cupboards
- Emits relaxing mood lighting that flows out into the kitchen when used on glass feature shelves
- Can be cut to size at the marked cut points
- Fits 4-8mm glass shelves
- Attaches to the back of the shelf with a simple push-fit
- Available in both colour temperature changing (CCT) and single colour (cool white) options
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Cool white options compatible with Sensio single color receiver and Universal Remote Control to enable dimming functionality
- Glow Pro version compatible with Sensio CCT receiver and Universal Remote Control to adjust light temperature and enable dimming functionality



Flexible strip is pre-installed, ready to plug and play

REGISTERED DESIGN RIGHT - 6077032

### Glow Glass Shelf Clip Illuminated Profile - Cool White (5000K)

CODE	LIGHT COLOUR	WATTAGE	DESCRIPTION	*LENGTH	DRIVER
SE19089CO	Cool White (5000K)	2.1 W	Shelf Clip Illuminated Profile	500mm	Required
SE19039CO	Cool White (5000K)	2.64 W	Shelf Clip Illuminated Profile	600mm	Required
SE19079CO	Cool White (5000K)	4.8 W	Shelf Clip Illuminated Profile	1000mm	Required

### Glow Pro Glass Shelf Clip Illuminated Profile - Natural White (4500K)

CODE	LIGHT COLOUR	WATTAGE	DESCRIPTION	*LENGTH	DRIVER
SE19089NO	Natural White (4500K)	2.1 W	Shelf Clip Illuminated Profile	500mm	Required
SE19079NO	Natural White (4500K)	4.8 W	Shelf Clip Illuminated Profile	1000mm	Required

### Glow Pro Glass Shelf Clip Illuminated Profile - CCT (2700K - 6000K)

CODE	LIGHT COLOUR	WATTAGE	DESCRIPTION	*LENGTH	DRIVER
SE19079P02	CCT (2700 - 6000K)	2.7 W	Shelf Clip Illuminated Profile	500mm	Required
SE19079P01	CCT (2700 - 6000K)	6 W	Shelf Clip Illuminated Profile	1000mm	Required

\*Length in table represents cabinet size

### Cables, Connectors & Accessories

CODE	DESCRIPTION
SE772990	Single-Colour Receiver
SE771990	CCT Receiver
SE770390	Universal Remote



## GENOA INTEGRATED LED SHELF PROFILE



- Unique up-and-down shelf light suitable for 18mm wooden shelves
- Clips on to the rear of the shelf, light projects vertically in both directions
- Easy to install
- Incorporates integrated diffuser and 2 pre-installed, LED strips



Genoa Integrated LED Shelf Profile - Cool White (4500K)

CODE	WATTAGE	VOLTAGE	QTY	LENGTH	DRIVER	LUMENS
SE18592CO	8.9 W	24V	1	563 mm	Required	500 lm

## TORINO LED WALL MOUNTED SHELF



- Contemporary, illuminated feature wall shelf
- LEDs embedded within the frame creates a stunning glow as the light travels through the tempered glass
- Available in both black and silver finishes
- Available in two lengths (600mm & 900mm)
- Aluminium frame with tempered glass shelf
- Load bearing capacity 10kg



Torino LED Wall Mounted Shelf - Cool White (4500K)

CODE	COLOUR	WATTAGE	VOLTAGE	QTY	LENGTH	DRIVER	LUMENS
SE17232CO	Silver	5.4 W	24V	1	600 mm	Required	325 lm
SE17262CO	Silver	8.4 W	24V	1	900 mm	Required	482 lm
SE17238CO	Black	5.4 W	24V	1	600 mm	Required	325 lm
SE17268CO	Black	8.4 W	24V	1	900 mm	Required	482 lm



# UNDER CABINET LIGHTING



- Ensures the kitchen becomes a more effective working space for everyday tasks such as food preparation
- Typically positioned under wall units to illuminate worktops
- Variety of shapes, sizes and finishes offer the opportunity to make a feature of the lighting and compliment the design of the kitchen





## PLAZA LED SQUARE UNDER CABINET LIGHT



- Stylish, slimline design
- Removable magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible LED dots
- Superb, diffused light output - CRI : 90
- Ideal for under cabinet lighting
- Simple to install
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver

Plaza LED Under Cabinet Light - Natural White (4000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11090N0	3.6 W	24V	1	250 lm	Required
SE11090N3	10.8 W	24V	3	250 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



## SOLO LED UNDER CABINET LIGHT



- Stylish, slimline design
- Removable magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible dots
- Superb, diffused light output - CRI : 90
- Ideal for under cabinet lighting
- Simple to install
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver

Solo LED Under Cabinet Light - Natural White (4000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11192N0	2.5 W	24V	1	180 lm	Required
SE11192N3	7.5 W	24V	3	180 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable





## TREOS

### LED SLIM TRIANGULAR UNDER CABINET LIGHT



- Stylish, stainless steel triangular design
- Perfect under cabinet task lighting
- Fully diffused - no visible dots
- Easy to install plug and play technology
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver

Treos LED Under Cabinet Light - **Natural White (4000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11290N0	2 W	24V	1	180 lm	Required
SE11290N3	6 W	24V	3	180 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



## VELOS

### LED UNDER CABINET LIGHT



- Super slimline design
- Brushed aluminium finish
- Magnetic mounting plate conceals fixings for a clean finish
- Ideal for under cabinet lighting
- Elongated design allows for vast spread of light across the worktop
- Suberb light output
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver

Velos LED Under Cabinet Light - **Natural White (4000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11092N0	4.8 W	24V	1	290 lm	Required
SE11092N3	14.4 W	24V	1	290 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



# ZETA

## LED SURFACE/RECESSED SPOT LIGHT



- Compact, stylish appearance
- Supplied with removable collar to allow for either a surface mounted or recessed finish
- Diffused light - no visible dots
- Stainless steel finish
- Ideal for under cabinet or in cabinet feature lighting
- Easy to install
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver

Zeta LED Under Cabinet Light - Natural White (4000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11190N0	2 W	24V	1	180 lm	Required
SE11190N3	6 W	24V	3	180 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



# SERIES

## LIGHTING MADE SIMPLE

Get in touch to discover how our all natural white collection can elevate your design & install.

Series 1 offers a concise range of simple, high quality LED lights with no compromise on quality or efficiency whilst benefitting from excellent pricing (based on minimum order quantities).





## ARK LED UNDER CABINET LIGHT

- An elongated design offers a vast spread of light across worktops
- Fully diffused lens - no visible LED dots
- High number of LEDs for bright light output
- Easy installation using daisy chaining to fit multiple lights into one area
- Removable magnetic bezel conceals fixings for a sleek finish
- Compatible with all Sensio single-colour lighting controls



Ark LED Under Cabinet Light - Cool White (5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11192C0	2.5 W	24V	1	180 lm	Required
SE11192C3	7.5 W	24V	3	180 lm	15W Included

Ark LED Under Cabinet Light - Warm White (3000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11192W0	2.5 W	24V	1	180 lm	Required
SE11192W3	7.5 W	24V	3	180 lm	15W Included


Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



## BERMUDA LED TRIANGLE LIGHT

- Position every 500mm for a stylish, stainless steel feature under cabinet light
- Quick Connect port on the back of the fitting for easy installation
- Suberb, lumen output
- Diffused light panel - no visible LED dots
- Dimmable (requires a suitable dimmable driver or single-colour receiver)
- Compatible with all Sensio single-colour lighting controls



Bermuda LED Triangle Light - Cool White (5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE90010C0	2 W	24V	1	180 lm	Required
SE90010C3	6 W	24V	3	180 lm	6W Included

Bermuda LED Triangle Light - Warm White (3000K)


CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE90010W0	2 W	24V	1	180 lm	Required
SE90010W3	6 W	24V	3	180 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



## NEXUS LED TRIANGLE UNDER CABINET LIGHT



- Stylish, stainless steel triangular design
- Perfect under cabinet task lighting
- Fully diffused - no visible dots
- Easy to install plug and play technology
- Compatible with all Sensio single-colour lighting controls
- Available in cool white and warm white making it ideal for a range of kitchen styles

Nexus LED Light - Cool White (5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11090C0	2 W	24V	1	180 lm	Required
SE11090C3	6 W	24V	3	180 lm	6W Included

Nexus LED Light - Warm White(3000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11090W0	2 W	24V	1	160 lm	Required
SE11090W3	6 W	24V	3	160 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



## APEX TRIOTONE® SLIMLINE LED UNDER CABINET SPOTLIGHT



- Super slimline design
- Stainless steel finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Removable collar allows for both surface mounting and recessed fitting
- Ideal for under cabinet lighting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting
- Diffused LEDs
- Suberb light output - CRI : 90
- Compatible with all Sensio single-colour lighting controls

Apex TrioTone® Led Under Cabinet Light - (3000K, 4000K, 5000K)

CODE	FINISH	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE12090T0	Stainless Steel	1.5 W	24V	1	100 lm	Required
SE12090T3	Stainless Steel	4.5 W	24V	3	100 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE910980	Black Bezel & Collar
SE9009	2.5m Extension Cable





# ARK TRIOTONE® LED UNDER CABINET LIGHT



- An elongated design offers a vast spread of light across worktop
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch , concealed under the front bezel
- Magnetic mounting plate conceals fixings for a clean finish
- Fully diffused lens - no visible dots
- High number of LEDs for bright light output – CRI : 90
- Removable magnetic bezel conceals fixings for a sleek finish
- Easy installation using daisy chaining to fit multiple lights into one area
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver




Ark TrioTone® LED Under Cabinet Light - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11192T0	2.5 W	24V	1	160-180 lm	Required
SE11192T3	7.5 W	24V	3	160-180 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable

# ASTRO TRIOTONE® LED UNDER CABINET LIGHT



- Fully diffused with no visible LED 'dots'
- Super slimline design
- Brushed aluminium, black, brass or copper finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Ideal for under cabinet lighting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting
- Elongated design allows for vast spread of light across the worktop
- Suberb light output – CRI : 90
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



Astro TrioTone® Led Under Cabinet Light - (3000K, 4000K, 5000K)

CODE	FINISH	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11190T0.1	Brushed Aluminium	4.8 W	24V	1	280-300 lm	Required
SE11190T3.1	Brushed Aluminium	14.4 W	24V	3	280-300 lm	15W Included
SE11198T0.1	Black	4.8 W	24V	1	280-300 lm	Required
SE11198T3.1	Black	14.4 W	24V	3	280-300 lm	15W Included
SE11196T0	Brass	4.8 W	24V	1	280-300 lm	Required
SE11196T3	Brass	14.4 W	24V	3	280-300 lm	15W Included
SE11197T0	Copper	4.8 W	24V	1	280-300 lm	Required
SE11197T3	Copper	14.4 W	24V	3	280-300 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION	
SE9009	2.5m Extension Cable	£3.75



# BERMUDA TRIOTONE® LED TRIANGLE LIGHT



- One light, three colour temperatures
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel – no visible LED dots
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver

Registered Design Right - 6022106



Bermuda TrioTone® HD LED Triangle Light - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE21000	2 W	24V	1	170-190 lm	Required
SE21000K3	6 W	24V	3	170-190 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable

# HORIZON TRIOTONE® SQUARE LED UNDER CABINET LIGHT



- A contemporary, slimline, under cabinet spot light
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch , concealed under the front bezel
- Simple to install
- Removable, magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light – no visible LED dots
- Superb lumen output for a flood of light
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



Horizon TrioTone® LED Spot Light - 3000K, 4000K, 5000K

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11095T0	3.6 W	24V	1	250 lm	Required
SE11095T3	10.8 W	24V	3	250 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable





# HYPE TRIOTONE® LED SURFACE / RECESSED SPOT LIGHT



- A simple, highly effective, stainless steel feature under cabinet light
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Removable collar allows for both mounted and recessed fitting
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel – no visible LED dots
- Dimmable (requires a suitable dimmable driver or receiver)
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver

REGISTERED DESIGN RIGHT - 6022106



Hype TrioTone® LED Light - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE21100	2 W	24V	1	170-190 lm	Required
SE21100K3	6 W	24V	3	170-190 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable

# NEO TRIOTONE® LED UNDER CABINET LIGHT



- An elongated light panel to create a wide spread of light across the worktop
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch underneath the front bezel of the fitting
- Featuring Prismatic LED technology
- Contains an innovative diffuser with an etched design to completely diffuse the light
- No visible LED dots reflect off the worktop
- Superb, bright light output – CRI : 90
- Dimmable (requires a suitable dimmable driver or receiver)
- Removable front bezel simplifies installation and hides fixings
- Plug & Play connection
- Slim depth of just 10mm
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



Neo TrioTone® LED Light - Stainless Steel - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11590T0	4.8 W	24V	1	240-280 lm	Required
SE11590T3	14.4 W	24V	3	240-280 lm	Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable
SE91598N0	Black Bezel



# NEXUS TRIOTONE® LED TRIANGLE UNDER CABINET LIGHT



- A temperature colour changing version and cousin to the single colour Nexus
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Fully diffused - no visible LED dots
- Easy to install plug and play technology
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver

Nexus TrioTone® LED Light - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11090T0	2 W	24V	1	170-190 lm	Required
SE11090T3	6 W	24V	3	170-190 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable

# ARK PRO CCT LED UNDER CABINET LIGHT



- Ideal for under cabinet lighting
- Removable front bezel provides simple installation, hidden fixings and a sleek finish
- Multiple fittings can be daisy chained for easy installation
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Diffused light panel - no visible dots
- Dimmable
- High light output - CRI : 90
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)

Ark Pro - CCT LED Light (2700-6000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11192P0	2.5 W	24V	1	160-180 lm	Required
SE11192P3*	7.5 W	24V	3	160-180 lm	15W Included
SE11192PS3**	7.5W	24V	3	160-180 lm	15W Included

\*SE11192P3 includes 3x Ark Pro, 15W Driver, CCT Receiver & Universal Remote Control  
 \*\* SE11192PS3 Smart Kit includes 3x Ark Pro & 15W CCT Titan Smart Kinetic Driver

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE770390	Universal Remote
SE771990	CCT Receiver
SE90010	2.5m CCT Extension Lead





## ASTRO PRO CCT LED UNDER CABINET LIGHT



- Fully diffused with no visible LED 'dots'
- Super slimline design
- Brushed aluminium or black finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Elongated design allows for vast spread of light across the worktop
- Suberb light output - CRI: 90
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)



Astro Pro - CCT Under Cabinet Light (2700K - 6000K)

CODE	FINISH	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11190P0	Brushed Aluminium	4.8 W	24V	1	240-270 lm	Required
SE11198P0	Black	4.8 W	24V	1	240-270 lm	Required
SE11190PS3	Brushed Aluminium	14.4 W	24V	3	240-270 lm	*Smart Kit
SE11198PS3	Black	14.4 W	24V	3	240-270 lm	*Smart Kit

\*Smart Kit - includes: 3x Astro Pro and 1x 15W CCT Titan Smart Kinetic Driver

### Cables, Connectors & Accessories

CODE	DESCRIPTION
SE770390	Universal Remote Control
SE771990	CCT Receiver
SE90010	2.5m CCT Extension Lead



## HORIZON PRO CCT SQUARE LED UNDER CABINET LIGHT



- A contemporary, slimline, under cabinet spot light
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Simple to install
- Removable, magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible LED dots
- Superb lumen output for a flood of light
- Compatible with Sensio switches, CCT receiver and dimmable driver
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)



Horizon Pro - CCT LED Under Cabinet Light (2700K - 6000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11095P0	3.6 W	24V	1	319 lm	Required
SE11095PSK3*	10.8 W	24V	3	319 lm	Included

\*Smart Kit: 15W CCT Titan Smart Kinetic Driver included


### Cables, Connectors & Accessories

CODE	DESCRIPTION
SE90010	2.5m CCT Extension Lead



## HYPE R PRO

### CCT LED SURFACE / RECESSED SPOT LIGHT



- Position every 500mm for a stylish, stainless steel feature under cabinet light
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Removable collar allows for both mounted and recessed fitting
- Stainless steel bezel can be removed and replaced with the black bezel and collar (sold separately)
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel – no visible LED dots
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)

REGISTERED DESIGN RIGHT - 6117745

Hype R Pro - CCT LED Spot Light (2700K - 6500K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE90150P0	2 W	24V	1	231-243 lm	Required

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE770390	Universal Remote
SE771990	CCT Receiver
SE970980	Black Bezel & Collar
SE90010	2.5m CCT Extension Lead



## NEO PRO

### CCT LED UNDER CABINET LIGHT



- An elongated light panel to create a wide spread of light across the worktop
- Full diffused LEDs for soft and even illumination
- No visible diodes reflect off the worktop
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Dimmable
- Removable, magnetic front bezel simplifies installation and hides fixings
- Plug & Play connection
- Slim depth of just 10mm
- Multiple fittings can be daisy chained together for simple installation



Neo Pro - CCT LED Light (2700K-6000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11590P0	4.8 W	24V	1	290-310 lm	Required
SE11590P3*	14.4 W	24V	3	290-310 lm	15W Included
SE11590PS3**	14.4 W	24V	3	290-310 lm	15W Included

\*SE11590P3 includes 3x Neo Pro, 15W Driver, CCT Receiver & Universal Remote Control

\*\*SE11590PS3 Smart Kit includes 3x Neo Pro & 15W Titan Smart Kinetic Driver

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE770390	Universal Remote
SE771990	CCT Receiver
*SE91598N0	Black Bezel
SE90010	2.5m CCT Extension Lead





## AXIS 240V LED STRIP LIGHT



- Ideal for under cabinet task lighting
- Diffused casing - no visible LED dots
- Available in 4 lengths ranging between 222mm and 904mm
- Can be interlinked with the integrated connector to achieve the optimum run of light
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs
- Available in natural white making it ideal for a range of kitchen styles



Axis 240V LED Strip Light - **Natural White (4000K)**

CODE	WATTAGE	VOLTAGE	QTY	LENGTH	LUMENS
SE10019N0	3 W	240V	1	222 mm	300 lm
SE10029N0	5 W	240V	1	343 mm	500 lm
SE10079N0	8 W	240V	1	524 mm	800 lm
SE10099N0	16 W	240V	1	904 mm	1600 lm

Cables, Connectors & Accessories


CODE	DESCRIPTION
SE101290	Joining Cable - 500mm



## CONNEX 240V LED STRIP LIGHT



- Ideal for under cabinet task lighting
- Diffused casing - no visible LED dots
- Mains powered
- Available in 4 lengths ranging between 222mm and 904mm
- Can be interlinked with the integrated connector to achieve the optimum run of light
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs
- Available in warm white making it particularly suited to traditional kitchen styles



Connex 240V LED Strip Light - **Warm White (3000K)**

CODE	WATTAGE	VOLTAGE	QTY	LENGTH	LUMENS
SE100190	3 W	240V	1	222 mm	300 lm
SE100290	5 W	240V	1	343 mm	500 lm
SE100790	8 W	240V	1	524 mm	800 lm
SE100990	16 W	240V	1	904 mm	1600 lm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE101290	Connex Joining Cable - 500mm





# CONNEX TRIOTONE® 240V LED STRIP LIGHT



- Ideal for under cabinet task lighting
- One light, three colour temperatures
- Select cool white, natural white or warm white using the integrated rocker switch
- Diffused casing - no visible LED dots
- Mains powered
- Available in 4 lengths ranging between 343mm and 904mm
- Can be interlinked directly or by using joining cable for spacing & corners to achieve optimum run of lights
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs



Connex TrioTone® 240V LED Strip Light - **3000K, 4000K, 5000K**

CODE	WATTAGE	VOLTAGE	QTY	LENGTH	LUMENS
SE100490	5 W	240V	1	343 mm	95 lm/m
SE100590	9 W	240V	1	524 mm	95 lm/m
SE100690	12 W	240V	1	623 mm	95 lm/m

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE101290	Connex Joining Cable - 500mm

# CORNER PANTRY PACK LED LIGHTING KIT

- A full pack of complimentary products to illuminate corner pantry units
- Includes both a spot light to cast light downwards from the top and a flexible strip to install inside the door frame to illuminate the shelving

## CONTAINS

- 1x Zeta - stainless steel under cabinet spotlight
- 1x Dart - 5m reel flexible LED strip
- 1x Link-S - door sensor with additional switch for double doors
- 1x 30W Titan Driver - powers the lighting with pre-wired 13A plug

Corner Pantry Pack - **Natural White (4500K) Lighting Kit**

CODE	TOTAL WATTAGE	VOLTAGE
SE13195N0	20 W	24 V

Corner Pantry Pack - **Natural White (4500K) Lighting Kit**

CODE	TOTAL WATTAGE	VOLTAGE
SE13195N0	20 W	24 V



Zeta



Dart



Link-S



30W Titan Driver with plug



# PLINTH SPOTLIGHTS




- Adds dimension and depth to the room
- Soft and unobtrusive, plinth lighting creates ambience
- Often an overlooked aspect of kitchen lighting, its impact can be extraordinary!

06



# IRIS LED PLINTH LIGHT



- A stylish, discreet fitting ideal for plinth boards or in the bathroom (Zone 2)
- Easy Plug & Play technology
- Fittings can be daisy chained for simple installation
- 2 x 750mm cable per fitting for daisy chain connection
- Available individually or as a pack of 4 (including the Titan driver and a 3 pin plug)
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical
- Available in natural white making it ideal for a range of kitchen styles



Iris LED Plinth Light - **Natural White (4000K)**

CODE	WATTAGE	VOLTAGE	QTY	DRIVER	LUMENS
SE15990N0	0.32 W	24V	1	Required	5 lm PF*
SE15990N4	1.28 W	24V	4	6W Included	5 lm PF*

\*PF = per fitting

# LUCE TRIOTONE® LED SQUARE PLINTH LIGHT



- One light, three colour temperatures
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Super thin, stainless steel square plinth lights
- Sits flush to the plinth board
- Diffused, integrated LEDs - no visible spots
- Easy to install
- Fittings can be daisy chained for simple installation
- Available individually or as a pack of 4



Luce TrioTone® LED Square Plinth Light - **3000K, 4000K, 5000K**

CODE	WATTAGE	VOLTAGE	QTY	DRIVER	LUMENS
SE15090T0	0.6 W	24V	1	Required	20 lm
SE15090T4	2.4 W	24V	4	6W Included	20 lm*

\*Per fitting







# HALO TRIOTONE® PLINTH LIGHT



- Ideal for use on kitchen plinth boards
- One light, three colour temperatures
- TrioTone® technology allows you to select cool white, natural white or warm white with a push of the button on the back of the fitting
- Diffused cover means no visible LEDs
- Easy to install
- Fittings can be daisy chained for simple installation
- Available individually or as a pack of 4
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



TrioTone™ switch - a simple push button on the back of the fitting to cycle colour temperature presets

Halo TrioTone® Plinth Light - (3000K, 4000K, 5000K)

CODE	FINISH	WATTAGE	VOLTAGE	QTY	DRIVER	LUMENS
SE150000	Stainless Steel	0.5 W	24V	1	Required	32-35 lm
SE150004	Stainless Steel	2 W	24V	4	6W Included	32-35 lm PF*
SE150080	Black	0.5 W	24V	1	Required	32-35 lm
SE150084	Black	2 W	24V	4	6W Included	32-35 lm PF*

\*PF = Per fitting

# STELLAR PRO CCT PLINTH LIGHT



- A sleek and striking plinth light
- Large 35mm diameter and stainless steel rim
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Fully diffused lens - no visible LEDs
- Fittings can be daisy chained for simple installation
- IP20 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical
- Activate and control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver (sold separately) and Free Link Sensio App



Stellar Pro - CCT LED Plinth Light (2700K - 6000K)

CODE	WATTAGE	VOLTAGE	QTY	DRIVER	LUMENS
SE15190P0	1.5 W	24V	1	Required	60 lm/PF*
SE15190PS4	6 W	24V	4	**Smart Kit	60 lm/PF*
SE15190PS10	15 W	24V	10	**Smart Kit	60 lm/PF*

\*PF = Per fitting

\*\*Smart Kit: 15W CCT Titan Smart Kinetic Driver included



## BATTERY, DRAWER & WARDROBE LIGHTING



- Simple convenience lighting to illuminate dark spots in wardrobes and cupboards
- Illuminate the contents of your wardrobe in the dark without needing to turn the main room lighting on
- Low energy consumption while creating maximum impact







## ALTO LED WARDROBE RAIL LIGHT



- Aluminium wardrobe rail light with anti-slip design
- Easy retro fit design & no electrical installation required
- Integrated PIR sensor activates the lights when wardrobe door opens
- Light will remain on for 30 seconds then switch off if no motion is detected
- Contains rechargeable lithium-ion battery
- 6.5 months battery power based on 2.5 minutes usage per day
- Average charging time is 5.5 hours
- Can be cut to length
- Load bearing capacity 20kg
- Side mounting bracket set included
- USB charger sold separately



*Minimum Order Quantity (MOQ) of 200 units applies*

Alto LED Wardrobe Rail Light - **Natural White (4500K)**

CODE	WATTAGE	LENGTH	QTY	LEDS	LUMENS
SE53002CO	0.6 W	562mm	1	11pcs	55 lm
SE53202CO	1 W	962mm	1	19pcs	95 lm

### Cables, Connectors & Accessories

CODE	DESCRIPTION
03.2005.0800	USB adapter with 5m USB to pin cable



## INCLINE LED WARDROBE STRIP LIGHT



- Suitable for use in a wardrobe or kitchen cabinet to illuminate the space
- Easy retro fit design & no electrical installation required
- Integrated PIR sensor activates the lights when wardrobe door opens
- Light will remain on for 30 seconds then switch off if no motion is detected
- Contains rechargeable lithium-ion battery
- 6.5 months battery power based on 2.5 minutes usage per day
- Average charging time is 4.5 hours
- USB charger sold separately



*Minimum Order Quantity (MOQ) of 250 units applies*

Incline LED Wardrobe Strip Light - **Natural White (4500K)**

CODE	WATTAGE	LENGTH	QTY	LEDS	LUM
SE20242CO	0.4 W	350mm	1	6pcs	27 lm
SE20252CO	0.6 W	550mm	1	10pcs	48 lm
SE20272CO	0.9 W	850mm	1	16pcs	80 lm

### Cables, Connectors & Accessories

CODE	DESCRIPTION
SE2007000	USB adapter with 5m USB to micro USB



## MAGNUM RECHARGEABLE BATTERY LIGHT



- Ideal for wardrobes and kitchen cabinets
- Easy retro fit design and no electrical installation required
- Integrated PIR sensor with a 1.5m range of 120° activates the light
- Simple installation via a self adhesive magnetic plate - the light then attaches to the magnetic plate and removes for charging
- Contains rechargeable lithium-ion battery
- Rapid battery charge time (<2 hours)
- On/off switch to save battery capacity
- If no movement is detected, the unit will switch off after 10 seconds
- 6 months battery power - based on 2 minutes of usage per day
- 150mm USB charger cable included



Magnum Rechargeable Battery Light - **Natural White (4500K)**

CODE	FINISH	WATTAGE	VOLTAGE	QTY	LUMENS
SE3391N0	Chrome	0.4 W	5V	1	100 lm
SE3300N0	Stainless Steel	0.4 W	5V	1	100 lm



## DURA PLUS LED BATTERY LIGHT WITH PIR SENSOR



- A versatile battery light which can be used both to illuminate drawers or cabinets
- Easy retro fit design & no electrical installation required
- Magnetic strip with 3M adhesive backing simply applies to the inside of the drawer
- Integrated PIR sensor activates the light
- If no movement is detected, the light will switch off after 20 or 60 second delay
- Powered by 4 AAA batteries (not included)
- Batteries will have an approximate lifespan of 8 months when used for 3 minutes per day
- Dual mode functioning switch on the back of the light - press functioning switch once to switch between the two modes



Dura Plus LED Battery Light with PIR Sensor - **Natural White (5000K)**

CODE	POWER	QTY	LENGTH	LUMES
SE16097C0	4 x AAA batteries (not included)	1	300mm	40 lm





## VERSO LED DRAWER LIGHT



- High definition LED drawer light perfect for both kitchen and bedroom drawers
- Integrated IR sensor on front edge - light will turn on and off when the drawer is opened and closed
- Low wattage allows a full drawer stack to be powered from a single driver
- Brackets and cable tidy supplied to ensure no loose, unsightly wires

Verso LED Drawer Light - Natural White (4500K)

CODE	WATTAGE	QTY	LENGTH	LUMENS
SE7300HDNW.24	3.3 W	1	462mm	338 lm
SE7305HDNW.24	3.3 W	1	562mm	338 lm
SE7315HDNW.24	5.4 W	1	862mm	460 lm
SE7320HDNW.24	6 W	1	962mm	500 lm

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



## STRATA SENSOR CONTROLLED LED LIGHT



- Ideal for wardrobes, drawers and kitchen cabinets
- Retro fit design with no electrical installation required
- Integrated sensor with 2 control options
- Simple installation via a self adhesive magnetic plate - the light then attaches to the magnetic plate and removes for charging
- Contains rechargeable lithium-ion battery
- On/off switch to save battery capacity
- 6 months battery power - based on 2 minutes of usage per day



Strata Rechargeable Battery Light - Natural White (4500K)

CODE	LENGTH	WATTAGE	VOLTAGE	QTY	LUMENS
SE11002N0	200mm	0.4 W	5V	1	100 lm
SE11102N0	400mm	0.4 W	5V	1	100 lm



# CEILING & FEATURE LIGHTING



- Create statement lighting with stunning pendants
- Pendants provide perfect over-island, practical task lighting
- Recessed spotlights offer a sleek, minimalist feel and fill the space with light







## BELLATRIX

### CRUSHED CRYSTAL PENDANT LIGHT



- Add glamour to your kitchen design suspending the Bellatrix above the kitchen island or dining table
- Beautiful crushed crystal layer in the bottom of the fitting
- Light bounces off crystals producing sparkling effect
- Polished chrome finish
- Suspended on 1.1m of stainless steel cables - cables are adjustable
- 972 integrated LEDs
- Superbly bright illumination
- Suitable for use with a wall dimmer
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical
- Dimmable when installed with a wall dimming switch



Bellatrix Crushed Crystal Pendant Light - Warm White (3000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS
SE32001W0	33.12 W	240V	1	2000 lm

## ZIRCONIA

### CRYSTAL CONE PENDANT LIGHT



- Inject desirable mood lighting into your kitchen or bedroom with this exquisite droplet pendant
- Use above the kitchen island, dining table or in the bedroom
- Can be used in stylish clusters of 2 or 3 fittings
- 920mm stainless steel cable is adjustable
- Stylish chrome finish and clear base laced with floating crystals
- LED light reflects from each crystal giving sparkling effect
- 24 integrated LEDs
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



Warm white, crystal & chrome

Zirconia Crystal Cone Pendant Light - Warm White (3000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS
SE32101W0	4.8 W	24V	1	330 lm



## SOLINAS BLACK PENDANT LIGHT



- A striking crushed crystal, matte black industrial style cylindrical pendant light
- Perfect for both single or cluster implementation
- Offers diffused illumination through its crystalline ring and underside lens
- Available in both cool and warm white with a replaceable GU10 LED bulb
- Suitable for use with a wall dimmer
- Suspended on a 1.4m black cable from a matt black ceiling mount
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



Solinas Black Pendant Light - **Cool White (6500K)**


CODE	WATTAGE	VOLTAGE	QTY	LUMENS
SE82098CO	3.5 W	240V	1	164 lm

Solinas Black Pendant Light - **Warm White (3000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS
SE82098WO	3.5 W	240V	1	132 lm



## TRIOTONE® IP65 FIRE RATED DOWNLIGHT



- A range of features and finishes in one fitting for the perfect ceiling spotlight
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Super slim interchangeable bezels easily clip on and off the fitting
- 3 bezels included - white, chrome & brushed steel
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Brighter than a 50W GU10 Halogen
- IP65 rated making it suitable for both kitchen and bathroom use (Zone 1 and 2)



TrioTone® IP65 Fire Rated Downlight - **(3000K, 4000K, 5000K)**


CODE	WATTAGE	VOLTAGE	QTY	LUMENS
SE62095TO	8 W	240V	1	650-700 lm





# PURE DUAL POWER IP65 FIRE RATED DOWNLIGHT

- A range of features and finishes in one fitting for the perfect ceiling spotlight
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Super slim interchangeable bezels easily clip on and off the fitting
- 3 bezels included - white, chrome & brushed steel
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Dual power switch, 5W & 8W settings
- IP65 rated making it suitable for both kitchen and bathroom use (Zone 1 and 2)



TrioTone® IP65 Fire Rated Downlight - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS
SE62299T0	5W / 8W	240V	1	650-700 lm

TrioTone® Downlight Bezel Accessories

CODE	FINISH
SE620980	Black
SE620970	Brass
SE631910	Chrome
SE601970	Copper
SE620900	Stainless Steel

Bezels compatible with:  
TrioTone® IP65 Downlight  
Pure TrioTone® Dual Power Downlight

# TRIOTONE® CUBE & CIRCA IP65 FIRE RATED DOWNLIGHT

- A stylish, glass bezel ceiling spotlight available in two shapes and two finishes
- Bezel available in both tinted black or clear glass
- Choose from either square with rounded corners (Cube) or round (Circa) fitting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Brighter than a 50W GU10 Halogen
- IP65 rated making them suitable for kitchen and bathroom use (Zone 1 and 2)



CUBE - REGISTERED DESIGN RIGHT - 6056146  
CIRCA - REGISTERED DESIGN RIGHT - 6056147

TrioTone® Cube & Circa IP65 Fire Rated Downlight - (3000K, 4000K, 5000K)

CODE	DESCRIPTION	WATTAGE	VOLTAGE	QTY	LUMENS
SE62094T0	TrioTone® Circa (Clear Glass)	8 W	240V	1	650-700 lm
SE62294T0	TrioTone® Circa (Black Glass)	8 W	240V	1	650-700 lm
SE62194T0	TrioTone® Cube (Clear Glass)	8 W	240V	1	650-700 lm
SE62394T0	TrioTone® Cube (Black Glass)	8 W	240V	1	650-700 lm



TRIOTONE® CUBE & CIRCA  
DUAL POWER IP65 FIRE RATED DOWNLIGHT



- A stylish, glass bezel ceiling spotlight available in two shapes and two finishes
- Bezel available in both tinted black or clear glass
- Choose from either square with rounded corners (Cube) or round (Circa) fitting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Dual power switch, 5W & 8W settings
- IP65 rated making them suitable for kitchen and bathroom use (Zone 1 and 2)

**CUBE - REGISTERED DESIGN RIGHT - 6056146**  
**CIRCA - REGISTERED DESIGN RIGHT - 6056147**

TrioTone® Cube & Circa Dual Power - (3000K, 4000K, 5000K)					
CODE	DESCRIPTION	WATTAGE	VOLTAGE	QTY	LUMENS
SE62094T0.1	TrioTone® Circa (Clear Glass)	8 W	240V	1	650-700 lm
SE62294T0.1	TrioTone® Circa (Black Glass)	8 W	240V	1	650-700 lm
SE62194T0.1	TrioTone® Cube (Clear Glass)	8 W	240V	1	650-700 lm
SE62394T0.1	TrioTone® Cube (Black Glass)	8 W	240V	1	650-700 lm

CARA  
FIRE RATED DOWNLIGHT



- Super slim interchangeable bezels easily clip on and off the fitting
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- 38° beam angle
- 68mm hole routing
- IP65 rated making it suitable for both kitchen and bathroom use (Zone 1 and 2)

Cara - IP65 Fire Rated LED Downlight - Natural White			
CODE	WATTAGE	VOLTAGE	QTY
SE62099N0	5W	240V	1

Cara Downlight Bezel Accessory	
CODE	FINISH
SE630970	Black
SE630910	Chrome

ELENA TRIOTONE®  
FIRE RATED DOWNLIGHT



- TrioTone® technology allows you to select cool (5000K), natural (4000K) or warm (3000K) white with a flick of the switch on the back of the fitting
- Tilttable bulb housing to control the light direction
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 5-100%
- 38° beam angle
- 68mm hole routing
- IP65 rated making them suitable for kitchen and bathroom use (Zone 1 and 2)

Elena TrioTone® - Tilttable Downlight			
CODE	FINISH	WATTAGE	QTY
SE62198T0	Black	6W	1
SE62191T0	Chrome	6W	1
SE62199T0	White	6W	1



# POP-UP SOCKETS



- Discreet and concealed power points easily hidden into worktops
- Provides high output charging for USB devices and Qi charging
- A great option for offering power in kitchen island units






## SENSIOPOD E

### PULL UP SOCKET

- Slim handle sits almost flush with the worktop for a seamless finish
- Spring mounted handle - gentle push down to release then pull up
- 3 x Power sockets
- 2 x USB sockets
- Simple installation - 1.5m cable with 13A plug attached
- IP20 rated
- Available in stainless steel, aluminium and black finishes



SensioPod E - Pull Up Socket

CODE	COLOUR	CONNECTION	POWER SUPPLY
SE891900	Stainless Steel	13A plug	Sockets: 3 x power & 2 x USB
SE894920	Aluminium	13A plug	Sockets: 3 x power & 2 x USB
SE894930	Black	13A plug	Sockets: 3 x power & 2 x USB



Simple push and pull access

## SENSIOPOD M

### MOTORISED SOCKET

- Motorised mechanism to raise and lower the unit
- Anti-trap feature stops the unit if an obstruction is detected
- Pausing feature to allow the pod to be partially lowered when in use
- Simple touch sensor control on the top of the pod
- 3 x Power sockets
- 2 x USB sockets
- Integrated Qi charger in the top of the unit
- Simple installation - 1.8m cable with 13A plug attached
- IP54 rated
- Aluminium finish



SensioPod M - Motorised Socket with Qi Charger

CODE	COLOUR	CONNECTION	POWER SUPPLY
SE892920	Aluminium	13A plug	Sockets: 3 x power & 2 x USB



Qi charger in the top of the unit





# SENSIOPOD M BLUETOOTH

MOTORISED BLUETOOTH SOCKET



- Motorised mechanism to raise and lower the unit
- Anti-trap feature stops the unit if an obstruction is detected
- Pausing feature to allow the pod to be partially lowered when in use
- Simple touch sensor control on top of the pod
- 2 x Power sockets
- 2 x USB sockets
- Integrated Qi charger in the top of the unit
- Integrated Bluetooth speaker to connect compatible devices for playing music
- Simple installation - 1.8m cable with 13A plug attached
- IP54 rated
- Aluminium finish



SensioPod M - Motorised Socket with Bluetooth & Qi Charger			
CODE	COLOUR	CONNECTION	POWER SUPPLY
SE893920	Aluminium	13A plug	Sockets: 2 x power, 2 x USB ports & Bluetooth Speaker

DISCREET POWER, IDEAL FOR ISLAND UNITS. QI CHARGER REMAINS ACTIVE WHETHER RAISED OR RECESSED




# LIGHTING CONTROL



- Multiple light type controls to enable light zoning
- Simple functionality via remotes, sensors or smart home devices
- Control the mood and functionality of the room with lights







## TITAN+ SENSOR DRIVER

- Slim 16mm depth
- Easy to use and install
- Available as 6W/15W/30W
- Integrated 2-pin connector, distribution ports
- Compatible lighting control accessories - PIR, IR, Switch & Door sensors. Simply plug in the chosen sensor to the designated port in the driver.
- Mains cable included
- Dimmable when paired with the Titan+ IR sensor

Titan+ - Sensor Driver

CODE	WATTAGE	No. PORTS
SE495950	6W	4
SE496950	15W	6
SE497950	30W	6

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE490250	IR Sensor
SE491250	PIR Sensor
SE492250	Push Switch
SE493250	Door Sensor
SE90012	Titan+ Sensor 2.5m Extension Cable
SE990990	*Driver Port Expander

## TITAN+ SENSOR ADAPTER



- Turn any standard driver into a Titan+
- The Titan+ Sensor Adapter allows this sensor range to be used with any driver featuring 2-pin ports to control lights placed afterwards in the chain.

Titan+ - Sensor Adapter

CODE	DESCRIPTION
SE797990	Titan+ Sensor Adapter
SE797991	Titan+ Double Door Sensor Adapter

## DRIVER PORT EXPANDER



- Increase the capacity of the driver with an added 12 ports
- Always remember the total wattage of lights connected should not exceed that of the driver

## IR TITAN+ SENSOR



- Allows activation of all lighting plugged into the Titan+ driver with the swipe of a hand
- Detection range of 0-5cm
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable
- Adds dimmable functionality to Titan+ driver

## DOOR TITAN+ SENSOR



- Allows activation of all lighting plugged into the Titan+ driver with the opening and closing of doors
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable

## PIR TITAN+ SENSOR



- Allows activation of all lighting plugged into the Titan+ driver by detecting motion
- Detection range of 0-3m
- Detection angle of 120°
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable

## PUSH SWITCH TITAN+ CONTROL



- Allows activation of all lighting plugged into the Titan+ driver with the push of a button
- Perfect for recessed mounting in to a worktop
- Features a robust clicker switch
- Cut out diameter of 12mm
- 2m connection cable



## TITAN DIMMABLE DRIVER

- Depth of 16mm
- Integrated 2-pin connector, distributor ports
- 2m mains cable included
- Short circuit & overload protection
- Surge and thermal protection
- Wide dimming range: 5% - 100%
- Wall dimmable
- Easy to use - Just plug and play
- Minimum 25% load



Titan Dimmable - Driver

CODE	WATTAGE	WATTAGE	No. PORTS
SE40899	24V	30 W	6
SE40699	24V	60 W	10

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE990990	*Driver Port Expander

\*Increase the capacity of the driver with an additional 12 ports.



## TITAN SMART RGBCCT FULL COLOUR CONTROL SMART DRIVER

- For use with the Sensio Flux RGBCCT Flexible LED strip light
- Slim 16mm depth
- Easy to use and Install
- Integrated distribution ports
- Compatible with Amazon Alexa & Google Assistant for voice activated control over the lighting
- Combine with the Link Sensio Smart Phone App (available for both Android and iOS devices) to access a multitude of clever features such as dimming, colour changing and lighting schedules
- Mains cable included



amazon alexa  
Google Assistant

## LINK SENSIO SMART PHONE APP

- The "Link Sensio" app is available to download for free on both iOS and Android smart devices. Use the app, in conjunction with a smart home device, to operate our Titan Smart RGBCCT Driver.




Titan - Smart RGBCCT Driver

CODE	WATTAGE	CONTROL	No. PORTS	CHANNEL
*SE405595	30 W	RGBCCT	4	

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE10625R0	Flux Flexible Strip
SE90011	RGBCCT 2.5m Extention Lead
SE991990	RGBCCT Port Expander - 4 ports





## TITAN SMART KINETIC WIRELESS SWITCH & VOICE ACTIVATED DRIVER

- Slim 16mm depth
- Easy to use and Install
- Integrated distribution ports
- Compatible with Amazon Alexa & Google Assistant for voice activated control over the lighting
- Combine with the Link Sensio Smart Phone App (available for both Android and iOS devices) to access a multitude of clever features such as dimming, colour changing and lighting schedules
- For wireless lighting control, pair with the Titan Kinetic Switch - the multi-functional buttons allow intuitive control over power, dimming and colour temperature and require no wiring or mains power
- Mains cable included
- Available for both single-colour and CCT lights



## LINK SENSIO SMART PHONE APP


- The "Link Sensio" app is available to download for free on both iOS and Android smart devices. Use the app, in conjunction with a smart home device, to operate our Titan Smart Kinetic Driver.

Titan - Kinetic Smart Driver

CODE	WATTAGE	CONTROL	No. PORTS	CHANNEL
SE406581	15 W	Single-colour	5	5
SE406591	30 W	Single-colour	5	5
SE406582	15 W	CCT	3	3
SE406592	30 W	CCT	6	3

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE90010	CCT 2.5m Extension Lead
SE992990	CCT Port Expander - 4 Ports



## KINETIC SWITCH WIRELESS CONTROL

- Switch can be placed anywhere with no additional power or wiring required
- Simple, wall mount installation via screws or adhesive tape included
- Connects to the Titan Kinetic driver or 240V mains receiver at the press of a button
- One, two and three gang options available for additional control functions such as dimming, colour adjust and zoning

Titan - Kinetic Switch

CODE	DESCRIPTION
SE781990	1 Gang
SE782990	2 Gang
SE783990	3 Gang



## KINETIC RECEIVER 240V MAINS LIGHTING CONTROL

- Allows control of any mains lighting with the wireless kinetic switch
- Colour adjust and dimming with compatible lights such as the Sensio IP65 downlights
- WiFi function for control via the Link Sensio App and smart home devices
- 200 - 240V mains input
- Maximum load 100W

Titan - Kinetic Switch

CODE	DESCRIPTION
SE780990	Kinetic Receiver



## UNIVERSAL REMOTE CONTROL

- The remote can control single colour lighting (dimming), CCT (tunable white) and RGB (colour changing) lights
- Offers a multitude of functions including the ability to set up channels and zone lighting
- Wall mounting bracket provided to keep the remote safe and secure when not in use
- Requires 2x AAA batteries (not included)

Use in conjunction with the appropriate receiver for the chosen lights.

### Universal Remote Control

CODE
SE770390

### Receivers

CODE	DESCRIPTION	NO. PORT
SE772990	Single Colour Receiver	4
SE771990	CCT Receiver	4
SE770990	RGBCCT Receiver	1

## SINGLE COLOUR RECEIVER



- Control single colour lighting products (e.g warm white colour temperature lights)
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with the a single Universal Remote Control
- 30m range
- 96W at 12V and 192W at 24V

## CCT RECEIVER

- Control CCT (Correlated Colour Temperature) lighting products
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with a single Universal Remote Control
- 30m range
- 60W at 12V and 120W at 24V

## RGBCCT RECEIVER

- Control RGB and CCT (Colour Changing Technology) lighting products
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with a single Universal Remote Control
- 30m range
- 36W at 12V and 72W at 24V







## WIRELESS PIR MOTION SENSOR SWITCH

- Activates lights on opening of a cupboard or entry of a room
- 1m-3m activation zone
- Automatically switches off the lights after 3 minutes if no movement detected
- Includes bracket for surface mounting of the sensor
- Available as a kit including the wireless receiver and sensor, in addition to single sensors which are sold separately
- One receiver can support up to 4 sensors to ensure there are no blind spots in detection



Wireless PIR - Motion Sensor Switch


CODE	DESCRIPTION	FINISH	MAX. WATTAGE	No. PORTS	QTY	DRIVER
SE790980	Link-S Wireless PIR & Receiver	Silver	60W or 120W*	6	1	Required
SE791980	Wireless PIR	Silver	60W or 120W*	-	1	Required

\* 60W with 12V input or 120W with 24V input



## LINK-S RECEIVER, MAGNET & REED SWITCH

- Control lighting wirelessly through the opening and closing of doors
- Magnet and Reed Switch suitable for mounting on any door and frame or surround
- Opening the door will send a signal to the receiver to trigger the lighting (as the magnet loses contact with the Reed Switch)
- Small size of components means that their appearance is discreet
- Control multiple lights within a kitchen or bedroom
- Range of >8m
- Battery life of >3 years
- One receiver can support up to five Magnets and Reed switches
- One Reed Switch and Magnet can support up to five receivers



Link-S - Receiver, Magnet and Reed Switch

CODE	DESCRIPTION	VOLTAGE	MAX. WATTAGE	No. PORTS
SE79095	Receiver, Magnet and Reed Switch	24V	72 W	6
SE79195	Receiver	24V	72 W	-
SE79295	Magnet and Reed Switch	3V (2x 1632 Button Batteries)		-

PRODUCT INDEX

FLEXIBLE LED STRIP LIGHTING

PRODUCT	CODE	PAGE
Dart (5m)	SE10355NO	28
Dart (5m kit)	SE10355N1	
Flux (2m)	SE10625RO	44
Flux (3m)	SE106105RO	
Flux (5m)	SE10655RO	
Flux (5m receiver kit)	SE10655R1	
Ion 8 (5m)	SE10855PO	40
Ion 8 (5m smart kit)	SE10855PS1	
Ion 8 (5m receiver kit)	SE10855P1	
Ion 5 (5m)	SE10755PO	41
Ion 5 (5m smart kit)	SE10755PS1	
Ion 5 (5m receiver kit)	SE10755P1	
Neutron (5m cool)	SE10455CO	31
Neutron (2m natural)	SE10425NO	
Neutron (5m natural)	SE10455NO	
Neutron (5m warm)	SE10455WO	
Primo 2 (5m cool)	SE10755CO	30
Primo 2 (5m cool kit)	SE10755C1	
Primo 2 (5m warm)	SE10755WO	
Primo 2 (5m warm kit)	SE10755W1	
Polar (5m cool)	SE20055CO	36
Polar (5m cool kit)	SE20055C1	
Polar (2m natural)	SE20125NO	
Polar (2m natural kit)	SE20125N1	
Polar (5m natural)	SE20055NO	
Polar (5m natural kit)	SE20055N1	
Polar (5m warm)	SE20055WO	
Polar (5m warm kit)	SE20055W1	
Polar Pro (5m)	SE20055PO	42
Radiant (5m cool)	SE10555CO	38
Radiant (5m cool kit)	SE10555C1	
Radiant (1.8m natural)	SE10795NO	
Radiant (1.95m natural)	SE10595NO	
Radiant (2.15m natural)	SE10695NO	
Radiant (3m natural)	SE105105NO	
Radiant (3m natural kit)	SE105105N1	
Radiant (5m natural)	SE10555NO	
Radiant (5m natural kit)	SE10555N1	
Radiant (5m warm)	SE10555WO	
Radiant (5m warm kit)	SE10555W1	
Radiant (Brackets pack)	SE900940	
Radiant Pro (5m)	SE10555PO	43

PRODUCT	CODE	PAGE
Razor (5m natural)	SE20095NO	39
Razor (3m natural)	SE20099NO	
Razor (5m warm)	SE20095WO	
Razor (3m warm)	SE20099WO	
Sigma 2 (5m cool)	SE10855CO	34
Sigma 2 (5m cool kit)	SE10855C1	
Sigma 2 (5m natural)	SE10855NO	
Sigma 2 (5m natural kit)	SE10855N1	
Sigma 2 (5m warm)	SE10855WO	
Sigma 2 (5m warm kit)	SE10855W1	
Viva 3 (0.5m cool)	SE10745CO	32
Viva 3 (1m cool)	SE10715CO	
Viva 3 (1m cool kit)	SE10715C1	
Viva 3 (2m cool)	SE10725CO	
Viva 3 (2m cool kit)	SE10725C1	
Viva 3 (5m cool)	SE10655CO	
Viva 3 (5m cool kit)	SE10655C1	
Viva 3 (1m natural)	SE10715NO	
Viva 3 (1m natural kit)	SE10715N1	
Viva 3 (2m natural)	SE10725NO	
Viva 3 (2m natural kit)	SE10725N1	
Viva 3 (0.5m warm)	SE10745WO	
Viva 3 (1m warm)	SE10715WO	
Viva 3 (1m warm kit)	SE10715W1	
Viva 3 (2m warm)	SE10725WO	
Viva 3 (2m warm kit)	SE10725W1	
Viva 3 (5m warm)	SE10655WO	
Viva 3 (5m warm kit)	SE10655W1	

PROFILES

PRODUCT	CODE	PAGE
Accent (1500mm)	SE185700	52
Accent (2500mm)	SE185800	
Accent (Internal corner)	SE995950	
Accent (External corner)	SE994950	
Accent (Installation aid)	SE996950	
Accent (End cap kit)	SE993950	
Adapt (1500mm)	SE186790	53
Adapt (2500mm)	SE186890	
Adapt (Bracket set)	SE997950	
Adapt (Drawer brackets)	SE998950	
Adapt (End cap kit)	SE999950	
Adorn (1000mm)	SE190720	56
Beam (1000mm)	SE982120	57
Beam (2200mm)	SE982220	
Beam (End cap set)	SE983050.1	
Beam (Bracket set)	SE984050.1	
Blaze (1500mm)	SE182720	51
Blaze (2500mm)	SE182820	
Blaze (Internal corner)	SE986950	
Blaze (External corner)	SE985950	
Blaze (End cap kit)	SE984950	
Contour (1500mm)	SE98210	61
Contour (2500mm)	SE98220	
Contour (Internal corner)	SE97890	
Contour (External corner)	SE97990	
Contour (End cap kit)	SE97790	
Fino (AL 1000mm)	SE981120	58
Fino (AL 2000mm)	SE981220	
Fino (AL End cap kit)	SE982050	
Fino (BL 1000mm)	SE981180	
Fino (BL 2000mm)	SE981280	
Fino (BL End cap kit)	SE982080	
Fino (Bracket set)	SE981050	
Gamma (1500mm)	SE183720	50
Gamma (2500mm)	SE183820	
Gamma (Internal corner)	SE989950	
Gamma (External corner)	SE988950	
Gamma (End cap kit)	SE987950	
Gamma (Bracket set)	SE910950	
Glow (1000mm)	SE190790	54
Linia (AL 1000mm)	SE980120	59
Linia (AL 2200mm)	SE980220	
Linia (AL 2500mm)	SE980320	
Linia (AL End cap kit)	SE980180	
Linia (BL 1000mm)	SE980280	
Linia (BL 2200mm)	SE980920	
Linia (BL 2500mm)	SE980380	
Linia (BL End cap kit)	SE980980	

PRODUCT	CODE	PAGE
Manta (361mm)	SE27012CO	60
Manta (411mm)	SE27112CO	
Manta (761mm)	SE27412CO	
Manta (861mm)	SE27512CO	
Manta (1161mm)	SE27712CO	
Ray (1500mm)	SE184720	49
Ray (2500mm)	SE184820	
Ray (Internal corner)	SE992950	
Ray (External corner)	SE991950	
Ray (End cap kit)	SE990950	
Ray (Brackets set)	SE911950	
Vector (1500mm)	SE181700	55
Vector (2500mm)	SE181800	
Vector (Internal corner)	SE982950	
Vector (External corner)	SE981950	
Vector (Installation aid)	SE983950	
Vector (End cap kit)	SE993950	
Verona (263 x 329mm)	SE13792NO	63
Verona (363 x 329mm)	SE13092NO	
Verona (463 x 329mm)	SE13292NO	
Verona (563 x 329mm)	SE13392NO	
Verona (763 x 329mm)	SE13492NO	
Verona (863 x 329mm)	SE13592NO	
Verona (963 x 329mm)	SE13692NO	
Expanse (680 x 460mm)	SE14092NO	62
Expanse Pro (680 x 460mm)	SE14092PO	62
Expanse Pro (463 x 523mm)	SE14192PO	
Expanse Pro (563 x 523mm)	SE14292PO	
Expanse Pro (463 x 686mm)	SE14392PO	
Expanse Pro (563 x 686mm)	SE14492PO	
Genoa	SE18592CO	66
Glow (500mm cool)	SE19089CO	64
Glow (600mm cool)	SE19039CO	
Glow (1000mm cool)	SE19079CO	
Glow (500mm natural)	SE19089NO	
Glow (1000mm natural)	SE19079NO	
Glow Pro (500mm CCT)	SE19079PO2	
Glow Pro (1000mm CCT)	SE19079PO1	
Torino (SL 600mm)	SE17232CO	67
Torino (SL 900mm)	SE17262CO	
Torino (BL 600mm)	SE17238CO	
Torino (BL 600mm)	SE17268CO	



# PRODUCT INDEX

## UNDER CABINET LIGHTING

PRODUCT	CODE	PAGE
Plaza Plaza (3 kit)	SE11090N0 SE11090N3	70
Solo	SE11192N0 SE11192N3	71
Treos Treos (3 kit)	SE11290N0 SE11290N3	72
Velos Velos (3 kit)	SE11092N0 SE11092N3	73
Zeta Zeta (3 kit)	SE11190N0 SE11190N3	74
Apex TrioTone® Apex TrioTone® (3 kit)	SE12090T0 SE12090T3	79
Ark (Cool) Ark (Cool 3 kit) Ark (Warm) Ark (Warm 3 kit)	SE11092C0 SE11092C3 SE11092W0 SE11092W3	76
Ark Pro Ark Pro (Receiver kit) Ark Pro (Smart kit)	SE11192P0 SE11192P3 SE11192PS3	87
Ark TrioTone® Ark TrioTone® (3 kit)	SE11092T0 SE11092T3	80
Astro TrioTone® (AL) Astro TrioTone® (AL 3 kit) Astro TrioTone® (BL) Astro TrioTone® (BL 3 kit) Astro TrioTone® (BS) Astro TrioTone® (BS 3 kit) Astro TrioTone® (CO) Astro TrioTone® (CO 3 kit)	SE11190T0.1 SE11190T3.1 SE11198T0.1 SE11198T3.1 SE11196T0 SE11196T3 SE11197T0 SE11197T3	81
Astro Pro (AL) Astro Pro (BL) Astro Pro (AL Smart kit) Astro Pro (BL Smart kit)	SE11190P0 SE11198P0 SE11190PS3 SE11198PS3	88
Bermuda (Cool) Bermuda (Cool 3 kit) Bermuda (Warm) Bermuda (Warm 3 kit)	SE90010C0 SE90010C3 SE90010W0 SE90010W3	77
Bermuda TrioTone® Bermuda TrioTone® (kit)	SE21000 SE21000K3	82
Hype R Pro Hype R Pro (Black bezel)	SE90150P0 SE970980	90
Hype TrioTone® Hype TrioTone® (3 kit)	SE21100 SE21100K3	84
Horizon Pro Horizon Pro (smart 3 kit)	SE11095P0 SE11095PSK3	89
Horizon TrioTone® Horizon TrioTone® (3 kit)	SE11095T0 SE11095T3	114

PRODUCT	CODE	PAGE
Neo Pro Neo Pro (Receiver kit) Neo Pro (Smart kit) NP/NT Black Bezel	SE11590P0 SE11590P3 SE11590PS3 SE91598N0	91
Neo TrioTone® Neo TrioTone® (3 kit) NP/NT Black Bezel	SE11590T0 SE11590T3 SE91598N0	85
Nexus (Cool) Nexus (Cool 3 kit) Nexus (Warm) Nexus (Warm 3 kit)	SE11090C0 SE11090C3 SE11090W0 SE11090W3	78
Nexus TrioTone® Nexus TrioTone® (3 kit)	SE11090T0 SE11090T3	86
Axis (222mm) Axis (343mm) Axis (524mm) Axis (904mm)	SE10019N0 SE10029N0 SE10079N0 SE10099N0	92
Connex (222mm) Connex (343mm) Connex (524mm) Connex (904mm)	SE100190 SE100290 SE100790 SE100990	93
Connex TrioTone® (343mm) Connex TrioTone® (524mm) Connex TrioTone® (623mm) Connex TrioTone® (904mm)	SE100490 SE100590 SE100690 SE100890	94
Corner Pantry Pack	SE13195N0	95

## PLINTH SPOTLIGHTS

PRODUCT	CODE	PAGE
Halo TrioTone® Halo TrioTone® (4 kit)	SE150000 SE150004	100
Iris Iris (4 kit)	SE15990N0 SE15990N4	98
Luce TrioTone® Luce TrioTone® (4 kit)	SE15090T0 SE15090T4	99
Stellar Pro Stellar Pro (4 kit) Stellar Pro (10 kit)	SE15190P0 SE15190PS4 SE15190PS10	101

## BATTERY, DRAWER & WARDROBE

PRODUCT	CODE	PAGE
Alto (562mm) Alto (962mm) Adapter (USB-pin)	SE53002C0 SE53202C0 03.2005.0800	104
Dura Plus	SE16097C0	107
Incline (350mm) Incline (550mm) Incline (850mm) Adapter (USB-Micro USB)	SE20242C0 SE20252C0 SE20272C0 SE2007000	105
Magnum (chrome) Magnum (s. steel)	SE3391N0 SE3300N0	106
Strata (200mm) Strata (400mm)	SE11002N0 SE11102N0	109
Verso (462mm) Verso (562mm) Verso (862mm) Verso (962mm)	SE7300HDNW.24 SE7305HCNW.24 SE7315HCNW.24 SE7320HCNW.24	108

## CEILING & FEATURE LIGHTING

PRODUCT	CODE	PAGE
Bellatrix	SE32001W0	113
Cara (white) Cara Bezel (Black) Cara Bezel (Chrome)	SE62099N0 SE630970 SE630910	120
Elena TrioTone® (Black) Elena TrioTone® (Chrome) Elena TrioTone® (White)	SE62198T0 SE62191T0 SE62199T0	120
Pure TrioTone®	SE62299T0	117
Solinas (cool) Solinas (warm)	SE82098C0 SE82098W0	115
TrioTone® IP65 Fire Rated Downlight	SE62095T0	116
TrioTone® Circa (clear) TrioTone® Circa (tint) TrioTone® Cube (clear) TrioTone® Cube (tint)	SE62094T0 SE62294T0 SE62194T0 SE62394T0	118
<b>NEW Dual Power</b> TrioTone® Circa (clear) TrioTone® Circa (tint) TrioTone® Cube (clear) TrioTone® Cube (tint)	SE62094T0 SE62294T0 SE62194T0 SE62394T0	119
TrioTone® Downlight Bezel Black Brass Chrome Copper Stainless Steel	SE620980 SE620970 SE631910 SE601970 SE620900	117
Zirconia	SE32101W0	114

## SENSIOPOD POP-UP SOCKETS

PRODUCT	CODE	PAGE
SensioPod E (SS) SensioPod E (AL) SensioPod E (BL)	SE891900 SE894920 SE894930	123
SensioPod M	SE892920	124
SensioPod M Bluetooth	SE893920	125

## LIGHTING CONTROL & ACCESSORIES

PRODUCT	CODE	PAGE
Kinetic Receiver (240V)	SE780990	133
Kinetic Switch (1 gang) Kinetic Switch (2 gang) Kinetic Switch (3 gang)	SE781990 SE782990 SE783990	133
Link-S (Receiver, Magnet & Reed Switch)	SE79095	137
Receiver (Dimming) Receiver (CCT) Receiver (RGB/CCT)	SE772990 SE771990 SE770990	135
Titan+ 6W Titan+ 15W Titan+ 30W	SE495950 SE496950 SE497950	128
Titan+ Door Sensor Titan+ IR Sensor Titan+ PIR Sensor Titan+ Push Switch	SE493250 SE490250 SE491250 SE492250	129
Titan+ Sensor Adapter Titan+ Double Door Sensor Adapter	SE797990 SE797991	128
Titan Dimmable 30W Titan Dimmable 60W	SE40899 SE40699	130
<b>Kinetic</b> Titan Smart 15W (SC) Titan Smart 30W (SC) Titan Smart 15W (CCT) Titan Smart 30W (CCT)	SE406581 SE406591 SE406582 SE406592	132
Titan Smart RGB CCT	SE405595	131
Universal Remote Control	SE770390	134
Wireless PIR & Receiver Wireless PIR Sensor	SE790980 SE791980	136



/sensio-ltd



@sensio\_ltd



@Sensio\_Ltd



/sensiolighting

Unit 7 Speedwell Road  
Whitwood  
Castleford  
West Yorkshire  
WF10 5PY  
United Kingdom

Tel: +44 (0)1977 522 020  
Email: [info@sensiolighting.com](mailto:info@sensiolighting.com)  
Web: [sensio.co.uk](http://sensio.co.uk)

