







DRAWER BOX SYSTEMS


LEGRABOX Overview






Shallow Drawer
40 kg Weight Capacity
500 mm Nominal Lengths
Orion Grey or Stainless Steel Finish

Page 1.04




Standard Height Drawer
40 kg and 70 kg Weight Capacity
270 - 600 mm Nominal Lengths
Orion Grey or Stainless Steel Finish

Page 1.06




C Height Pot Drawer
40 kg and 70 kg Weight Capacity
350 - 600 mm Nominal Lengths
Orion Grey or Stainless Steel Finish

Page 1.08



C Height Pot Drawer Free Design
40 kg and 70 kg Weight Capacity
350 - 600 mm Nominal Lengths
Orion Grey or Stainless Steel Finish

Page 1.10



F Height Pot Drawer
40 kg and 70 kg Weight Capacity
450 - 600 mm Nominal Lengths
Orion Grey or Stainless Steel Finish

Page 1.12

INNER FRONTS



Inner Front Programme
Standard Height Drawers
C Height Pot Drawers
2 Glass options
Orion Grey or Stainless Steel Finish

Page 1.14

ASSEMBLY



LEGRABOX Assembly
LEGRABOX Adjustments
Inner Front Adjustments

Page 1.16


DRAWER BOX SYSTEMS

Blum LEGRABOX N Height




LEGRABOX Shallow height drawer


- Concealed, guided, full extension runners
- Integrated BLUMOTION soft close
- Drawer side height N = 66.5 mm
- Front height ≥ 98 mm (Bottom drawer 18 mm overlay)
- Unparalleled running action for the lifetime of the furniture
- Orion Grey or Stainless Steel finish
- 40 kg weight carrying capacity
- 2 dimensional front adjustment



Space Requirement




Components




- | | | | |
|----|-----------------------|----|---------------|
| 1. | Runners and Sides | 3. | Cover caps |
| 2. | Front-fixing brackets | 4. | Back brackets |


Height Requirement




Installation for screw on front-fixing bracket



Front drilling for EXPANDO front-fixing brackets




Back installation dimensions



Note: For Assembly, adjustment, runner positions and base and back cutting dimensions see Page 1.16 - 1.18

Drawer Sides and Runners - 40 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
500 mm	B770N500	B770N500TB	12	B770N500I	B770N500TBI	1/6

TOB* = TIP-ON BLUMOTION (See page 1.72 for technical details)

Front-fixing brackets

2



Front Brackets (2 Pcs Required)	Screw On	P.U	EXPANDO	P.U
	BZF7N7002	500	BZF7N70E2	500


Back Brackets for Wooden Backs



3

	Orion Grey	P.U	Inox	P.U
Back set	BZB7N000SET	48	BZB7M000SETI	1/25

Synchronisation Rods for TIP-ON BLUMOTION



Cabinet Width	600 mm	800 mm	900 mm	1400 mm	P.U
Link Rod Length	318 mm	518 mm	618 mm	1125 mm	1/25
Link Rod Code	BT60L318W	BT60L318W	BT60L318W	BT60.1125W	
Bracket (2 pcs)	BT60.000D				1/25

Note: All link rods can be cut to suit all drawer widths: Internal Carcase Width - 247 mm


DRAWER BOX SYSTEMS

Blum LEGRABOX M Height




LEGRABOX Standard height drawer


- Concealed, guided, full extension
- Integrated BLUMOTION soft close
- Drawer side height M = 83.6 mm
- Front height ≥ 124 mm (Bottom drawer 18 mm overlay)
- Unparalleled running action for the lifetime of the furniture
- Orion Grey or Stainless Steel Finishes
- 40 kg weight carrying capacity 270 - 500 mm
- 70 kg weight carrying capacity 450 - 650 mm
- 3 dimensional front adjustment



Space Requirement




Components




- | | | | |
|----|-----------------------|----|---------------|
| 1. | Runners and Sides | 3. | Cover caps |
| 2. | Front-fixing brackets | 4. | Back brackets |

Height Requirement




* +1 mm if profile is attached to side before assembly


Installation for screw on front-fixing bracket



Front drilling for EXPANDO front-fixing brackets




Back installation dimensions



Note: For Assembly, adjustment, runner positions and base and back cutting dimensions see Page 1.16 - 1.18

Drawer Sides and Runners - 40 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
270 mm	B770M270	B770M270TB	1/6	B770M270I	B770M270TBI	1/6
350 mm	B770M350	B770M350TB	1/6	B770M350I	B770M350TBI	1/6
400 mm	B770M400	B770M400TB	1/6	B770M400I	B770M400TBI	1/6
450 mm	B770M450	B770M450TB	12	B770M450I	B770M450TBI	1/6
500 mm	B770M500	B770M500TB	12	B770M500I	B770M500TBI	1/6

TOB* = TIP-ON BLUMOTION (See page 1.72 for technical details)

Drawer Sides and Runners - 70 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
450 mm	B773M450	B773M450TB	1/6	B773M450I	B773M450TBI	1/6
500 mm	B773M500	B773M500TB	1/6	B773M500I	B773M500TBI	1/6
550 mm	B773M550	B773M550TB	1/6	B773M550I	B773M550TBI	1/6
600 mm	B773M600	B773M600TB	1/6	B773M600I	B773M600TBI	1/6

TOB* = TIP-ON BLUMOTION (See page 1.72 for technical details)

Front-fixing brackets


2



Front Brackets (2 Pcs Required)	Screw On	P.U	EXPANDO	P.U
	BZF7M7002	500	BZF7M70E2	500

Cover Caps


3



Cover Cap (2 Pcs Required)	Cover Cap	P.U	Cap with Logo	P.U
	BZA70700	1000	BZA70700L	1000

Back Brackets for Wooden Backs


4



	Orion Grey	P.U	Inox	P.U
Left Bracket	BZB7M000L	48	BZB7M000SETI	1/25
Right Bracket	BZB7M000R	48		

Note: A complete range of steel backs are available in Orion Grey Finish please see page 1.16

Synchronisation Rods for TIP-ON BLUMOTION



Cabinet Width	600 mm	800 mm	900 mm	1400 mm	P.U
Link Rod Length	318 mm	518 mm	618 mm	1125 mm	1/25
Link Rod Code	BT60L318W	BT60L318W	BT60L318W	BT60.1125W	
Bracket (2 pcs)	BT60.000D				1/25

Note: All link rods can be cut to suit all drawer widths: Internal Carcase Width - 247 mm


DRAWER BOX SYSTEMS

Blum LEGRABOX C Height




LEGRABOX C height Pot drawer


- Concealed, guided, full extension
- Integrated BLUMOTION soft close
- Front height ≥ 211 mm (Bottom drawer 18 mm overlay)
- Unparalleled running action for the lifetime of the furniture
- Orion Grey or Stainless Steel Finishes
- 40 kg weight carrying capacity 350 - 500 mm
- 70 kg weight carrying capacity 450 - 650 mm
- 3 dimensional front adjustment



Space Requirement




Components




- | | | | |
|----|-----------------------|----|---------------|
| 1. | Runners and Sides | 3. | Cover caps |
| 2. | Front-fixing brackets | 4. | Back brackets |

Height Requirement




* +1 mm if profile is attached to side before assembly


Installation for screw on front-fixing bracket



Front drilling for EXPANDO front-fixing brackets




Back installation dimensions



Note: For Assembly, adjustment, runner positions and base and back cutting dimensions see Page 1.16 - 1.18

Drawer Sides and Runners - 40 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
270 mm	B770C270	B770C270TB	1/6	B770C270I	B770C270TBI	1/6
350 mm	B770C350	B770C350TB	1/6	B770C350I	B770C350TBI	1/6
400 mm	B770C400	B770C400TB	1/6	B770C400I	B770C400TBI	1/6
450 mm	B770C450	B770C450TB	12	B770C450I	B770C450TBI	1/6
500 mm	B770C500	B770C500TB	12	B770C500I	B770C500TBI	1/6

TOB* = TIP-ON BLUMOTION (See page 1.72 for technical details)

Drawer Sides and Runners - 70 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
450 mm	B773C450	B773C450TB	1/6	B773C450I	B773C450TBI	1/6
500 mm	B773C500	B773C500TB	1/6	B773C500I	B773C500TBI	1/6
550 mm	B773C550	B773C550TB	1/6	B773C550I	B773C550TBI	1/6
600 mm	B773C600	B773C600TB	1/6	B773C600I	B773C600TBI	1/6

TOB* = TIP-ON BLUMOTION (See page 1.72 for technical details)


Front-fixing brackets



2

Front Brackets (2 Pcs Required)	Screw On	P.U	EXPANDO	P.U
	BZF7C7002	500	BZF7C70E2	500


Cover Caps



3

Cover Cap (2 Pcs Required)	Cover Cap	P.U	Cap with Logo	P.U
	BZA70700	1000	BZA70700L	1000

Back Brackets for Wooden Backs




4

	Orion Grey	P.U	Inox	P.U
Left Bracket	BZB7C000L	48	BZB7C000SETI	1/25
Right Bracket	BZB7C000R	48		

Note: A complete range of steel backs are available in Orion Grey Finish please see page 1.16

Synchronisation Rods for TIP-ON BLUMOTION



Cabinet Width	600 mm	800 mm	900 mm	1400 mm	P.U
Link Rod Length	318 mm	518 mm	618 mm	1125 mm	1/25
Link Rod Code	BT60L318W	BT60L318W	BT60L318W	BT60.1125W	
Bracket (2 pcs)	BT60.000D				1/25

Note: All link rods can be cut to suit all drawer widths: Internal Carcase Width - 247 mm


DRAWER BOX SYSTEMS

Blum LEGRABOX Free C Height




LEGRABOX Free C height Pot drawer


- Concealed, guided, full extension
- Integrated BLUMOTION soft close
- Front height ≥ 211 mm (Bottom drawer 18 mm overlay)
- Unparalleled running action for the lifetime of the furniture
- Orion Grey or Stainless Steel Finishes
- 40 kg weight carrying capacity 350 - 500 mm
- 70 kg weight carrying capacity 450 - 650 mm
- 3 dimensional front adjustment



Space Requirement




Components




- | | |
|--------------------------|-------------------|
| 1. Runners and Sides | 4. Back brackets |
| 2. Front-fixing brackets | 5. Design element |
| 3. Cover caps | |

Height Requirement




* +1 mm if profile is attached to side before assembly


Installation for screw on front-fixing bracket



Front drilling for EXPANDO front-fixing brackets




Back installation dimensions



Note: For Assembly, adjustment, runner positions and base and back cutting dimensions see Page 1.16 - 1.18

Drawer Sides and Runners - 40 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
350 mm	B780C350	B780C350TB	1/6	B780C350I	B780C350TBI	1/6
400 mm	B780C400	B780C400TB	1/6	B780C400I	B780C400TBI	1/6
450 mm	B780C450	B780C450TB	12	B780C450I	B780C450TBI	1/6
500 mm	B780C500	B780C500TB	12	B780C500I	B780C500TBI	1/6

TOB* = TIP-ON BLUMOTION (See page 1.72 for technical details)

Drawer Sides and Runners - 70 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
450 mm	B783C450	B783C450TB	1/6	B783C450I	B783C450TBI	1/6
500 mm	B783C500	B783C500TB	1/6	B783C500I	B783C500TBI	1/6
550 mm	B783C550	B783C550TB	1/6	B783C550I	B783C550TBI	1/6
600 mm	B783C600	B783C600TB	1/6	B783C600I	B783C600TBI	1/6

TOB* = TIP-ON BLUMOTION (See page 1.72 for technical details)


Front-fixing brackets



2

Front Brackets (2 Pcs Required)	Screw On	P.U	EXPANDO	P.U
	BZF7C7002	500	BZF7C70E2	500


Cover Caps



3

Cover Cap (2 Pcs Required)	Cover Cap	P.U	Cap with Logo	P.U
	BZA70700	1000	BZA70700L	1000

Back Brackets for Wooden Backs




4

	Orion Grey	P.U	Inox	P.U
Left Bracket	BZB7C000L	48	BZB7C000SETI	1/25
Right Bracket	BZB7C000R	48		

Note: A complete range of steel backs are available in Orion Grey Finish please see page 1.16

Clear Glass Design Elements




5

Drawer Depth	350 mm	400 mm	450 mm	500 mm	550 mm	600 mm
Set of Glass	BZE7S238G	BZE7S288G	BZE7S338G	BZE7S388G	BZE7S438G	BZE7S488G

Note: For cutting design elements: Drawer Depth - 112 mm x 138 mm High x 10 mm Thick

Synchronisation Rods for TIP-ON BLUMOTION



Cabinet Width	600 mm	800 mm	900 mm	1400 mm	P.U
Link Rod Length	318 mm	518 mm	618 mm	1125 mm	1/25
Link Rod Code	BT60L318W	BT60L318W	BT60L318W	BT60.1125W	
Bracket (2 pcs)	BT60.000D				1/25

Note: All link rods can be cut to suit all drawer widths: Internal Carcase Width - 247 mm


DRAWER BOX SYSTEMS

Blum LEGRABOX F Height




LEGRABOX F height Pot drawer


- Concealed, guided, full extension
- Integrated BLUMOTION soft close
- Front height ≥ 275 mm (Bottom drawer 18 mm overlay)
- Unparalleled running action for the lifetime of the furniture
- Orion Grey or Stainless Steel Finishes
- 40 kg weight carrying capacity 450 - 500 mm
- 70 kg weight carrying capacity 450 - 600 mm
- 3 dimensional front adjustment




Space Requirement



Components




Height Requirement




* +1 mm if profile is attached to side before assembly


Installation for screw on front-fixing bracket



Front drilling for EXPANDO front-fixing brackets




Back installation dimensions



Note: For Assembly, adjustment, runner positions and base and back cutting dimensions see Page 1.16 - 1.18

Drawer Sides and Runners - 40 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
450 mm	B770F450	B770F450TB	1/3	B770F450I	B770F450TBI	1/3
500 mm	B770F500	B770F500TB	1/3	B770F500I	B770F500TBI	1/3

TOB* = TIP-ON BLUMOTION (See page 1.73 for technical details)

Drawer Sides and Runners - 70 kg




1

Nominal Length	Orion Grey		P.U	Inox 		P.U
	BLUMOTION	TOB*		BLUMOTION	TOB*	
450 mm	B773F450	B773F450TB	1/3	B773F450I	B773F450TBI	1/3
500 mm	B773F500	B773F500TB	1/3	B773F500I	B773F500TBI	1/3
550 mm	B773F550	B773F550TB	1/3	B773F550I	B773F550TBI	1/3
600 mm	B773F600	B773F600TB	1/3	B773F600I	B773F600TBI	1/3

TOB* = TIP-ON BLUMOTION (See page 1.73 for technical details)

Front-fixing brackets



2

Front Brackets (2 Pcs Required)	Screw On	P.U	EXPANDO	P.U
	BZF7F7002	500	BZF7F70E2	500


Cover Caps



3

Cover Cap (2 Pcs Required)	Cover Cap	P.U	Cap with Logo	P.U
	BZA70700	1000	BZA70700L	1000

Back Brackets for Wooden Backs




4

	Orion Grey	P.U	Inox	P.U
Bracket L+R	BZB7F000SET	50	BZB7F000SETI	50

Note: A complete range of steel backs are available in Orion Grey Finish please see page 1.16

Synchronisation Rods for TIP-ON BLUMOTION



Cabinet Width	600 mm	800 mm	900 mm	1400 mm	P.U
Link Rod Length	318 mm	518 mm	618 mm	1125 mm	
Link Rod Code	BT60L318W	BT60L318W	BT60L318W	BT60.1125W	
Bracket (2 pcs)	BT60.000D				1/25

Note: All link rods can be cut to suit all drawer widths: Internal Carcase Width - 247 mm



LEGRABOX Inner Front for Standard Drawers

- Supplied in component form for quick assembly
- Available in Orion Grey or Stainless Steel
- Full colour coordination with LEGRABOX sides
- No change to drilling positions or drawer bases



LEGRABOX Inner Front with Rail - C Height

- Supplied in component form for quick assembly
- Easy grip handle rail
- Available in Orion Grey or Stainless Steel
- Full colour coordination with LEGRABOX sides
- No change to drilling positions or drawer bases



LEGRABOX Inner Front Half Glass - C Height


- Supplied in component form for quick assembly
- Half glass feature for easier access to higher drawers
- Available in Orion Grey or Stainless Steel
- Full colour coordination with LEGRABOX sides
- No change to drilling positions or drawer bases



LEGRABOX Inner Front Full Glass - C Height

- Supplied in component form for quick assembly
- Full glass feature for access to lower drawers
- Available in Orion Grey or Stainless Steel
- Full colour coordination with LEGRABOX sides
- No change to drilling positions or drawer bases


Cut to Suit Inner Drawer Fronts M-Height



Description	Orion Grey	INOX	P.U
Inner front bracket set M	BZI70M	BZI70MI	1/6
Cross profile 1043 mm*	BZV71043	BZV71043I	1/12

*Cut to size profile dimensions = Internal Carcase width - 126 mm

Cut to Suit Inner Fronts C Height with Rail




Description	Orion Grey	INOX	P.U
Inner front bracket set C	BZI73C	BZI73CI	1/6
Cross profile 1043 mm*	BZV71043	BZVF1043I	1/12
Cross top rail 1080 mm**	BZR71080	BZR71080I	1/20

*Cut to size profile dimensions = Internal Carcase width - 126 mm

**Cut to size rail dimensions = Internal Carcase width - 90 mm

Cut to Suit Inner Fronts C Height Half Glass




Description	Orion Grey	INOX	P.U
Inner front bracket set C	BZI72C	BZI72CI	1/6
Low Cross profile 1043 mm*	BZV71043M	BZV71043MI	1/24
Glass 70 mm x 1200 mm**	BZE7V1082G		1/10

*Cut to size profile dimensions = Internal Carcase width - 126 mm

**Cut to size glass dimensions = Internal Carcase width - 80 mm

Cut to Suit Inner Fronts C Height Full Glass



Description	Orion Grey	INOX	P.U
Inner front bracket set C	BZI72C	BZI72CI	1/6
Low Cross profile 1043 mm*	BZV71043M	BZV71043MI	1/24
Glass 138 mm x 1200 mm**	BZE7W1082G		1/10

*Cut to size profile dimensions = Internal Carcase width - 126 mm

**Cut to size glass dimensions = Internal Carcase width - 80 mm

Glass cutting set




Art. Nr	P.U
B658000	1

Includes: Oil Glass Cutter, Cutting Liquid and a Diamond file

DRAWER BOX SYSTEMS

Blum LEGRABOX Backs and Bases



LEGRABOX Steel Back Programme

- Reduces production time spent on timber backs (No need to cut and edge chipboard)
- Orion Grey finish to match drawer sides
- Designed to suit cabinets with 18 mm gables
- Full Programme available
- Special sizes and finishes on request (Minimum order quantities & lead times apply to special sizes)

Steel Back Orion Grey Finish

Cabinet Width	Standard Drawer	P.U	Pot drawer C	P.U	Pot Drawer F	P.U
400 mm	BZB7M332S	24	BZB7C332S	12	BZB7F332S	12
450 mm	BZB7M382S	24	BZB7C382S	12	BZB7F382S	12
500 mm	BZB7M432S	24	BZB7C432S	24	BZB7F432S	24
600 mm	BZB7M532S	24	BZB7C532S	24	BZB7F532S	24
800 mm	BZB7M732S	24	BZB7C732S	24	BZB7F732S	24
900 mm	BZB7M832S	24	BZB7C832S	24	BZB7F832S	16
1000 mm	BZB7M932S	24	BZB7C932S	12		



LEGRABOX Chipboard Base Programme

- Reduces production time spent on bases
- Orion Grey finish to match drawer sides
- Designed to suit cabinets with 18 mm gables
- Full Programme available
- Special sizes and finishes on request (Minimum order quantities & lead times apply to special sizes)

Pre-Cut Chipboard bases 16 mm



Cabinet Width	Nominal Length			P.U
	270 mm	450 mm	500 mm	
300 mm	N/A	DBL4530	DBL5030	1
400 mm	DBL2740	DBL4540	DBL5040	1
450 mm	DBL2745	DBL4545	DBL5045	1
500 mm	DBL2750	DBL4550	DBL5050	1
600 mm	N/A	DBL4560	DBL5060	1
800 mm	N/A	DBL4580	DBL5080	1
900 mm	N/A	DBL4590	DBL5090	1
1000 mm	N/A	DBL45100	DBL50100	1

Pre-Cut and & edged backs 16 mm

Drawer Height	Height	Length	Code	P.U
N	N/A			
M	63 mm	1126 mm	DBLM1200	1
C	148 mm	1126 mm	DBLC1200	1
F	212 mm	1126 mm	DBLF1200	1

• Backs are designed to suit 1200 mm width cabinet
 • They can be cut-to-suit: Internal Cabinet width - 38 mm
 • M back can be cut to 39 mm height to suit N height

Base Cutting Dimensions



Base Cutting Dimensions

	Width	Length
Chipboard back	Internal Carcase Width - 35 mm	Drawer Length - 10 mm

Back Cutting Dimensions

	Height	Width	Height
Shallow Drawer	N	Internal Carcase Width - 38 mm	39 mm
Standard Drawer	M	Internal Carcase Width - 38 mm	63 mm
Pot Drawer	C	Internal Carcase Width - 38 mm	148 mm
Pot Drawer	F	Internal Carcase Width - 38 mm	212 mm



LEGRABOX
Assembly Video



LEGRABOX
Adjustment Video




Inner Fronts
Assembly Video


DRAWER BOX SYSTEMS

LEGRABOX Runner Positions

40 kg Fixing positions




70 kg Fixing positions



Cabinet Planning 3 / 5 drawer cabinets

Right hand Gable



Runner fixing positions for 450 mm and 500 mm Nominal length drawers



Drawer Front Options

1 x 139 mm
2 x 283 mm

5 x 139 mm



Notes: Drawer positions are based on best use of storage space of a cabinet constructed with 18 mm material.

F* = Extra front fixing bracket for use with F height drawers page 1.13

Should you require different cabinet drawer combinations or construction please contact our head office.