AIR MATTERS COLLECTION 2022





LEAVING A NEW IMPRESSION IN THE AIR

At Faber, we are always looking for innovative technologies and solutions inspired by nature that respect the environment so that you can live in better harmony with the planet at home.





IMPROVING AIR SINCE 1955, TO MAKE THE WORLD A HAPPIER PLACE.

There's nothing we don't know about air at FABER. Our know-how in suction allowed us to invent the kitchen hood. Over the years we've moulded air into a thousand forms, just like steel, plexiglass, glass and wood. As if by magic, we've compressed it, made it disappear and reappear from nowhere. We've turned the kitchen hood into an object of design and a work of art.

We've given it smart functions as a light fitting, air conditioner and filter and even connected it to the future. Always quick to see how the world is changing, we're still innovating today, to make tomorrow's air even purer.

We use air technology in another way too: to improve people's wellbeing and their quality of life. Living with a FABER hood means feeling protected in your home and natural environment. It means the satisfaction of comfort and versatility, and improving with every day that passes.

FABER works to make your wishes come true, to let you breathe the air of your dreams.

Everybody has a world of their own and we want to make it a happy one.



Faber Plast is founded.



1999

M@STER

The first smart hood.



1958

The first Plexiglas hood.



2004

MATRIX

The first hood that hangs like a picture.



1986

NOVA

The first chimney hood.



1995

AXIA

The first T-shape hood.



2008

KLIMA

The first air conditioning hood.



2010

F-LIGHT GENERATION

The first chandelier hoods.



reddot award 2017 winner





2018

GLOW

With Airlane Technology



2019

GALILEO

The first hob extractor in A+++



2020

K-AIR

The first touch screen connected hood with air quality sensor.

2016

TALÌKA

The first totally vertical hood.



A **VISION** OF **GLOBAL** REACH

FABER has a lot in common with air... both are present all over the world. Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both.

INVESTING IN THE WORLD

Always growing, to serve more people.

THINKING LONG TERM

All-round competence: automation,

robotics, IT, total quality.

INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.

HEADQUARTER

Fabriano - ITALY

COMMERCIAL OFFICE

Hudson - USA

Chambly - FRANCE

Istanbul - TURKEY

Mosca - RUSSIA

Pune - INDIA

PLANT

Sassoferrato - ITALY

Manisa - TURKEY

Villedieu-les-Poêles - FRANCE

Byske - SWEEDEN

Kaluga - RUSSIA

Pune - INDIA

San Luis - ARGENTINA

San Luis Potosí - MEXICO




PEOPLE ARE OUR INSPIRATION

At Faber, we know how to look far but also very close. **We look at people because they are our inspiration**.

Their needs, desires and dreams are the basic principles for which we strive to supply better and better answers, time after time.

Everyday actions in a kitchen, even the smallest ones, tell of a daily routine that is a matter of careful study for us so they can be simpler, safer and more spontaneous for you. Everything depends on **wellness** of the people.





SAFETY IS IN RELIABLE HANDS

Reliability is a constant characteristic of all

FABER products. It becomes easier to appreciate with time, a certainty.

When everything is working as it should, home is a more relaxing place. And when the air is pure and clean, home becomes a place of true wellbeing. That's what reliability means to us: making life better for years to come.

RECORDS IN EXCELLENCE

- The first ISO 9001 Quality Certification in the field of kitchen hoods.
- SGS Certificate of Excellence n°001: a worldwide first.
- Integrated Management System for Quality (ISO 9001:2015), Occupational Health and Safety (OHSAS 18001) and the Environment (ISO 14001) certified by SGS.
- Products conforming to the strictest safety requirements and to standards **EN 61591** and **EN 60704-3**, tested in an authorised in-house laboratory, certified and guaranteed by leading international bodies.

IMQ The Italian Quality Mark

SEMKO International Safety Certification by Intertek ETL

CCC The Chinese Quality Mark

CE The EU Safety Mark **UL** The Quality Mark for the USA and Canada



DREAM

TRENDY, CONTEMPORARY, TECHNOLOGICAL.

A design that expresses distinctive aesthetics, care to detail and innovation to make you live the comfort of your kitchen environment as a new experience.

A hood equipped with the trendiest applications of the moment and the smartest features, such as a timer, remote control and connection to the home automation system.



EMOTION

TIMELESS, COMFORTABLE, VERSATILE.

The technology that makes the kitchen more welcoming, turning it into the heart of the house. Quiet, efficient and with a lower impact on the environment. A hood that knows how to excite with the presence of natural materials, such as wood, and warm colours. And it can create a laid-back atmosphere, hinting to tradition and packed with style.




SMILE

PRACTICAL, FUNCTIONAL, CURRENT

The simplicity that makes you love it and the ease of use that improves everyday life, with the certainty of constant and enduring reliability. A hood that is also easy to clean and that satisfies all practical requirements while being remarkably effective in neutralising fumes, vapours and odours in the kitchen, making the environment even more comfortable.









K-Air 28



T-Air 29



Heaven Air 34



V-Air 30

Galileo Smart 38

Galileo 60 40

Galileo NG 42

Bella Silence 73













Chloè 68 Chloè XL 70

Cocktail 62 **Daisy Plus** 60

Glam-Fit 57

Glam Fit Zero Drip Plus 48 **Glam Fit Zero** Drip 50















Glam-Light 58

Glam Light Zero Drip 51

Glam Light Zero Grèxia 59 **Drip Plus** 49

Nice 72

Onyx-T 63

Onyx-V 52

























Stilo Glass

Stilo Glass Smart 75



Strip Smart 77

Talìka 54

T-Dark 64 **T-Light** 65



Twice 53

Stilo Smart 76

Strip 78



CEILING ISLAND





Tweet 61



Vesta 79



Veil 56



Bella Silence Island 92 **Glassy Island** 91















Heaven 2.0 **Heaven 2.0** 86 **Flat** 85


Heaven Compact 87

High-Light 83

Onyx-C~84

Skypad 2.0 88

Stilo Comfort Island 93



ADVANCED TECHNOLOGY FOR REAL LIFE BENEFITS.

ABER CLOUD



The exclusive Faber Cloud app can be used to monitor the air quality in your kitchen and adjust the main settings of your hood at any time, even from your mobile phone.

-LINK



With the radio connection between the hood and Faber induction hob, the suction power is automatically adjusted according to the selected cooking level to optimise performance and avoid unnecessary waste. AIR QUALITY SENSOR



Keep temperature, humidity percentage and the presence of volatile organic compounds under control in the domestic environment. The sensor automatically adjusts the suction power until perfect air quality is restored.

SIL & STILL



All hoods in the line-up already have a noise level at the maximum power of only 52 dB(A). The Eco Function can be activated by combining the effects of SIL & STILL TECHNOLOGY and the exclusive BRUSHLESS motor, for continuous 24-hour, energy-efficient air exchange in the surrounding environment, silently below 40 dB(A).

ZERO DRIP



Stop condensation! Zero Drip collects it in a frame preventing it from dripping onto the hob. Zero Drip Plus makes it evaporate thanks to the specially heated glass of the hood.

AUTILUS



More power, less noise, superior comfort! Faber technology increases suction capacity by 30 m3/h, reduces noise and improves efficiency, always with minimal consumption.

ARIES



With the power of two brushless motors, Aries achieves a suction capacity of over 700 m3 abating noise by 9 dB(A). The superior, energy-saving and quiet performance of Aries puts vertical hoods in Class A.

BRUSHLESS



The brushless motor guarantees considerable energy saving coupled with high extraction efficacy. It is the most silent motor on the market and its performance remains stable in any usage condition.

WATERPROOF



Any liquid spilled during cooking flows directly into a suction grille and is collected in an automatically drained tray under the hood, small enough to leave space for a utensil drawer.

POWER MANAGEMENT



Adjustable absorption setting on 4 power levels (KW). No more blackouts at home!

FILTER ALARM



Filter saturation alarm: warns you when it is time to clean the anti-grease filter or substitute the anti-odour filter.

ANTI



Special smudge-proof materials for a perfectly clean hood and a surface without annoying stains.

ZEAR OUTLET



The rear air outlet available with many FABER hoods allows fumes to be channelled to the rear instead of upwards. This eliminates the need for an upper duct, freeing up useful space above the hood.

SOFT



FENIX®, a high-tech material with unique characteristics. Soft and smooth to the touch, matt and smudge-proof surface.

DELAY 30



Automatic shutdown delay: you can postpone the motor shutdown to eliminate residual odours completely.

PERIMETER ASPIRATION



25% less* perceived noise. Perimeter suction exploits the Venturi effect to accelerate the air flow through a narrow gap. The air slows down again once inside the hood for more efficient extraction.

*Equivalent to a reduction of 3 dB(A) according to EN 60704-3.

ILTERING



Capable of eliminating 95% of bad smells, the technology guarantees maximum effectiveness in activated carbon filtering. HFH technology makes the hood more efficient for air purification from all odours..

SEMOTE SLOWER



Available on many products, it allows you to install the motor away from the hood to reduce the noise in the kitchen. For acoustic comfort at the highest level.

SELF START



A special sensor switches the hood on as soon as air temperature reaches 35°C.

A smart sensor activates your hood automatically whenever needed. Faber loves to make cooking easier and more enjoyable!

AUTOMATIC FUNCTION



The hood will turn on at the most suitable speed automatically, adapting the extraction capacity to the maximum cooking level.

IOUR 24



Key 24: function which allows the hood to be switched on for 24 hours a day for air renewal with a level of noise that is imperceptible.

() () ()



Thanks to the LED lighting you will have a brilliant light and excellent visibility over the entire cooking area, with a considerable energy saving.

LED LIGHT DIMMER



Dimmable light: at the touch of a button the light is dimmed down and can be left on for a long time with minimal energy consumption.

SPEED I



Intensive speed: function which activates maximum aspiration for 6 minutes to meet special cooking needs.

TUNABLE WHITE



On some models, you can choose and vary the colour temperature of the light, from warmer (tending to yellow) to colder (tending to white).

BOOST



Thanks to the Double Intensive Function. Even the most persistent cooking steam and smells are eliminated in just a few minutes.

LONG LIFE FILTER



Multi-layer filter, it guarantees a double filtration and an optimal air cleanliness,that lasts for up to 3 years and are dishwasher safe

OUCH CONTROL



Extremely comfortable, user-friendly Touch Slider controls.

EMOTE ONTROL



The new remote control is compatible with many Faber hoods. To adjust suction and special functions, such as the courtesy light, 24H, Up&Down and Steam Off features. Controlling your hood is easier than ever.

IIGH FFICIENCY



High-efficiency filter, it guarantees more than 80% filtration capacity of intake fumes and a duration of up to 6 months.





GREEN INNOVATION. THE FUTURE IS IN OUR HANDS

WE ALSO THINK ABOUT THE PLANET


Making sustainable choices is essential to respect the world we live in. Therefore, it is important to choose a hood that is energy-efficient. By developing solutions aimed at lower environmental impact and greater energy savings, Faber also takes care of the planet


LED LIGHT

All FABER hoods incorporate LED lighting technology. The LED units consume next to nothing and produce a pleasantly natural light that ensures perfect visibility without altering colours

HIGHER CLASS ENERGY

Today, Faber hoods are confirmed in the highest energy classes. They ensure superlative performance and minimum consumption of the suction motor, filtering system and lighting. The top-of-the-range Galileo hob extractor achieves excellence in Class A+++.







K-LINK TECHNOLOGY

AND THE HOOD ADJUSTS ITSELF AUTOMATICALLY



FREE HANDS IN THE KITCHEN. THANK YOU, FABER

The beauty of cooking is also that you can express yourself freely, without distractions. If you have an induction hob and a Faber cooker hood with K-LINK connection, just start cooking and the suction power of the hood automatically adjusts to the selected cooking level.

HOB AND HOOD DIALOGUE WITH EACH OTHER

Faber has created an intelligent connection between hob and hood, through an integrated system that works with radio waves. A simple gesture is all it takes to set the hood to automatic operation. The system is always active because the radio signal is never interrupted. At the same time, the perfect operation of the hood is guaranteed avoiding the waste of energy and excessive noise that you could have set the suction at a level too high compared to the produced fumes.










The connection is always active even in the presence of dirt residues on the hob.

It can be controlled manually whenever you want.





CONDENSATION IS NO LONGER A PROBLEM

FABER ELIMINATES THE PROBLEM OF CONDENSATION

Eliminating condensation is essential to protect the wall unit where the hood is installed and to prevent drops of moisture from falling onto the hob. Faber has succeeded by creating special anti-condensation systems of total effectiveness.

ZERO DRIP

The Faber Zero Drip and Zero Drip Plus systems stop condensation after it has formed. The first one collects it in a groove preventing it from dripping onto the hob. The second makes it evaporate through contact with specially heated surfaces.







ZERO DRIP PLUS

Pressing a button on the glass part of the hood activates a heating resistor that makes the condensation evaporate completely.

Models with technology ZERO DRIP or ZERO DRIP PLUS



Glam Fit Zero Drip




Glam Fit Zero Drip Plus



Glam Light Zero Drip



Glam Light Zero Drip Plus



QUIETNESS THAT RESPECTS NATURE

THE FIRST COMFORT IS SILENCE

To make the kitchen a comfortable environment to live in, it is essential to have a hood that works making as little noise as possible, even at top power.

BRUSHLESS MOTOR

Faber is constantly looking for technologically advanced solutions and with this motor, it guarantees the best energy efficiency on the market.

SIL & STILL TECHNOLOGY

Based on the study of aerodynamic flows inside the hood and targeted sound insulation, this Faber technology reduces noise at top power to just 52 dB(A). By activating the Eco Function, it ensures continuous air exchange in the surrounding environment for 24 hours, silently and with minimum consumption below 40 dB(A) comparable to the quietness of a library.


REMOTE BLOWER

The noise of the hood can be minimised by moving the motor away.









THE SILENT PLEASURE OF A REMOTE MOTOR




REMOTE SUCTION KIT

The remote suction kit, with the utmost simplicity, makes it possible to move the hood motor away from the cooking area.

THE SILENCE INCREASES SIX METRES AWAY

With the Remote Suction Kit, the motor can be moved to another location of the house up to six metres away from the hood. Minimal noise and maximum comfort are ensured not only in the kitchen but also in the living area.





SOFT LINE REVOLUTIONISES DESIGN

Soft Line is the Faber range of hoods made with FENIX®, a high-tech material with unique characteristics. The matte, smudge-proof surface is soft to the touch and reflects very little light. It is non-porous to facilitate daily maintenance and cleaning.

FENIX® is a material with high resistance to scratches, abrasions, dry heat and acids. Its properties make it perfect for kitchens

Another characteristic is that it can self-heal surface micro-scratches.










The Faber Soft Line consists of a suspended hood F-light (Soft Cube) and two vertical wall-mounted hoods (Soft Edge e Soft Slim). They are all available with three FENIX® finishes: Grigio Londra, Bianco Kos or Nero Ingo.



21



LESS CONSUMPTION, MORE EFFICIENCY

FLAT DESIGN AND MAXIMUM COMFORT

Completely flat vertical hoods, for an even more trendy ultra-slim design. This is achieved with the Faber diffusers that concentrate the maximum suction power and the best energy efficiency in just 15 cm.

NAUTILUS

The exclusive diffuser design naturally inspired by the golden ratio for superlative comfort and outstanding performance. Nautilus hoods are Ultra Thin, Low Energy consumption with Hi efficiency

ARIES

With the power of two brushless motors, Aries achieves performance with a suction capacity of over 700 m3 abating noise to 9 dB(A). The hoods with Aries technology are in Class A+.

Models with technology NAUTILUS and ARIES



Glam-Fit



Glam Fit Zero Drip



Glam Fit Zero Drip Plus



Soft Slim







Talìka



HFH TECHNOLOGY

HIGH FILTERING NO BAD SMELLS



ONLY FABER HOODS ELIMINATE 95% OF ODOURS.

What's the most effective activated carbon filtration technology? It's called HFH, which stands for "HIGH FILTERING HOOD". And it's a FABER exclusive, of course. HFH improves hood performance by removing odours from the air almost totally.

A LARGER SURFACE AREA AND TWO LAYERS OF ULTRA-EFFICIENT FILTER MATERIAL.

Faber's potent HFH technology is based on a cylindrical filter design with a far larger surface area. It's twice as effective too, because it uses two high-effciency filtration layers with different porosities and activated carbon concentrations. That's how the filter captures both large and small particles.

FABER MAKES THINGS EASIER...QUIETLY.

Unlike other activated carbon filter systems, HFH also reduces noise by around 3 dB(A). And the smart, cylindrical shape of the filter makes easy work of removing the dishwashercompatible filter material.



AIR TREATMENT SMART HOODS



HOODS CONNECTED TO YOUR WORLD

All hoods in the AIR TREATMENT by Faber range fit an Air Quality Sensor. This innovative device monitors the air and activates suction if it detects the presence of allergens, pollutants or odours. By storing data on the Faber cloud, via an app that can be downloaded to smartphones, you can monitor the air quality at home at any time, even remotely.



K-AIR WITH INTEGRATED MONITOR

K-Air is an intelligent vertical hood with a built-in 21" monitor that can be controlled directly via the touchscreen or app. The exclusive Sensor Air Quality keeps the temperature, the percentage of humidity and the presence of volatile organic compounds (VOC and VOC), Carbon Monoxide and Nitrogen dioxide and methane under control in the domestic environment. The sensor activates the hood as soon as pollution thresholds are exceeded, primarily in the space where you cook.

THE IDEAL SOLUTION FOR YOUR **SMART HOME**



FREES INTERIORS OF ODOURS AND POLLUTANTS



MONITORS HUMIDITY AND TEMPERATURE AND IMPROVES AIR QUALITY



CONNECTION TO YOUR INTERNET BROWSER MAKES YOUR FAVOURITE WEB PAGES ACCESSIBLE ANYTIME (AVAILABLE ON K-AIR MODEL)



THANKS TO THE FABER CLOUD, YOU CAN ACCESS IT FROM ANYWHERE AND CHECK YOUR HOME ENVIRONMENT



ALL FUNCTIONS CAN ALSO BE MANAGED VIA THE FABER APP



The exclusive App is designed to monitor air quality in your kitchen and manage the hood remotely too, with simple and intuitive functions.

A RANGE THAT IS ALWAYS CONNECTED

AIR TREATMENT by Faber is a complete range comprised of vertical, ceiling, T-shape and built-in hood models. All the hoods are equipped with an Air Quality Sensor, connection to the Faber Cloud and can be controlled remotely via the App. In addition, the K-air model comes equipped with the exclusive 21.5 inch integrated monitor.



AIR TREATMENT

BI-AIR 33
C-AIR 32
HEAVEN AIR 34
K-AIR 28
T-AIR 29
V-AIR 30
V-AIR FLAT 31



Controls

Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

800 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Control

F05RC2 €77

Recycling Diverter Black

F05HC1B €31

PERFORMANCE

ORDER CODES

FAKA80KBG

Art. Nr.

Speed	1	2	3	INT
Air m3/h	280	430	580	700
Pressure	420	480	520	530
Input	190	230	255	270
Noise dB(A)	52	59	66	70

Finish

Black Glass


























Width

800 mm



R.R.P

€3,945

You can monitor the air quality at home at any time, even remotely



Controls

Touch Controls

Lighting

LED Light Bar

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	420	580	700
Pressure	410	460	500	520
Input	190	230	255	270
Noise dB(A)	52	59	66	69













0








ORDER CODES

Art. Nr.	Width	Finish	R.R.P	
FATA90KBBG	900 mm	Black / light Brown Glass	€1,259	





Controls

Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

800 mm

Energy Class

A-

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Control

F05RC2 €77

Recycling Diverter Black

F05HC1B €31

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	420	580	720
Pressure	440	500	540	550
Input	175	220	255	270
Noise dB(A)	52	56	62	65


















Optional

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAVA80KBBG	800 mm	Black / light Brown Glass	€985





Controls

Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

800 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF20 €33

Remote Control


F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	190	250	400	570
Pressure	300	450	540	650
Input	100	115	120	125
Noise dB(A)	52	58	67	73



Art. Nr.	Width	Finish	R.R.P
EV/VE8UKBBC	800 mm	Black / light Brown Glass	£1005





















Controls

Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

220 x 90 mm

Width

900 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Control

F05RC2 €77

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	290	400	560	700
Pressure	430	490	530	560
Input	190	230	255	270
Noise dB(A)	53	62	70	72

















3 YEAR








ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FACA90KBBG	900 mm	Black / light Brown Glass	€1,749





Controls

Touch Controls

Lighting

LED Light Bar

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

520 / 700 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Control

F05RC2 €77

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	290	420	580	670
Pressure	410	480	520	540
Input	190	230	255	270
Noise dB(A)	52	61	68	72




















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABIA52KBBG	520 mm	Black / light Brown Glass	€985
FABIA70KBBG	700 mm	Black / light Brown Glass	€1085





Controls

Electronic LED

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

ACCESSORIES

Charcoal Filter F01CF02 €47

Long Life Filter

F01CF02LL €110

F01CF02HP €64

Α

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	290	400	560	700
Pressure	430	490	530	560
Input	190	230	255	270
Noise dB(A)	53	62	70	72


























AIR QUALITY ALWAYS AT HAND

The only stainless steel ceiling hood model equipped with real-time air quality sensor, connected via app for superior functionality and air optimisation even in the most minimalist island kitchens.

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAHA90KSS	900 mm	Stainless Steel	€1,695



Air Outlet adjustable in 4 positions

Remote Blower Kit F10RB01 €261

High Performance Filter

ASPIRATION HOB

GALILEO SMART 38
GALILEO 60 40
GALILEO NG 42





THE MOST EFFECTIVE

With its clever fluid-dynamic design, Galileo stands out for its high collection capacity of up to 6.6 metres per second. Even the most persistent cooking vapours and smells are eliminated in just a few minutes.



EASY TO USE.

The cooktop surface is smooth and seamless allowing dirt to be removed in one simple step.





SPACE SAVING. In the base cabinet Galileo has a smart drawer where you can easily

storage cooking utensils.





EASY TO USE.

The convenient and user-friendly touch slider controls allow you to adjust the cooking zones and the suction level with a simple action.





UNLEASH YOUR CREATIVITY.

The cooking zones can be activated in combined mode to use them together with the same level of power, ideal for cooking food in large pots.






USEFUL


The grease filter is extremely efficient and is also functional because it works as the first barrier and can collect up to 0.5 litres of liquid. It is easily removable and dishwasher-safe.



STANDARD INSTALLATION



FLUSH FIT INSTALLATION





GALILEO SMART can be ducted out via the rear or to the sides, see page 140 for full ducting program





GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP





GALILEO SMART can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm Code Nr: F01RGS100 €265















HOOD PERFORMANCE





HOOD FEATURES

Finish
Black Glass / Cast Iron Grid

Controls

Touch Controls

Grease Filter

Cassettes Dishwasher Safe

Speed	1	3	8	INT	BOOST
Air m3/h	245	350	505	550	700
Pressure	290	525	550	555	560
Input	35	65	130	140	220
Noise dB(A)	51	57	65	66	72

Ø of Air Outlet

220 x 55 mm

Energy Class

A++

Suction Speed

6.6 mps

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGOS83BG	830 mm	Black Glass / Cast Iron Grid	€1,925

GALILEO SMART can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm. Code Nr: F01RGS100 €265













HOB FEATURES


Product Dimensions

INDUCTION HOB FUNCTIONS


Product Dimensions	Induction Zone	4
830 x 520 mm	D:1 C I:	
Induction Zone	Bridge Cooking	2
4	Power Settings (Stages)	9
2100 - 3000 W Single	Timer	1-59 mins
3000 - 3700 W Paired		1 33 111113
Induction Zone Dimensions	Booster	Yes
Single 210 x 190	Auto Switch Off	Yes
Bridge 210 x 390	Pause / Recall	Yes
Induction Technology	Over temperature protection	Yes
B4	Volatge Abnormality Protection	Yes
Power	- Volatige / torrormancy / rotection	
7400 w	Container Detection System	Yes
Voltage	Pot Detection	Yes
220 - 240 v	Power On Indicator	Yes
Frequency	Child lock	Yes
50 / 60 hz		
	Power Limitation	2800w / 3500w /4500w / Full



STANDARD INSTALLATION



FLUSH FIT INSTALLATION




GALILEO 60 can be ducted out via the rear or to the sides, see page 140 for full ducting program





GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP



GALILEO 60 can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm Code Nr: F01RGS100 €265













Speed



HOOD PERFORMANCE





HOOD FEATURES

Finish Black Glass / Cast Iron Grid

Controls

Touch Controls

Grease Filter

Cassettes Dishwasher Safe

Air m3/h	230	310	451	500	630
Pressure	280	500	590	620	630
Input	40	60	100	125	220
Noise dB(A)	49	55	62	65	71

3

Ø of Air Outlet

220 x 55 mm

Energy Class

A++

Suction Speed

6.6 mps

ORDER CODES

Art. Nr.	Width	Finish	R.R.P	
FAGOS60BG	600 mm	Black Glass / Cast Iron Grid	€1,639	

GALILEO 60 can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm. Code Nr: F01RGS100 €265













HOB FEATURES

Product Dimensions


INDUCTION HOB FUNCTIONS

Product Dimensions	Induction Zone	4
600 x 520 mm	Bil C. Ii	
Induction Zone	Bridge Cooking	2
4	Power Settings (Stages)	9
2100 - 3000 W Single	Timer	1-59 mins
3000 - 3700 W Paired		
Induction Zone Dimensions	Booster	Yes
Single 210 x 190	Auto Switch Off	Yes
Bridge 210 x 390	Pause / Recall	Yes
Induction Technology	Over temperature protection	Yes
B4	Volatge Abnormality Protection	Yes
Power		165
7400 w	Container Detection System	Yes
Voltage	Pot Detection	Yes
220 - 240 v	Power On Indicator	Yes
Frequency	Child lock	Yes
50 / 60 hz	Critica fock	
	Power Limitation	2800w / 3500w /4500w / Full


BOOST



STANDARD INSTALLATION



FLUSH FIT INSTALLATION





GALILEO NG can be ducted out via the rear or to the sides, see page 140 for full ducting program





GALILEO CAN FIT IN A 600 / 700 MM DEPTH WORKTOP





GALILEO NG can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm
Code Nr: F01RG100 €485















HOOD PERFORMANCE





HOOD FEATURES

Finish Black Glass / Cast Iron Grid

Controls

Touch Slider Controls

Grease Filter

Cassettes Dishwasher Safe

$\overline{}$	_	_	_	$\overline{}$	_	_

Ø	of	Air	Outlet

220 x 90 mm

Energy Class

A+++

Suction Speed

6.6 mps

Speed	1	3	8	INT	BOOST
Air m3/h	245	350	505	550	700
Pressure	290	525	550	555	560
Input	35	65	130	140	220
Noise dB(A)	51	57	65	66	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGON83BG	830 mm	Black Glass / Cast Iron Grid	€2,625

GALILEO NG can be set to recycling mode with a long lasting filter kit min. plinth height 100 mm. Code Nr: F01RG100 €485











HOB FEATURES

Frequency

50 / 60 hz

Product Dimensions

INDUCTION HOB FUNCTIONS

Product Dimensions	Induction Zone	4
830 x 520 mm	Deigland Condition	
Induction Zone	Bridge Cooking	2
4	Power Settings (Stages)	9
2100 - 3700 W Single	Timer	1-59 mins
4200 - 7400 W Paired	Booster	Yes
Induction Zone Dimensions	Auto Cultula Off	
Single 230 x 210	Auto Switch Off	Yes
Bridge 460 x 210	Pause / Recall	Yes
Induction Technology	Over temperature protection	Yes
G5	N. L. Al. B. L. L.	
Power	Volatge Abnormality Protection	Yes
7400 w	Container Detection System	Yes
Voltage	Pot Detection	Yes
220 - 240 v	Power On Indicator	Yes

Child lock

Yes

WALL

73	SOFT SLIM	47
68	SOLARIS	80
70	STILO COMFORT	74
62	STILO COMFORT SAN	66
60	STILO GLASS COMFORT	67
57	STILO GLASS SMART	75
50	STILO SMART	76
48	STRIP	78
58	STRIP SMART	77
51	TALÌKA	54
49	T-DARK	64
59	T-LIGHT	65
72	TWEET	61
63	TWICE	53
52	VESTA	79
71	VEIL	56
46		
	68 70 62 60 57 50 48 58 51 49 59 72 63 52 71	68 SOLARIS 70 STILO COMFORT 62 STILO COMFORT SAN 60 STILO GLASS COMFORT 57 STILO GLASS SMART 50 STILO SMART 48 STRIP 58 STRIP SMART 51 TALÌKA 49 T-DARK 59 T-LIGHT 72 TWEET 63 TWICE 52 VESTA 71 VEIL



Controls

Touch Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

АН

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Control

F05RC2 €77

Recycling Diverter Black

F05HC1B €31

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	420	580	720
Pressure	440	500	540	550
Input	175	220	255	270
Noise dB(A)	52	56	62	65
















Art. Nr.	Width	Finish	R.R.P
FASEV80BK	800 mm	FENIX Black Swallow	€965
FASEV80WH	800 mm	FENIX White Kos	€965
FASEV80GR	800 mm	FENIX Grey London	€965









Controls

Touch Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF20 €33

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	190	250	400	570
Pressure	300	450	540	650
Input	100	115	120	125
Noise dB(A)	52	58	67	73
















Art. Nr.	Width	Finish	R.R.P
FASSV80BK	800 mm	FENIX Black Swallow	€985
FASSV80WH	800 mm	FENIX White Kos	€985
FASSV80GR	800 mm	FENIX Grey London	€985









Controls

Touch Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF20 €33

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	180	270	390	530
Pressure	320	460	540	630
Input	100	110	115	125
Noise dB(A)	54	57	67	74
















Art. Nr.	Width	Finish	R.R.P
FAGF80BGZDP	800 mm	Black Glass Matt	€1,125
FAGF80DBZDP	800 mm	Dusty Blue Glass Matt	€1,125
FAGF80SGZDP	800 mm	Sand Glass Matt	€1,125







Sand Glass Matt



Dusty Blue Glass Matt



Controls

Touch Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Recycling Diverter

F05HC1B Black €31 F05HC1W White €31

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	410	560	690
Pressure	410	450	500	520
Input	190	230	255	270
Noise dB(A)	53	60	67	71


















Art. Nr.	Width	Finish	R.R.P
FAGL80BGZDP	800 mm	Black Glass Matt	€1,095
FAGL80DBZDP	800 mm	Dusty Blue Glass Matt	€1,095
FAGL80SGZDP	800 mm	Sand Glass Matt	€1.095





Black Glass Matt



Dusty Blue Glass Matt



Controls

Touch Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF20 €33

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	180	270	390	530
Pressure	320	460	540	630
Input	100	110	115	125
Noise dB(A)	54	57	67	74














Art. Nr.	Width	Finish	R.R.P
FAGF80BGZD	800 mm	Black Glass Matt	€799
FAGF80DBZD	800 mm	Dusty Blue Glass Matt	€799
FAGF80SGZD	800 mm	Sand Glass Matt	€799





Sand Glass Matt



Dusty Blue Glass Matt





Controls

Touch Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64



PERFORMANCE

Speed	1	2	3	INT
Air m3/h	320	490	640	730
Pressure	340	450	480	520
Input	145	180	230	250
Noise dB(A)	53	63	68	71










Art. Nr.	Width	Finish	R.R.P
FAGL80BGZD	800 mm	Black Glass Matt	€745
FAGL80DBZD	800 mm	Dusty Blue Glass Matt	€745
FAGL80SGZD	800 mm	Sand Glass Matt	€745





Black Glass Matt



Dusty Blue Glass Matt



Controls

Squarcle Touch

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

A++

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT	BOOST
Air m3/h	210	310	370	590	780
Pressure	390	400	420	480	530
Input	55	60	80	90	170
Noise dB(A)	46	51	52	63	69






















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAOXV90BGSS	900 mm	Black Glass / S-Steel	€1,585





Controls

Squarcle Touch

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

Α+

ACCESSORIES

Charcoal Filter

F01CF20 €33 x 2

Remote Control

F05RC2 €77

PERFORMANCE

ORDER CODES

FATW90BGSS

FATW90SSMB

Art. Nr.

Speed	1	2	3	INT	BOOST
Air m3/h	180	250	430	500	610
Pressure	220	290	500	510	540
Input	50	70	140	150	280
Noise dB(A)	40	45	57	61	66

Finish

Black Glass/Stainless Steel

Stainless Steel/Matt Black















R.R.P


€1,859

€1,859





Optional



Width

900 mm

900 mm



Stainless Steel Matt Black



Controls

Squarcle Touch

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF20 €33

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	BOOST
Air m3/h	200	300	410	560
Pressure	360	470	560	650
Input	100	110	120	135
Noise dB(A)	51	59	66	72


















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATA80DCON	800 mm	Dark Grey Concrete	€1,749
FATA80CT	800 mm	Cross Titanium	€1.749



Dark Grey Concrete







Controls

Squarcle Touch

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF20 €33

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	200	300	410	560
Pressure	360	470	560	650
Input	100	110	120	135
Noise dB(A)	51	59	66	72


















Art. Nr.	Width	Finish	R.R.P
FATA80DG	800 mm	Dark Grey Matt	€1,379
FATA80CO	800 mm	Copper	€1,749





Dark Grey Matt



reddot award 2017 winner



Controls

Electronic

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

Αн

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	410	570	700
Pressure	420	490	530	550
Input	190	230	255	270
Noise dB(A)	50	58	65	69














Art. Nr.	Width	Finish	R.R.P
FAVL90W	900 mm	Matt White	€1,149
FAVL90B	900 mm	Matt Black	€1,149





Matt Black



Controls Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

550 / 800 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF20 €33

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	190	250	400	570
Pressure	300	450	540	650
Input	100	115	120	125
Noise dB(A)	52	58	67	73












Art. Nr.	Width	Finish	R.R.P
FAGF55BG	550 mm	Black Glass	€699
FAGF55WG	550 mm	White Glass	€699
FAGF80BG	800 mm	Black Glass	€745
FAGF80WG	800 mm	White Glass	€745





Glam Fit 55 cm White Glass



Controls Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

Α+

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	420	580	720
Pressure	440	500	540	550
Input	175	220	255	270
Noise dB(A)	52	56	62	65











White/Transparent T





ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGT80DGLG	800 mm	Dark Grey/Light Gret	€799
FAGT80WHT	800 mm	White Glass/Transparent	€799
FAGT80WG	800 mm	White Glass/Warm Grey	€799
FAGT80WGWG	800 mm	Warm Grey 1C/3C	€799

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter


F01CF02LL €110

High Performance Filter

F01CF02HP €64

Recycling Diverter

F05HC1B Black €31 F05HC1W White €31



White/Warm Grey

Dark Grey/Light Grey T

Warm Grey1C/3CT



Controls

Squarcle Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

Speed	1	2	3	INT
Air m3/h	300	480	620	690
Pressure	340	430	470	480
Input	145	180	230	250
Noise dB(A)	53	64	69	72

ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAGX60DG	600 mm	Dark Grey Stone/Black	€569
FAGX60LG	600 mm	Light Grey Stone/S-Steel	€569
FAGX90DG	900 mm	Dark Grey Stone/Black	€615
FAGX90LG	900 mm	Light Grey Stone/S-Steel	€615















ACCESSORIES

Charcoal Filter


F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64





Grexia 60 cm Light Grey Stone / Stainless Steel



Controls Touch Control

roden contre

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

550 / 800 mm

Energy Class

Α

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	420	580	720
Pressure	440	500	540	550
Input	175	220	255	270
Noise dB(A)	52	56	62	65



















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FADAP55BG	550 mm	Black Glass	€549
FADAP55WG	550 mm	White Glass	€535
FADAP80BG	800 mm	Black Glass	€615
FADAP80WG	800 mm	White Glass	€615

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter


F01CF02HP €64

Remote Blower Kit

F10RB01 €261

Recycling Diverter

F05HC1 S-Steel €38





Daisy 80 cm White Glass



Controls

Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

550 / 800 mm

Energy Class

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	470	620	700
Pressure	340	440	480	500
Input	145	180	230	250
Noise dB(A)	53	63	68	71











ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FATW55WG	550 mm	White Glass	€495
FATW55BG	550 mm	Black Glass	€495
FATW80WG	800 mm	White Glass	€515
FATW80BG	800 mm	Black Glass	€515

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit


F10RB01 €261

Recycling Diverter

F05HC1B Black €31

F05HC1W White €31

All retail prices include VAT at 23% For technical information log onto www.fff.ie





Tweet 55 cm Black Glass



Controls

Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

800 mm

Energy Class

В

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	480	630	720
Pressure	350	450	480	520
Input	145	180	230	250
Noise dB(A)	52	62	67	70



Art. Nr.	Width	Finish	R.R.P
FACO80WG	800 mm	White Glass	€699
FACO80BG	800 mm	Black Glass	€699









0







ONCEALE



ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter


F01CF02LL €110

High Performance Filter

F01CF02HP €64

Chimney

F03W290B Black €87 F03W846W White €87





Cocktail 80 cm Black Glass



Controls

Squarcle Touch Control

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

A++

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT	BOOST
Air m3/h	240	300	380	550	750
Pressure	360	400	450	460	500
Input	55	60	70	100	170
Noise dB(A)	45	50	52	63	68


















Art. Nr.	Width	Finish	R.R.P	
EAOYTOORGSS	900 mm	Black Glass/Stainless Steel	£1 105	





Controls

Touch Control

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

A++

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Control

F05RC2 €77

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	270	350	450	780
Pressure	460	510	560	590
Input	165	200	240	270
Noise dB(A)	48	54	60	71


















Optional

Art. Nr.	Width	Finish	R.R.P
FATD90BSS	900 mm	Black Stainless Steel	€965





Controls

Squrale Electronic

Lighting

Perimeter LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	290	420	580	690
Pressure	410	470	520	530
Input	190	230	255	270
Noise dB(A)	50	58	65	68
















Art. Nr.	Width	Finish	R.R.P
FATL90SS	900 mm	Stainless Steel	€1,369
FATL90MW	900 mm	Matt White	€1,585





Controls

Push Button Controls

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	290	460	610	710
Pressure	390	470	530	540
Input	130	165	210	250
Noise dB(A)	50	59	66	69












Art. Nr.	Width	Finish	R.R.P
FASCS60SS	600 mm	Stainless Steel	€899
FASCS90SS	900 mm	Stainless Steel	€949





Controls

Touch Control

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

Αн

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	280	420	600	750
Pressure	450	540	580	590
Input	150	200	240	250
Noise dB(A)	50	57	65	69














Art. Nr.	Width	Finish	R.R.P
FASGC60SS	600 mm	Stainless Steel	€1039
FASGC90SS	900 mm	Stainless Steel	€1085





Controls

Electronic LED

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

700 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit

F10RB01 €261

Optional Rear back outlet

PERFORMANCE

ORDER CODES

Width

700 mm

700 mm

700 mm

Art. Nr.

FACH700C

FACH700B

FACH700M

700

Speed	1	2	3	INT
Air m3/h	300	420	590	700
Pressure	440	500	540	550
Input	190	230	255	270
Noise dB(A)	51	59	66	69

Finish

Old Copper

Old Brass

Old Metal















R.R.P

€1,259


€1,259

€1,259









Old Brass



Old Copper

Old Metal



Controls

Electronic LED

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

700 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit

F10RB01 €261

Optional Rear back outlet

PERFORMANCE

ORDER CODES

Width

700 mm

700 mm

700 mm

Art. Nr.

FACH70CI

FACH70DG

FACH70CG

700

Speed	1	2	3	INT
Air m3/h	300	420	590	700
Pressure	440	500	540	550
Input	190	230	255	270
Noise dB(A)	51	59	66	69

Finish

Min.455 - Max.

Cast Iron

Dark Matt Grey

Country Matt Grey















R.R.P

€1,399

€1,095

€1,095













Country Matt Grey





Dark Matt Grey



Controls

Electromechanical Knob

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

1100 mm

Energy Class

C

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3
Air m3/h	280	420	570
Pressure	200	260	320
Input	90	105	140
Noise dB(A)	51	60	67














Art. Nr.	Width	Finish	R.R.P
FACHX110MG	1100 mm	Matt Country Grey	€799
FACHX110CI	1100 mm	Cast Iron	€799







Controls

Squarcle Touch

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

HFH Filter Kit

F01HFH01 €355

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3
Air m3/h	220	300	420
Pressure	150	190	210
Input	85	95	115
Noise dB(A)	54	62	68












Art. Nr.	Width	Finish	R.R.P
FARA60SS	600 mm	Stainless Steel / Glass	€295
FARA90SS	900 mm	Stainless Steel / Glass	€319





Controls

Squarcle Touch

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

C

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

HFH Filter Kit

F01HFH01 €355

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3
Air m3/h	220	300	420
Pressure	150	190	210
Input	85	95	115
Noise dB(A)	54	62	68










3 YEAR



Art. Nr.	Width	Finish	R.R.P
FANI60SS	600 mm	Stainless Steel / Glass	€295
FANI90SS	900 mm	Stainless Steel / Glass	€319





Controls Squarcle Touch

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Blower Kit

F10RB01 €261

Remote Control

F05RC2 €77

PERFORMANCE

ORDER CODES

Width

600 mm

900 mm

Art. Nr.

FABS60SS

FABS90SS

Speed	1	2	3	INT
Air m3/h	285	365	470	750
Pressure	460	510	540	570
Input	165	200	240	270
Noise dB(A)	48	53	57	68

Finish

Stainless Steel

Stainless Steel














R.R.P

€549

€589







Controls Squarcle Touch

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	470	610	690
Pressure	320	420	480	490
Input	145	180	230	250
Noise dB(A)	54	63	69	72













ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FASC60SS	600 mm	Stainless Steel	€439
FASC90SS	900 mm	Stainless Steel	€459
FASC60MB	600 mm	Matt Black	€615
FASC90MB	900 mm	Matt Black	€635

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter


F01CF01LL €81

HFH Filter Kit

F01HFH01 €355

Remote Blower Kit

F10RB01 €261







Controls

Touch Controls

Lighting

2 LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

HFH Filter Kit

F01HFH01 €355

Remote Blower Kit

F10RB01 €261

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	470	610	690
Pressure	320	420	480	490
Input	145	180	230	250
Noise dB(A)	54	63	69	72
















Art. Nr.	Width	Finish	R.R.P
FASGS60SS	600 mm	Stainless Steel / Black Glass	€495
FASGS90SS	900 mm	Stainless Steel / Black Glass	€535





Controls Electronic Lighting

Grease Filter

2 LED

Cassettes Dishwasher Safe

Ø of Air Outlet

120	/ 150	mm	

Width

600 / 900 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

HFH Filter Kit

F01HFH01 €355

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3
Air m3/h	230	320	435
Pressure	150	190	210
Input	85	95	115
Noise dB(A)	54	61	68












Art. Nr.	Width	Finish	R.R.P
FASOS60SS	600 mm	Stainless Steel	€305
FASOS90SS	900 mm	Stainless Steel	€329





ControlsElectronic

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm	
\A/! - - -	

600 / 900 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

High Performance Filter

F01CF02HP €64

Long Life Filter

F01CF02LL €110

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	320	500	650	740
Pressure	330	430	490	500
Input	145	180	230	250
Noise dB(A)	53	63	68	71












Art. Nr.	Width	Finish	R.R.P
FASS60SS	600 mm	Stainless Steel	€255
FASS90SS	900 mm	Stainless Steel	€285





Controls

Electromechanical

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

130 / 120 111111

Width

600 / 900 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF02 €47

High Performance Filter

F01CF02HP €64

Long Life Filter

F01CF02LL €110

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3
Air m3/h	240	290	380
Pressure	165	200	220
Input	70	100	125
Noise dB(A)	53	57	64












Art. Nr.	Width	Finish	R.R.P
FAST60SS	600 mm	Stainless Steel	€185
FAST90SS	900 mm	Stainless Steel	€209





Controls

Electromechanical

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm
Width
600 / 900 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF08 €16

Long Life Filter

F01CF08LL €55


PERFORMANCE

Speed	1	2	3
Air m3/h	255	330	430
Pressure	260	290	300
Input	95	125	145
Noise dB(A)	58	62	67





Art. Nr.	Width	Finish	R.R.P
FAVE60SS	600 mm	Stainless Steel	€149
FAVE90SS	900 mm	Stainless Steel	€159
FAVE60BK	600 mm	Black	€139
FAVE90BK	900 mm	Black	€ 149





Vesta 60 cm Black Finish



Controls

Electromechanical

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

1000 x 1000 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3
Air m3/h	300	440	570
Pressure	220	280	320
Input	90	105	140
Noise dB(A)	57	64	71












Art. Nr.	Width	Finish	R.R.P
FASO100SS	1000 mm	Stainless Steel	€875



CEILING ISLAND

92
95
91
86
85
87
96
83
84
88
93
94
89
82
90



Controls

Rotative Controls

Lighting

2 LED Bar Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

1800 mm

Energy Class

C

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	460	610	700
Pressure	310	420	460	490
Input	145	180	230	250
Noise dB(A)	59	66	69	70










Art. Nr.	Width	Finish	R.R.P
FATS180MT	1800 mm	Matt Titanium	€2,459
FATS180MB	1800 mm	Matt Black	€2,459









Controls

Electronic LED

Lighting

Perimeter LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

220 x 90 mm

Width

910 mm

Energy Class

Αн

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	190	350	510	700
Pressure	170	500	500	690
Input	10	30	80	220
Noise dB(A)	43	58	66	72



ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAHI91SS	910 mm	Stainless Steel	€1,695
FAHI91WG	910 mm	White Matt	€1,805
FAHI91BG	910 mm	Black Matt	€2,079




















ACCESSORIES

Long Life Filter

F01CF11LL €135





83



Controls

Squarcle Touch

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

A++

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

PERFORMANCE

Speed	1	2	3	INT	BOOST
Air m3/h	230	320	430	600	780
Pressure	420	430	450	470	520
Input	60	70	75	90	170
Noise dB(A)	40	47	52	61	67




















Art. Nr.	Width	Finish	R.R.P
FAOXC90BGSS	900 mm	Black Glass / S-Steel	€1,915



YOUR KITCHEN'S SILENT GUARDIAN.

Look up and you'll appreciate its linear design, but otherwise Onyx-C blends into the background, and all you notice is the pure air.

Onyx-C incorporates FABER's exclusive SIL & STILL technology. This new technology includes an Eco button that activates an ultra-silent mode to bring your kitchen maximum comfort with minimum energy consumption. The button's green light is the sole proof the system is working. The silence is broken only by applause for the Faber technology that places the hood in energy efficiency class A++.



Controls

Electronic LED

Lighting

2 x LED (4 x LED S-Steel)

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

220 x 90 mm

Width

900 / 1200 mm

Energy Class

Αŧ

ACCESSORIES

Long Life Filter

F01CF11LL €135 (910 mm)

F01CF12LL €175 (1210 mm)

PERFORMANCE

ORDER CODES

FAHEF90WG

FAHEF90SS

FAHEF120SS

Art. Nr.

Speed	1	2	3	INT
Air m3/h	190	350	510	700
Pressure	170	500	500	690
Input	10	30	80	220
Noise dB(A)	43	58	66	72

Finish

White Glass

Stainless Steel

Stainless Steel





















ORDER CODES - K-LINK Version


Width

900 mm

900 mm

1200 mm

Art. Nr.	Width	Finish	R.R.P
FAHEFK90WG	900 mm	White Glass	€2,049
FAHEFK90SS	900 mm	Stainless Steel	€1,629





R.R.P

€1,779

€1,279

€1,365



Controls

Electronic LED

Lighting

2 x LED (4 x LED S-Steel)

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 / 1200 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit

F10RB01 €261

PERFORMANCE

ORDER CODES

Art. Nr.

FAHE90WG

FAHE90SS

FAHE120SS

Speed	1	2	3	INT
Air m3/h	290	400	560	700
Pressure	430	490	530	560
Input	190	230	255	270
Noise dB(A)	53	62	70	72

Finish

White Glass

Stainless Steel

Stainless Steel























Width


900 mm

900 mm

1200 mm

ORDER CODES - K-LINK Version

Art. Nr.	Width	Finish	R.R.P
FAHEK90SS	900 mm	Stainless Steel	€1,365



Air Outlet adjustable in 4 positions



R.R.P

€1,595

€1,159

€1,269



Controls

Electronic LED

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

C

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	460	580	640
Pressure	360	440	500	510
Input	145	180	230	250
Noise dB(A)	53	63	68	70



Art. Nr.	Width	Finish	R.R.P
FAHC90SSWG	900 mm	Stainless Steel/White Glass	£1 095

















ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter


F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit

F10RB01 €261



Air Outlet adjustable in 4 positions



Controls

Electronic LED

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

-			
\A/idth			

Width

1200 mm

Motors

2

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	440	600	780	850
Pressure (1)	-	-	-	-
Input	60	90	140	180
Noise dB(A)	57	64	70	72














ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FASK120SSWG	1200 mm	Stainless Steel/White Glass	€1,915

ACCESSORIES

High Performance Filter

F01CF04HP €149



^{*} No energy data as SkyPad only works in recycle mode



Controls

Squarcle Touch

Lighting

Perimeter LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120mm

Width

1000 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	290	420	580	690
Pressure	410	470	520	530
Input	190	230	255	270
Noise dB(A)	50	58	65	68














Art. Nr.	Width	Finish	R.R.P
FATLI100SS	1000 mm	Stainless Steel	€1,565





ControlsElectronic

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	480	620	700
Pressure	330	430	480	500
Input	145	180	230	250
Noise dB(A)	54	64	69	71












Art. Nr.	Width	Finish	R.R.P
FATRI90SSG	900 mm	Stainless Steel/Glass	€929



GLASSY ISLAND $^{\mathrm{T}}$



FEATURES

PERFORMANCE

ORDER CODES

Controls	
Electronic	
Lighting	

Speed	1	2	3	INT
Air m3/h	300	480	620	700
Pressure	330	430	480	500
Input	145	180	230	250
Noise dB(A)	54	64	69	71











Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Art. Nr.	Width	Finish	R.R.P
FAGLI90SSG	900 mm	Stainless Steel/Glass	€1,075

Width

900 mm

Energy Class

В

ACCESSORIES

Charcoal Filter


F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Blower Kit

F10RB01 €261





Controls

Squarcle Touch

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

АН

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Blower Kit

F10RB01 €261

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	285	365	470	750
Pressure	460	510	540	570
Input	165	200	240	270
Noise dB(A)	48	53	57	68


















Art. Nr.	Width	Finish	R.R.P
FABSI90SS	900 mm	Stainless Steel	€985





Controls	
Electronic	

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm Width 900 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Blower Kit

F10RB01 €261

HFH Filter Kit

F01HFH01 €355

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	460	620	700
Pressure	330	430	490	500
Input	145	180	230	250
Noise dB(A)	52	62	69	71














Option

Art. Nr.	Width	Finish	R.R.P
FASCI90SS	900 mm	Stainless Steel	€875
FASCI90MB	900 mm	Matt Black	€985
FASCI90MW	900 mm	Matt White	€ 985





Matt Black



Matt White



Controls

Touch Control

Lighting

4 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Blower Kit

F10RB01 €261

HFH Filter Kit

F01HFH01 €355

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	300	460	620	700
Pressure	330	430	490	500
Input	145	180	230	250
Noise dB(A)	52	62	69	71














Art. Nr.	Width	Finish	R.R.P
FASGI90SSBG	900 mm	Stainless Steel/Black Glass	€875





Controls

Push Button Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

700 mm

Energy Class

Ан

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Blower Kit

F10RB01 €261

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	280	420	600	770
Pressure	450	540	590	600
Input	160	210	275	320
Noise dB(A)	45	52	61	67














Option

Art. Nr.	Width	Finish	R.R.P
FACHI70DG	700 mm	Dark Matt Grey	€979
FACHI70CI	700 mm	Cast Iron	€979





Cast Iron



Controls

Touch Control

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

Αŧ

ACCESSORIES

Long Life Filter

F01CF11LL €135

PERFORMANCE

Speed	1	2	3	INT	INT1
Air m3/h	190	350	400	700	530
Pressure	160	480	490	510	510
Input	15	60	85	220	220
Noise dB(A)	43	58	60	72	66














ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAHLP90SS	900 mm	Stainless Steel	€1499
FAHLP90WG	900 mm	White Glass	€1659



SUSPENDED

 BEAT
 98

 BELLE
 102

 CELINE
 100

 ODETTE
 101



Controls

Electronic

Lighting

2 LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

430 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	320	430	600	720
Pressure	430	490	520	550
Input	190	230	255	270
Noise dB(A)	54	61	68	73












ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABE43MB	430 mm	Matt Black	€975
FABE43MW	430 mm	Matt White	€975
FABE43MDG	430 mm	Matt Dark Grey	€975
FABE43MDB	430 mm	Matt Dusty Blue	€975









Matt Black

Main Picture: Matt Dusty Blue



Controls

Push Button Controls

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

430 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	270	410	580	740
Pressure	450	540	570	580
Input	150	200	240	250
Noise dB(A)	53	59	66	70




















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABE43MS	430 mm	Matt Steel	€999
FABE43MT	430 mm	Matt Titanium	€999
FABE43BG	430 mm	Black Gloss	€999





Black Gloss





Matt Titanium

Matt Steel



Controls

Touch Controls

Lighting

LED Perimeter

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

600 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	250	340	490	610
Pressure	390	470	520	540
Input	160	200	240	250
Noise dB(A)	51	55	63	68




















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FACE60CGM	600 mm	Country Grey Matt	€2,405
FACE60WCGM	600 mm	White/Country Grey Matt	€2,405





Country Grey Matt

Main Picture: Warm White/Country grey Matt



Controls

Touch Controls

Lighting

LED Perimeter

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

500 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	250	340	490	610
Pressure	390	470	520	540
Input	160	200	240	250
Noise dB(A)	51	55	63	68






















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAOD50MB	500 mm	Matt Black	€2,185
FAOD50MG	500 mm	Matt Grey	€2,185





Matt Grey

Main Picture: Matt Black



Controls

Touch Controls

Lighting

LED Perimeter

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 mm

Width

693 mm

Energy Class

Α

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	250	340	490	610
Pressure	390	470	520	540
Input	160	200	240	250
Noise dB(A)	51	55	63	68






















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FABE69BG	693 mm	Burgundy/Gold	€2,515
FABE69GDG	693 mm	Gold/Warm Dark Grey	€2,569





Gold/Warm Dark Grey

Main Picture: Burgundy/Gold

HOB

FBH32 111 110 FBH64 FCH64 109 FCH84 108 106 FCH95 107 FCH SLIM 94 ноо-в 104 104 **HOO-B GLASS**





ноо-в сооктор, THE NEXT-GENERATION FITTED HOOD

A sophisticated yet minimalist look for the new fitted HOO-B hood, which is embellished with a special aluminium trim that makes it even more stylish.

The glass panel fits over the hob without interrupting the continuity of its forms and lines, guaranteeing the utmost quality at all times. The Touch control commands also make it possible to operate the hood and induction hobs with the touch of a finger.

When in use, HOO-B opens, lifting its cover and revealing its extraction surface. When you have finished using it, the cover goes back down to create a single worktop again.

For those that love pure minimalism, the new model also comes in the HOO-B Glass version with no aluminium trim.



Hoo-B must be combined with FBH32 induction hobs.



the hood.



Remove the glass cover before using The Hoo-B hood attracts all cooking streams ensuring the maximum result of extraction completely built-in the kitchen top.

















HOOD FEATURES

Finish

Black Glass / Aluminium

Controls

Touch Controls

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet


220 x 90 mm

Energy Class

Α+

Long Life Filter

F01CF13LL €231




HOOD PERFORMANCE


Speed	1	2	3	INT
Air m3/h	415	480	540	600
Pressure	320	430	550	725
Input	55	85	115	145
Noise dB(A)	62	64	67	70

ORDER CODES


Art. Nr.	Depth	Finish	R.R.P
FAHO52BG	520 mm	Black Glass	€1,729*
FAHO52BGA	520 mm	Black Glass / Aluminium Trim	€1,729*

*Please note price is for HOO-B extractor only, Induction hobs are ordered seperately, see page 107







HOO-B with 2 FBH32 Hoobs page 107



HOO-B Flush with 2 FBH32 Hoobs page 107





INDUCTION HOB FCH95 T

















FEATURES


Fι	IN	J	\sim	П	0	N	C
г.	<i>,</i> 1	٧,	_		v	14	

Product Dimensions	K-Link With Hood	Yes			
900 x 520 mm	Bridge Cooking		Yes (2 Zones)		
Induction Zones	Booster	Booster Child Proof Lock			
5	Child Proof Lock				
Clidar Tavah O Lavala	Timer		Yes		
Slider Touch 9 Levels					
Power (W)	Pause / Recall	Yes			
7400	Overflow Safety D	Yes			
Voltage (V)	Automatic Heat U	p	Yes		
220 / 240	Pot Detection Yes				
Frequency (HZ) 50 / 60	Residual Heat Indi	cation	Yes		
30,00	Power Limitation	/ 3500w / 6000w / Full			

POWER COOKING ZONE

	Cooking Zone 1	
	2100 W	210x190
-	3000 W Booster	
	Cooking Zone 2	
	2100 W	210x190
_	3000 W Booster	
	Cooking Zone 3	
	2300 W	Ø 200
_	3000 W Booster	
	Cooking Zone 4	
	2100 W	210x190
_	3000 W Booster	
	Cooking Zone 5	
	2100 W	210x190
_	3000 W Booster	

Art. Nr.	Width	Finish	R.R.P
FAIH9050K	900 mm	Black Glass	€985




INDUCTION HOB SLIM FCH94^T





Flush Fit Installation













FEATURES


	IN		NS
 	JΙN	יוו	CFIL

Product Dimensions	K-Link With Hood	Yes	
900 x 410 mm	Bridge Cooking		Yes (1 Zone)
Induction Zones	Booster		Yes
4	Child Proof Lock		Yes
Controls	Timer	Yes	
Slider Touch 9 Levels			
Power (W)	Pause / Recall	Yes	
7400	Overflow Safety Device		Yes
Voltage (V)	Automatic Heat Up		Yes
220 / 240	Pot Detection		Yes
Frequency (HZ)	Residual Heat Indication		Yes
50 / 60	Power Limitation	2500w / 3000w / 3500w 4000w / 5000w / 6000w / Full	

POWER COOKING ZONE


Cooking Zone 1	
2100 W	210x190
3000 W Booster	
Cooking Zone 2	
2100 W	210x190
3000 W Booster	
Cooking Zone 3	
1400 W	Ø 160
2100 W Booster	
Cooking Zone 4	
2300 W	Ø 200


Art. Nr.	Width	Finish	R.R.P
FAIH9040K	900 mm	Black Glass	€985




INDUCTION HOB FCH84 ^T







Flush Fit Installation













FEATURES

FUNCTIONS

Product Dimensions	K-Link With Hood	Yes
780 x 520 mm	Bridge Cooking	Yes (1 Zone)
Induction Zones	Booster	Yes
4	Child Proof Lock	Yes
Controls		
Slider Touch 9 Levels	Timer	Yes
Power (W)	Pause / Recall	Yes
7400	Overflow Safety Device	Yes
Voltage (V)	Automatic Heat Up	Yes
220 / 240	Pot Detection	Yes
Frequency (HZ)	Desided Heat Indication	\/
50 / 60	Residual Heat Indication	Yes


2500w / 3000w / 3500w Power Limitation 4000w / 5000w / 6000w / Full

POWER COOKING ZONE

	Cooking Zone 1	
	2100 W	210x190
-	3000 W Booster	
_	Cooking Zone 2	
	2100 W	210x190
-	3000 W Booster	
	Cooking Zone 3	
	Occiming Lone C	
-	2300 W	Ø 200
-		Ø 200
-	2300 W	Ø 200
-	2300 W 3000 W Booster	Ø 200 Ø 160
-	2300 W 3000 W Booster Cooking Zone 4	~ 200





Art. Nr.	Width	Finish	R.R.P
FAIH8040K	780 mm	Black Glass	€819
FAIH8040KG	780 mm	Grey Glass	€929



INDUCTION HOB FCH64^T







Flush Fit Installation













FEATURES

FUNCTIONS


Product Dimensions	K-Link With Hood	Yes		
580 x 520 mm	Bridge Cooking		Yes (1 Zone)	
Induction Zones	Booster		Yes	
4	Child Proof Lock		Yes	
Controls Slider Touch 9 Levels	Timer	Yes		
Power (W)	Pause / Recall	Yes		
7400	Overflow Safety Device Yes			
Voltage (V)	Automatic Heat Up Yes			
220 / 240	Pot Detection Yes			
Frequency (HZ) 50 / 60	Residual Heat Indication		Yes	
30, 30	Power Limitation 2500w / 3000w / 350 4000w / 5000w / 60			

POWER COOKING ZONE

Cooking Zone 1	
2100 W 3000 W Booster	210x190
Cooking Zone 2	
2100 W 3000 W Booster	210x190
Cooking Zone 3	
2300 W	Ø 200
7000 M/ Doostor	
3000 W Booster	
Cooking Zone 4	
	Ø 145
Cooking Zone 4	Ø 145




Art. Nr.	Width	Finish	R.R.P
FAIH6040K	580 mm	Black Glass	€715
FAIH6040KG	580 mm	Grey Glass	€819




INDUCTION HOB FBH64 $^{\rm T}$



Standard Installation



Flush Fit Installation









FEATURES

		NI	~	ГІ.	$\boldsymbol{-}$	N	~
	u	IN	Ci		u	IN	3
-	_		_		_		_

Р	O	W	ER	CO	OK	ING	ZO	NE
•	•	••		~	• • •			

Ø 160

Product Dimensions	K-Link With Hood	No	Cooking Zone 1
580 x 520 mm	Bridge Cooking	No	1400 W 2100 W Booster
Induction Zones	Booster	Yes	Cooking Zone 2
4	Child Proof Lock	Yes	1400 W 2100 W Booster
Controls Touch 9 Levels	Timer	Yes	Cooking Zone 3
Power (W)	Pause / Recall	No	2300 W 3000 W Booster
7400	Overflow Safety Device	Yes	Cooking Zone 4
Voltage (V)	Automatic Heat Up	No	1400 W 1850 W Booster
220 / 240	Pot Detection	Yes	_ 1030 W B003te1
Frequency (HZ)	Residual Heat Indication	Yes	_
,	POWER LIMITATION	v / 3000w / 3500w v / 5000w / 6000w / Full	_

Zone 2

Ø 160 Booster


Zone 3

Ø 200 Booster

Zone 4

Ø 145 Booster


Art. Nr.	Width	Finish	R.R.P
FAIH6040	580 mm	Black Glass	€625



INDUCTION HOB FBH32 ^T



Standard Installation



Flush Fit Installation





FEATURES





FUNCTIONS

Product Dimensions	K-Link With Hood	No	Cod
290 x 520 mm	Bridge Cooking	No	140 210
Induction Zones	Booster	Yes	Co
_	Child Proof Lock	Yes	140 210
Controls Touch 9 Levels	Timer	Yes	
Power (W)	Pause / Recall	No	
3700	Overflow Safety Device	Yes	
Voltage (V)	Automatic Heat Up	No	
220 / 240	Pot Detection	Yes	

Residual Heat Indication

Power Limitation

POWER COOKING ZONE


_	Cooking Zone 1	
	1400 W 2100 W Booster	Ø 160
	Cooking Zone 2	
•	1400 W	Ø 160
-	2100 W Booster	

ORDER CODES

Frequency (HZ)

50 / 60

Art. Nr.	Width	Finish	R.R.P
FAIH3020	290 mm	Black Glass	€429



1500w / 2000w / 2500w

3000w / 3500w / Full

Yes

DOWNDRAFT

FABULA PLUS 60 116 FABULA PLUS 90 115



FABULA 90



FEATURES

Controls

Evo Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

900 mm

Energy Class

Α

ACCESSORIES

Long Life Filter

F01CF09LL €168

Remote Blower Kit

F10RB02 €186

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	4	INT
Air m3/h	160	290	350	439	700
Pressure	100	390	460	540	560
Input	55	120	155	210	270
Noise dB(A)	40	53	54	60	70






















Option

Art. Nr.	Width	Finish	R.R.P
FAFA90BG	900 mm	Black Glass	€1,749
FAFA90WG	900 mm	White Glass	£1.859







Controls

EVO Touch Controls

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

В

ACCESSORIES

Long Life Filter

F01CF23LL €174

Remote Blower Kit

F10RB02 €186

Remote Control

F05RC2 €77

PERFORMANCE

Speed	1	2	3	4	INT
Air m3/h	150	280	350	440	630
Pressure	120	420	490	550	630
Input	55	120	155	190	270
Noise dB(A)	43	56	60	65	72




















Optio

Art. Nr. Width		Finish	R.R.P	
FAFA60BG	600 mm	Black Glass	€1.639	





BUILT IN

104	139	INKA LUX 2.0	122
2104	138	INKA LUX GLASS	120
2108	137	INKA PLUS HC	126
FLEXA	135	INKA SMART C	128
FLEXA GLASS	133	INKA SMART HC	127
FLEXA GLASS LUX	132	INKA PLUS HCS	125
FLEXA HIP	134	MAXIMA ECO	131
IN-LIGHT	118	MAXIMA EV8	130
IN-NOVA COMFORT	123	MAXIMA TOUCH	129
IN-NOVA PREMIUM	119	OMNIA	136
IN-NOVA SMART	124	VICTORY 2.0	121



Controls

Electronic LED

Lighting

Perimeter LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

520 / 700 mm

Energy Class

Α

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	260	380	525	635
Pressure	390	500	510	530
Input	170	215	245	275
Noise dB(A)	56	65	70	72



Art. Nr.	Width	Finish	R.R.P
FAINL52SS	520 mm	Stainless Steel	€875
FAINL52MW	520 mm	Matt White	€909
FAINL70SS	700 mm	Stainless Steel	€909
FAINL70MW	700 mm	Matt White	€985





















ACCESSORIES

Charcoal Filter


F01CF02 €47

Long Life Filter

F01CF02LL €110

High Performance Filter

F01CF02HP €64







Controls

Electronic SENSOR

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

600 / 900 / 1200 mm

Energy Class

ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filter

F01CF01LL €81

Remote Control

F05RC2 €77

Remote Blower Kit

F10RB01 €261

PERFORMANCE

ORDER CODES

Art. Nr.

FAINP60SS

FAINP90SS

FAINP120SS

Speed	1	2	3	INT
Air m3/h	280	420	570	670
Pressure	420	465	510	520
Input	175	220	255	270
Noise dB(A)	53	62	68	70

Finish

Stainless Steel

Stainless Steel

Stainless Steel













R.R.P

€605

€635

€689







Option

Option

ORDER CODES K Link Version


Width

600 mm

900 mm

1200 mm

Art. Nr.	Width	Finish	R.R.P
FAINP60SSK	600 mm	Stainless Steel	€655
FAINP90SSK	900 mm	Stainless Steel	€755
FAINP120SSK	1200 mm	Stainless Steel	€809



T = Lead times apply for these models of up to 6 Weeks

Subject to technical modifications and changes to the range without notice



Controls

Electronic

Lighting

LED x 2

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

520 / 700 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filer

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Control

F05RC2 €77

Remote Blower Kit

F10RB01 €261

PERFORMANCE 520 mm

Speed	1	2	3	INT
Air m3/h	280	430	540	620
Pressure	390	470	530	540
Input	130	165	210	240
Noise dB(A)	47	57	64	67

700 mm

1	2	3	INT
280	450	570	670
390	470	530	540
130	165	210	250
47	57	63	66


















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAIKL52BG	520 mm	Stainless Steel / Black Glass	€489
FAIKL52WG	520 mm	Stainless Steel / White Glass	€495
FAIKL70BG	700 mm	Stainless Steel / Black Glass	€515
FAIKL70WG	700 mm	Stainless Steel / White Glass	€525

ORDER CODES K Link Version

Art. Nr.	Width	Finish	R.R.P
FAIKL52BGK	520 mm	Stainless Steel / Black Glass	€525
FAIKL70BGK	700 mm	Stainless Steel / Black Glass	€559





Controls

Electronic

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

770 / 990 mm

Energy Class

Α

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	235	360	495	605
Pressure	360	450	480	500
Input	135	170	215	250
Noise dB(A)	50	61	67	70



















ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAVI277SS	770 mm	Stainless Steel	€525
FAVI299SS	990 mm	Stainless Steel	€549


ACCESSORIES

Charcoal Filter

F01CF01 €41

Long Life Filer

F01CF01LL €81





Controls

Electronic

Lighting

LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

520 / 700 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filer

F01CF02LL €110

High Performance Filter

F01CF02HP €64

Remote Control

F05RC2 €77

Remote Blower Kit

F10RB01 €261

PERFORMANCE 520 mm

ORDER CODES

Art. Nr.

FAIKL52SS

FAIKL70SS

Speed	1	2	3	INT
Air m3/h	280	430	540	620
Pressure	390	470	530	540
Input	130	165	210	240
Noise dB(A)	47	57	64	67

Width

700 mm

1	2	3	INT
280	450	570	670
390	470	530	540
130	165	210	250
47	57	63	66

R.R.P

€435

€469


















ORDER CODES K Link Version

Art. Nr.	Width	Finish	R.R.P
FAIKL52SSK	520 mm	Stainless Steel	€559
FAIKL70SSK	700 mm	Stainless Steel	€589

Finish

520 mm Stainless Steel

700 mm Stainless Steel





Electronic

LED X 2

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 / 1200 mm

Energy Class

C

PERFORMANCE

Speed	1	2	3
Air m3/h	270	410	540
Pressure	190	260	300
Input	90	105	140
Noise dB(A)	56	64	69







ORDER CODES

Art. Nr.	Width	Finish	R.R.P
FAINC90SS	900 mm	Stainless Steel	€469
FAINC120SS	1200 mm	Stainless Steel	€505


ACCESSORIES

Charcoal Filter

F01CF16 €51

Remote Blower Kit

F10RB01 €261





Controls

Pul Out Knob

Lighting

2 x LED

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

120 / 150 mm

Width

900 / 1200 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF08 €16

Long Life Filter

F01CF08LL €55


PERFORMANCE

Speed	1	2	3
Air m3/h	200	260	360
Pressure	220	270	290
Input	90	115	145
Noise dB(A)	57	62	68





Art. Nr.	Width	Finish	R.R.P
FAINS90SS	900 mm	Stainless Steel	€349
FAINS120SS	1200 mm	Stainless Steel	€385





ControlsElectromechanical Controls

Lighting

LED Lights x 2

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

520 / 700 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

High Performance Filter

F01CF02HP €64

Long Life Filter

F01CF02LL €110


PERFORMANCE

Speed	1	2	3
Air m3/h	260	400	580
Pressure	220	280	320
Input	95	110	125
Noise dB(A)	56	61	70





Art. Nr.	Width	Finish	R.R.P
FAIKS52SS	520 mm	Stainless Steel	€225
FAIKS70SS	700 mm	Stainless Steel	€249







Controls

Electromechanical Controls

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 /	120	mm
-------	-----	----

Width

520 / 700 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

High Performance Filter

F01CF02HP €64

Long Life Filter

F01CF02LL €110

PERFORMANCE


Speed	1	2	3
Air m3/h	260	400	580
Pressure	220	280	320
Input	95	110	125
Noise dB(A)	56	61	70







Art. Nr.	Width	Finish	R.R.P
FAIKP52SS	520 mm	Stainless Steel	€185
FAIKP70SS	700 mm	Stainless Steel	€199





ControlsElectromechanical Controls

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm	
Width	

520 / 700 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF17 €17

Long Life Filter

F01CF17LL €49


PERFORMANCE

Speed	1	2	3
Air m3/h	180	270	390
Pressure	220	240	260
Input	80	90	110
Noise dB(A)	54	62	70





Art. Nr.	Width	Finish	R.R.P
FAIKC52SS	520 mm	Stainless Steel	€159
FAIKC70SS	700 mm	Stainless Steel	€175





Controls

Electromechanical Controls

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm	

Width

520 / 700 mm

Energy Class

C

ACCESSORIES

Charcoal Filter

F01CF17 €17

Long Life Filter

F01CF17LL €49


PERFORMANCE

Speed	1	2	3
Air m3/h	160	220	335
Pressure	230	260	280
Input	80	95	115
Noise dB(A)	54	59	66





Art. Nr.	Width	Finish	R.R.P
FAIK52GR	520 mm	Light Grey	€99
FAIK70GR	700 mm	Light Grey	€109





Controls Touch Controls

.

Lighting

2 x LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

.

Width

600 / 900 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

Long Life Filter

F01CF02HP €64

Long Life Filter

F01CF02LL €110

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3	INT
Air m3/h	310	490	640	730
Pressure	340	450	490	520
Input	145	180	230	250
Noise dB(A)	51	61	67	70










Art. Nr.	Width	Finish	R.R.P
FAMXT60SS	600 mm	Stainless Steel	€449
FAMXT90SS	900 mm	Stainless Steel	€505





Controls

Push Button Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

В

ACCESSORIES

Charcoal Filter

F01CF02 €47

High Performance Filter

F01CF02HP €64

Long Life Filter

F01CF02LL €110

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3
Air m3/h	310	490	640
Pressure	340	450	490
Input	145	180	250
Noise dB(A)	51	61	67












Art. Nr.	Width	Finish	R.R.P
FAMXE60ASS	600 mm	Alu / Stainless Steel	€329
FAMXE90ASS	900 mm	Alu / Stainless Steel	€339





ControlsElectromechanical Slider

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

R

ACCESSORIES

Charcoal Filter

F01CF02 €47

High Performance Filter

F01CF02HP €64

Long Life Filter

F01CF02LL €110

Remote Blower Kit

F10RB01 €261

PERFORMANCE

Speed	1	2	3
Air m3/h	310	490	640
Pressure	340	450	490
Input	145	180	250
Noise dB(A)	51	61	67












Art. Nr.	Width	Finish	R.R.P
FAMXS60ASS	600 mm	Alu / Stainless Steel	€285
FAMXS90ASS	900 mm	Alu / Stainless Steel	€329





Controls Push Button

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

 $\overline{\mathsf{D}}$

ACCESSORIES

Charcoal Filter

F01CF08 €16

Long Life Filter

F01CF08LL €55


PERFORMANCE

Speed	1	2	3
Air m3/h	220	320	420
Pressure	180	200	220
Input	90	105	140
Noise dB(A)	55	66	69





Art. Nr.	Width	Finish	R.R.P
FAFGL60BG	600 mm	Black / Black Glass	€195





Controls

Electromechanical Slider

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF08 €16

Long Life Filter

F01CF08LL €55


PERFORMANCE

Speed	1	2	3
Air m3/h	180	220	310
Pressure	230	250	260
Input	85	100	125
Noise dB(A)	57	62	67





Art. Nr.	Width	Finish	R.R.P
FAFG60BG	600 mm	Black / Black Glass	€155





Controls Push Button Lighting LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF08 €16

Long Life Filter

F01CF08LL €55


PERFORMANCE

Speed	1	2	3
Air m3/h	220	320	420
Pressure	180	200	220
Input	90	105	140
Noise dB(A)	57	66	69





Art. Nr.	Width	Finish	R.R.P
FAFH60ASS	600 mm	Alu / Stainless Steel	€159
FAFH90ASS	900 mm	Alu / Stainless Steel	€185





Controls

Electromechanical Slider

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

D

ACCESSORIES

Charcoal Filter

F01CF17 €17

Long Life Filter

F01CF17LL €49


PERFORMANCE

Speed	1	2	3
Air m3/h	220	300	350
Pressure	260	280	290
Input	100	125	138
Noise dB(A)	59	65	69





Art. Nr.	Width	Finish	R.R.P
FAFXA60ASS	600 mm	Alu / Stainless Steel	€139





Controls

Electromechanical Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

С

ACCESSORIES

Charcoal Filter


F01CF05 €19

PERFORMANCE

Speed	1	2	3	4
Air m3/h	270	375	430	480
Pressure	130	260	280	300
Input	110	170	220	280
Noise dB(A)	53	60	63	67



Art. Nr.	Width	Finish	R.R.P
FAOM60ASS	600 mm	Alu / Stainless Steel	€255
FAOM90ASS	900 mm	Alu / Stainless Steel	€285





Controls Electromechanical Controls

Lighting

LED Lights

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 / 900 mm

Energy Class

D

ACCESSORIES

Charcoal Filter


F01CF03 €17 (Order 2 for Twin Motors)

PERFORMANCE

Speed	1	2	3
Air m3/h	300	430	550
Pressure	260	340	410
Input	175	200	276
Noise dB(A)	60	64	72



Art. Nr.	Width	Finish	R.R.P
FA210860GR	600 mm	Light Grey	€235
FA210869GR	900 mm	Light Grey	€249





Controls

Micro Switch Controls

Lighting

LED Lamps

Grease Filter

Cassettes Dishwasher Safe

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

Ε

ACCESSORIES

Charcoal Filter


F01CF03 €17 (Order 2 for Twin Motors)

PERFORMANCE

Speed	1	2	3
Air m3/h	250	370	490
Pressure	140	280	370
Input	155	175	230
Noise dB(A)	51	58	66



Art. Nr.	Width	Finish	R.R.P
FA2104GR	600 mm	Grey	€119





Controls

Micro Switch Controls

Lighting

2 x LED Lights

Grease Filter

Metal Filters

Ø of Air Outlet

150 / 120 mm

Width

600 mm

Energy Class

D

ACCESSORIES

Charcoal Filter


F01CF03 €17

PERFORMANCE

Speed	1	2	3
Air m3/h	130	170	240
Pressure	140	260	380
Input	85	85	115
Noise dB(A)	47	53	61



Art. Nr.	Width	Finish	R.R.P
FA104GR	600 mm	Grey	€99



ACCESSORIES



HFH Filter - Premium Performance

HFH filters only reduce extraction rate by 5% and they can be washed in the diswasher up to five times.

Filter Code	Cooker Hood	RRP	
F01HFH01	HFH kit including filter for; Nice, Ray,	€355	
F01HFH01R	Replacement filter for HFH kit	€231	

Hood Cap

For use with hoods in recycle mode without chimney. Deflects exhased air from hitting the ceiling and prevents dirt from falling into the motor.

Filter Code	Cooker Hood	RRP	
F05HC1	Stainless Steel for use with Daisy	€38	
F05HC1BK	Black Finish for use with V-Air, Soft Edge, Glam Light Zero Drip Plus, Glam Light Zero Drip, Glam Light, Tweet	€31	
F05HC1WH	White Finish for use with V-Air, Soft Edge, Glam Light Zero Drip Plus, Glam Light Zero Drip, Glam Light, Tweet	€31	

Remote Blower

The ability to install the motor away from the hood frees it from architectural constraints and reduces noise in the kitchen. Motor can be installed up to 7 meteres from the hood.

Filter Code	Cooker Hood	RRP	
F10RB01	Bella, Chloe, Chloe XL, Daisy, Glassy Island, Heaven, Heaven Air, Heaven Compact, Heaven Glass, Inca Lux, Inca Lux Glass, In-Nova Comfort, In-Nova Premium, Maxima, Nice, Ray, Solaris, Stilo Island, Strip, Strip Smart, T-Dark, Tratto Island, Tweet, Veil	€261	
F10RB02	Fabula	€186	



Remote Control

Filter Code	Cooker Hood	RRP	
F05RC2	Bi-Air, Bella Comfort, Bella Comfort Island, C-Air, Fabula Plus, Glow, Heaven 2.0, Heaven Air, Heaven Flat, High- Light, In-Light, In Nova Premium, Inca Lux, Odette, Onyx-C, Onyx-V, Onyx-T, SkyPad, Soft Edge, Soft Slim, T-Air, T-Dark, T-Light, T-Light Island, Talika, Twice, V-Air, V-Air Flat	€77	The same of the sa

Splashbacks

High Quality Stainless Steel Splashbacks for 60 and 90 cm wide hoods

Code	Cooker Hood	RRP	
F06W6063	60 cm Bella, Strip, Vesta	€89	45
F06W9063	90 cm, Strip, T-Air, T-Light, Vesta	€145	900 45
F06W1001	100 cm Solaris Corner	€295	1000 1000 1000 614.5 089 089 1386.5



Accessories

Flat air duct system accessories for \emptyset 120 and 150mm

Description	System	Dimensions	Code	RRP	
Flat Dusting Tube	Ø120	1500L x 220W x 55H	F02FD1215	€34	Н
Flat Ducting Tube	Ø150	1200L x 220W x 90H	F02FD1512	€49	
Flat to Round	Ø120	260L x 226W x 60H x125D	F02RR12	€13	n n
adapter	Ø150	180L x 225W x 90H x150D	F02RR15	€19	D
Vertical 90° Bend	Ø120	A226 x B60 x 105	F02VB91	€8	
Vertical 90 Bend	Ø150	A226 x B90 x 115	F02VB90	€16	Â
Horizontal 90° Bend	Ø120	226W x 60H	F02HB91	€15	
Horizontal 90 Bend	Ø150	220W x 90H	F02HB90	€22	
Flat Duct Connector	Ø120	53D x 226W x 60H	F02FDC12	€6	
Flat Duct Connector	Ø150	53D x 220W x 90H	F02FDC15	€11	H
Flexible Hose	Ø120	1500L x Ø130	F02FXD1215	€9	
riexible nose	Ø150	1500L x Ø150	F02FXD1515	€10	0
Dound Ding	Ø120	Ø125 x 1000L	F02RD1210	€20	1000
Round Pipe	Ø150	Ø150 x 1000L	F02RD1510	€22	
Dight Apple Dand	Ø120	90° x 125	F02RAB12	€20	
Right Angle Bend	Ø150	90° x 150	F02RAB15	€28	w



Accessories

Flat air duct system accessories for \emptyset 120 and 150mm

Description	System	Dimensions	Code	RRP		
Vertical 90° Bend	Ø120	161D x 226W x 90H x 125Ø x 60H2	F02VBRR12	€8		
Round to Rectangle	Ø150	180D x 226W x 100H x 150Ø x 90H2	F02VBRR15	€18	T W	
Round Connector	Ø120	-	-	-		
Round Connector	Ø150	150D	F02RC15	€14		
Flexible Connector	Ø120	-	-	-	mr. ex	
Flexible Colliector	Ø150	Max 600L x 90H	F02FFD15	€55	128	

Valves

Code	Description	RRP	
NA4022049	Flow 125 Thermobox • Black / Silver	€90	
NA4043064	Thermobox 150 • Black / Silver	€93	
NA4033042	Flow Star GTS 125 Connection O White finish	€420	o o
NA4043040	Flow Star GTS 150 Connection O White finish	€420	



Chimneys

Extra height Chimneys for high ceilings - Lead times of 6 weeks apply

Code	Cooker Hood	RRP	
F03W290B	Chimney for Cocktail Black	€87	300 300 O66×eW
F03W846W	Chimney for Cocktail White	€87	500 S00
F03W02 Ŧ	Bella, Gemma, Glove, Look, Nice, Ray Stilo, Stilux	€117	297


External Motor Hoods

Lead times of 6 weeks apply









RAY

CHOOSE THE RIGHT HOOD

The necessary extraction capacity is determined by the volume of the kitchen. An effective hood changes the air of the kitchen 10 times per hour. A powerful motor is quieter and uses less energy because it is effective at low speeds.

-A hood does not create noise disturbance if its capacity is

sufficient without exceeding 55 dB(A) of sound power.

-A powerful motor can be efficient even at lower, quieter speeds.

1 Fan Handbook - F. Bleier 1998

EFFECTIVENESS =


kitchen m² x Kitchen Height x 10 Changes of Air

Example: A 15 m^2 kitchen which is 3 m tall requires a hood which aspirates at least 450 m3/h. Infact: 15 m^2 x 3 m x 10 = 450 m^3 /h

Now consult the performance table found in the product catalogue.


The hood is efficient if an equal or higher capacity value is found in one of the speed columns.

Speed	1	2	3	4	INT
Air capacity IEC point	110	195	260	313	430
Pressure	-	-	-	-	-
Input	30	45	55	70	100
Noise level	48	53	58	62	69




INSTALLATION


Proper installation begins with an inspection. When choosing a hood, you should know:




Kitchen volume (which determines the necessary aspiration capacity). See above "Choosing the right hood."



Length of the cooking top (thehood is generally as long as thecooking top area).



The position and distance of the exit hole (very long and very curved right-angled tubes limit hood efficiency).



The hood is to be installed at a minimum distance of 65 cm from the cooking top, except for particular models where is specified in the technical drawing and instructions manual.

ATTENTION: the product guarantee will not be considered valid if this distance is not respected. The hood may not reach declared performance levels if the distance from the cooking top exceeds 75 cm. Some vertical-installation models (ex. Cocktail) are to be installed lower.

Please check the product's technical manual and installation guide for min and max distances for each hood.

USE AND MAINTENANCE





Switch on the hood a minute before cooking begins to create air flow that channels fumes and steam toward the aspiration surfaces. If necessary, leave the hood switched on even after cooking is finished so that all steam and odours can be properly aspirated.



- Wash the metal anti-grease filters by hand or in the dishwasher every two months¹
- Replace synthetic anti-grease filters every two months
- Regular filter maintenance guarantees efficient hood use ATTENTION: grease deposited on the filters is inflammable: be sure to perform regular maintenance
- ¹ These intervals of time refer to a regular use of the hood, approximately 3 hours per day



Hood cleaning

- Remove impurities with a damp sponge and a small amount of neutral soap²
- Rinse with a damp cloth
- Dry with a soft cloth, if the hood is in stainless steel, follow the steel brushing
- Clean the internal hood conduit once a year
- ² Acid-based cleaning products can damage hood surfaces

First cleaning

- Remove the protective films
- Remove impurities with a damp sponge and a small amount of neutral soap
- Rinse with a damp cloth
- Dry with a soft cloth. If the hood is in stainless steel, continue witha steel glaze
- You can give stainless steel hoods a protective treatment with the Faber Clin&Clin tissue

Faber hoods benefit from 60 years of competence in air treatment

- We were the first in the kitchen hood sector to obtain an ISO 9001 company qualitysystem certificate.
- System integrated with Quality, Safety and Environment certified by SGS respecting the ISO 9001:2000, OHSAS 18001 and ISO 14001 norms.
- We have received the SGS Excellence Certificate, the absolute first in the world, number 001.
- All Faber hoods conform to European safety standards (EC mark of conformity), and have also been certified by the IMQ, a reliable, independent organisation further guaranteeing clients on quality (IMQ mark of security).

Faber Hoods are designed for Safety



Hammered internal edges and tempered glass to avoid risks of cutting.



Thermo-protected motors and selfextinguishing plastics help avoid any risk

of fire.

Electronics are solid state, cables and connections are all placed correctly to avoid electric shock or dangerous sparks.

All Faber hoods have undergone safety and performance tests. Aspiration and noise capacity have beenmeasured according to standard norms:

- EN 61591
- EN 60704-3

unique specifications for surveying kitchen hood performance.

ATTENTION: Comparisons between differentbrand hoods should be carried out on complete data obtained according to these standards.

The Faber laboratory is NEMKO and IMQ certified.