






### UNDER CABINET LIGHTING

Programme	Page Nr.
TrioTone Lights	5.01
Surface LED Lights	5.03
Surface-Recessed SLS	5.05
Connex TrioTone	5.05



### FLEXIBLE STRIP LIGHTING

Programme	Page Nr.
Viva 3 / Polar	5.06
Primo 2 / Ion 8	5.07
Flux / Sigma 2	5.08
Dart / Radiant	5.09
Aluminium Profiles	5.10



### PLINTH LIGHTING

Programme	Page Nr.
Specto LED	5.10
LUCE SLS	5.11
Stellar Pro	5.11



### GENERAL LIGHTING

Programme	Page Nr.
Verso Drawer Light	5.12
Duro Plus Drawer Light	5.12
Magnum Rechargeable Light	5.13



### POP UP SOCKETS

Programme	Page Nr.
SensioPod+ M Bluetooth	5.14
SensioPod M	5.14
SensioPod E	5.15



### LIGHTING CONTROL

Programme	Page Nr.
Drivers	5.16
Switches and Sensors	5.17
Remotes and Receivers	5.18
Flexi Strip Accessories	5.18

### HYPE TRIOTONE

- One light, three whites: warm, natural and cool white
- All three desired colour temperatures can be achieved from a single fitting. No need to stock multiple parts
- Choose the LED colour you prefer prior to installation. Please note; all fittings will be pre-set to warm white
- If you decide the LED colour choice is wrong after installation simply remove the LED centre and select a different LED colour
- Full range of switches and sensors. See page 5.17
- Optional 2.5 mtr extension cable Art. Nr. SE9009.
- Surface/recess light with collar supplied
- Diffused LED' so no individual LED diodes can be seen
- 50% brighter than the previous SLS Hype and Bermuda fittings.
- Long lamp life of 50,000 hours



#### HYPE TRIOTONE

LED Colour	Lumens	Individual Light	3 Light Kit
Cool, Natural or Warm White	170 - 190 lm	SE21100	SE21100K3

Note: light kit c/w driver, each lamp with 2.5 mtr cable

### ASTRO TRIOTONE

- Super slimline design
- Brushed aluminium, brass, black or copper finish
- Magnetic mounting plate conceals fixings for a clean finish
- One light, three whites: warm, natural and cool white
- Long lamp life of 50,000 hours
- All three desired colour temperatures can be achieved from a single fitting. No need to stock multiple parts
- If you decide the LED colour choice is wrong after installation simply flick the switch on the back of the fitting.
- Elongated design allows for vast spread of light across the worktop
- Full range of switches and sensors. See page 5.17
- Optional 2.5 mtr extension cable Art. Nr. SE9009



Note: light kit c/w driver, each lamp with 2.5 mtr cable



#### ASTRO TRIOTONE

LED Colour	Finish	Lumens	Individual Light	3 Light Kit
Cool, Natural or Warm White	Brushed Aluminium	280 - 300 lm	SE11190T0	SE11190T3
Cool, Natural or Warm White	Black	280 - 300 lm	SE11198T0	SE11198T3
Cool, Natural or Warm White	Brass	280 - 300 lm	SE11196T0	SE11196T3
Cool, Natural or Warm White	Copper	280 - 300 lm	SE11197T0	SE11197T3



### NEO TRIOTONE

- One light, three whites: warm, natural and cool white
- All three desired colour temperatures can be achieved from a single fitting. No need to stock multiple parts
- Long lamp life of 50,000 hours
- Choose the LED colour you prefer prior to installation. Please note; all fittings will be pre-set to warm white
- If you decide the LED colour choice is wrong after installation simply flick the switch underneath the front bezel of the fitting.
- Full range of switches and sensors. See page 5.17
- Optional 2.5 mtr extension cable Art. Nr. SE9009.
- Magnetic stainless steel bezel for simple installation
- No visible diodes reflect off the worktop
- 40% larger than the previous PAD2 fittings



### NEO TRIOTONE

LED Colour	Lumens	Individual Light	3 Light Kit
Cool, Natural or Warm White	240 - 280 lm	SE11590T0	SE11590T3

Note: light kit c/w driver, each lamp with 2.5 mtr cable



### ARK

- Stainless steel finish with either cool or warm white LED.
- Fully diffused lens - no visible LED dots
- Lights can be Daisy chained together
- Long lamp life of 50,000 hours
- Full range of switches and sensors. See page 5.17
- Optional 2.5 mtr extension cable Art. Nr. SE9009
- Cool White (5000K) and Warm White(3000K)
- Dimensions: Width 40 x Depth 180 x Height 10 mm



ARK			
LED Colour	Lumens	Individual Light	3 Light Kit
Warm White	180 lm	SE11192W0	SE11192W3
Cool White	180 lm	SE11192C0	SE11192C3

Note: light kit c/w driver, each lamp with 2.0 mtr cable

### ZETA

- Compact, stylish appearance
- Supplied with removable collar to allow for either a surface mounted or recessed finish
- Diffused light - no visible dots
- Stainless steel finish
- Ideal for under cabinet or in cabinet feature lighting
- Compatible with Sensio switches, single-colour receivers and dimmable drivers
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver



ZETA			
LED Colour	Lumens	Individual Light	3 Light Kit
Natural White	180 lm	SE11190N0	SE11190N3

## Under Cabinet Lighting



### PINTO

- Sleek, bright and discreet only 6 mm deep
- Silver finish with warm white LED
- 16 integrated diodes
- 50,000 hour lamp life
- Full range of switches and sensors. See page 5.17
- Warm White (3000K)
- Low energy consumption with only 1.5W per fitting
- Dimensions: Diameter 60 x Height 6 mm



### PINTO

LED Colour	Lumens	3 Light Kit
Warm White	112 lm	SE10138WWK3

Note: light kit c/w driver, each lamp with 1 mtr cable



Lighting

### ARCADE

- Cool or warm white LED spot lights
- Three coloured bezels supplied - black, white and stainless steel - to easily select and change the look of the fitting
- Extra bright with up to 250 lumens
- Long lamp life of 50,000 hours
- Innovative etched design completely diffuses light - no visible dots
- Full range of switches and sensors. See page 5.17
- Optional 2.5 mtr extension cable Art. Nr. SE9009
- Cool White (5000K) and Warm White(3000K)
- Dimensions: Width 99 x Depth 99 x Height 6.7 mm



### ARCADE

LED Colour	Lumens	Individual Light	3 Light Kit
Warm White	250 lm	SE11095W0	SE11095W3
Cool White	250 lm	SE11095C0 	SE11095C3 

Note: light kit c/w driver, each lamp with 1.5 mtr cable

### HYPE SLS

- Surface or recess mounted.
- Stainless Steel finish with either cool or warm white LED.
- SLS Lighting; no diodes appear on light surface.
- 35,000 hour lamp life
- Full range of switches and sensors. See page 5.17
- Optional 2.5 mtr extension cable Art. Nr. SE9009.
- Cool White (6500K) and Warm White(3000K)
- Dimensions: Recessed = Ø65 x Depth 11
- Dimensions: Surface = Ø68 x Height 13.5



SLS  
surface light source



### HYPE SLS

LED Colour	Lumens	Individual Light	3 Light Kit
Warm White	93 lm	SE90050W0	SE90050W3
Cool White	100 lm	SE90050C0	SE90050C3

Note: Each light kit c/w driver, each lamp with 2.5 mtr cable

### CONNEX TRIOTONE

- Continuous diffused LED under cabinet lighting
- One light, 3 colour temperatures
- Select cool, natural or warm white using the integrated rocker switch
- Mains fitting for ultra simple installation
- 50,000 hour lamp life
- Can be interlinked with an integrated connector to achieve the optimum run of light
- Each fitting is supplied with 1.5m of bare ended mains cable for simple installation (no driver required)



### CONNEX TRIOTONE

Length	222mm	343mm	524mm	623mm
Art No	SE100390	SE100490	SE100590	SE100690
Lumens	260 lm	430 lm	810 lm	1080 lm

Note: Each light fitting is supplied with 1.5 mtr of mains cable



### VIVA 3

- 3M VHB adhesive tape backing allows for quick & easy installation
- Male/female ends allow you to create the length required
- 50,000 hour lamp life
- Cool White (5500K), Natural White (4000K) & Warm White (3000K)
- The strip can be cut to length, reuse a cut section of the strip ONCE using the minicut connector (SE10318MCC).
- Range of interconnecting strips available See page 5.18
- Extremely low energy consumption, only 4W per 1000mm.
- Lumens per meter. 470-520 lm
- Full range of switches and sensors. See page 5.17
- Viva 3 accessories. See page 5.18



### VIVA 3

LED Colour	1 mtr. Reel*	1 mtr. Kit	2 mtr. Reel*	2 mtr. Kit	5 mtr. Reel*	5 mtr. Kit
Warm White	SE10715W0	SE10715W1	SE10725W0	SE10725W1	SE10655W0	SE10655W1
Cool White	SE10715C0	SE10715C1	SE10725C0	SE10725C1	SE10655C0	SE10655C1
Natural White	SE10715N0	SE10715N1	SE10725N0	SE10725N1	SE10655N0	SE10655N1





Note: Each kit c/w driver and 2.5 mtr connection lead. \*Individual reels require separate Drivers (See page 5.16)

### POLAR

- Superb light output with high lumen per watts
- Available in both warm, natural and cool white.
- Long lamp life of 50,000 hours
- 3M tape backing allows for quick and easy installation
- Provides a completely uniform light line with no visible LED dots eliminating the need for a profile or cover
- It is versatile and compatible with Sensio dimmable receivers
- Cool White (6000K) Warm White (3000K) and Natural White (4000K)
- The strip can be cut (every 31 mm) to length, reuse a cut section of the strip using the joining clip (SE112990)
- Full range of switches and sensors. See page 5.17
- Polar accessories. See page 5.18



### POLAR


LED Colour	Lumens per mtr	2 mtr. Reel*	2 mtr. Kit	5 mtr. Reel*	5 mtr. Kit
Cool White	600 lm	-	-	SE20055C0	SE20055C1 
Warm White	580 lm	-	-	SE20055W0	SE20055W1 
Natural White	600 lm	SE20125N0	SE20125N1 	SE20055N0	SE20055N1 

Note: Each kit c/w driver and 2.5 mtr connection lead. \*Individual reels require separate Drivers (See page 5.16)



### PRIMO 2

- Cut and reconnect up to 50 times (every 100mm)
- 3M tape backing allows for quick and easy installation.
- Male/female ends allow you to create the length required
- 50,000 hour lamp life
- Cool White (5000K) and Warm White (3000K)
- Reuse a cut section using the minicut connector (SE100050).
- Range of interconnecting strips available See page 5.18
- Low energy consumption, only 3.6W per meter
- Full range of switches and sensors. See page 5.17
- Primo 2 accessories. See page 5.18



#### PRIMO 2

LED Colour	Lumens per mtr	5 mtr. reel *	5 mtr. Kit
Warm White	415 lm	SE10755W0	SE10755W1
Cool White	425 lm	SE10755C0	SE10755C1



Note: Each kit c/w driver and 2.5 mtr connection lead. \*Individual reels require separate Drivers (See page 5.16)

### ION 8

- New and improved CCT flexible strip light
- CCT allows the perfect light temperature selection and transition from warm to cool white
- Long lamp life of 50,000 hours
- Over four times the number of LEDs per metre than it's predecessor, Ion 8 greatly reduces the appearance of visible LEDs providing a premium light output
- The strip can be cut to length every 50 mm and the whole reel can be utilised with the Ion joining clips (SE111990)
- VHB adhesive tape backing allows for secure installation
- Colour range from 2700 to 6000K
- Full range of switches and sensors. See page 5.17
- Ion 8 accessories. See page 5.18



#### ION 8

LED Colour	Lumens per mtr	Watts per mtr	5 mtr reel*	5 mtr kit	5 mtr smart kit
CCT Cool - Warm White	605 lm	6W	SE10855P0	SE10855P1 	SE10855PS1 

Note: Each kit c/w driver and connection cable \*Individual reels require separate drivers (See page 5.16)



## Flexible Strip Lighting



### FLUX

- A fully customisable, flexible strip light to suit any style, mood or atmosphere
- 24 pre-set colours of RGB and 11 shades of white light CCT
- Colours can be set individually or RGB colours can be mixed with the CCT colours to create a multitude of different shades
- Long lamp life of 50,000 hours
- Cut marks are indicated every 142.5mm on the back of the strip
- VHB adhesive tape backing for secure installation
- Extremely low energy consumption, only 6W per mtr
- Compatible with Sensio CCT receiver and Universal Remote Control or the Titan RGB CCT Smart Driver to control, zone and dim the lights

### FLUX

LED Colour	2 mtr. Reel*	3 mtr. Reel*	5 mtr. Reel*	5 mtr Kit
RGB - CCT	SE10625R0	SE106105R0 	SE10655R0	SE10655R1 

Note: Kit c/w Flux flexible strip, remote, receiver and 30W driver \*Individual reels require separate drivers

### SIGMA 2

- An innovative bendable flexible strip that handles corners with ease
- 5 meter strip that can be cut every 50 mm
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- 50,000 hour lamp life
- Cool White (5000K) Warm White (3000K) and Natural White (4000K)
- Full range of switches and sensors. See page 5.17
- Sigma 2 accessories. See page 5.18



### SIGMA 2

LED Colour	Lumens per mtr	Wattage per mtr.	5 mtr. reel *	5 mtr Kit
Warm White	530 lm	4.8W	SE10855W0	SE10855W1
Cool White	570 lm	4.8W	SE10855C0	SE10855C1
Natural White	575 lm	4.8W	SE10855N0	SE10855N1

Note: Each kit c/w driver and 2.5 mtr connection lead. \*Individual reels require separate Drivers (See page 5.16)

### DART

- Supplied in a 5m reel
- A simple, highly efficient flexible strip light with a superb light output
- Available in natural white making it ideal for a range of kitchen styles
- Cut marks are indicated every 100mm to enable the strip to be cut closer to the desired length
- Cut sections can be re-utilised with the joining clips and leads (sold seperately)
- Supplied with 3M VHB (Very High Bond) tape underneath the strip for secure installation
- Compatible with Sensio single-coloured receivers to enable dimming functionality
- IP20 rated - protected against solid objects over 12mm (e.g fingers)



#### DART

LED Colour	Lumens per mtr	Length	5 mtr. Kit
Natural White	440 lm	5000mm	SE10355N1

Note: Each kit c/w 2.5m driver connection cable, LED driver and plug

### RADIANT

- High light output - 4.8 wat
- Available in Warm, Natural and Cool White
- Discreet, slimline 4mm width
- Long lamp life of 50,000 hours
- Driver connection cables pre-soldered at either end of the strip so two lengths can be used from the same reel if required
- Cut marks are indicated every 50mm on the back of the strip
- Ideal for a flush, recessed finish with a simple push-fit application
- Can be surface mounted with the use of the mounting brackets. (6 supplied with 3000mm and 10 supplied with 5000mm reels)
- Supplied end caps provide a clean and IP rated finish to cut ends
- Able to navigate around curves on island units and cabinetry



#### RADIANT

LED Colour	Lumens per mtr	Watts per mtr	3 mtr reel*	3 mtr kit	5 mtr reel*	5 mtr kit
Warm White	285 lm	4.8W	-	-	SE10555W0	SE10555W1
Cool White	305 lm		-	-	SE10555C0	SE10555C1
Natural White	293 lm		SE105105N0	SE105105N1	SE10555N0	SE10555N1

\*Individual reels require seperate Drivers (See page 5.16)

## Profiles and Plinth Lighting



### PROFILES FOR FLEXI STRIPS

- 3 solutions: recessed, surface mounted flat or angled
- Perfect for use under cabinets, inside larders or inside wardrobes
- Includes end caps and mounting brackets
- For use with any of the Sensio flexible strip range
- Extremely slim profile to create the ultimate discreet lighting solution
- Aluminium / black profile with a frosted cover.



### PROFILES

Application	Name	Length	Width x Height	Aluminium Finish	Black Finish
Recessed	Linia	1000 mm	W25 x H8 mm	SE980120	
		2200 mm	W25 x H8 mm	SE980220	SE980280
Surface	Fino	1000 mm	W18 x H8.5 mm		SE981180 
		2000 mm	W18 x H8.5 mm	SE981220	SE981280
Surface Angled	Beam	2200 mm	W16 x H16 mm	SE982220	

### SPECTO

- The perfect invisible dot plinth lighting solution.
- IP44 rated (protected against water splashes).
- 15mm fittings – very discreet.
- Long lamp life of 35,000 hours
- The fittings daisy chain together for simple installation.
- 2 x 75cm cables per fitting.
- Compatible with Sensio switches and dimmers
- The driver in the packs (SE490950) has a maximum allowance of 6W
- A maximum of 18 fittings can be run from the one driver (based on the fittings being daisy chained)



### SPECTO

LED Colour	Lumens	Wattage	Individual Light	Kit 4
Warm White	8 lm per fitting	0.32 W per fitting	SE15091W0	SE15091W4
Cool White	8 lm per fitting	0.32 W per fitting	SE15091C0	SE15091C4

Note: Additional lights can be added to Kits up to max of 18

### LUCE SLS

- Available individually or as a pack of 4
- Stainless Steel Surround
- Sit flush to the plinth board
- Long lamp life of 30,000 hours
- 15mm fittings – very discreet.
- The fittings daisy chain together for simple installation.
- Compatible with Sensio switches and dimmers
- The driver in the packs (SE490950) has a maximum allowance of 6W
- A maximum of 10 fittings can be run from the one driver (based on the fittings being daisy chained)
- 0.6 Watts per fitting
- Dimension 50 x 50 mm
- Cut Out size  $\varnothing$  44 mm



### LUCE SLS

LED Colour	Lumens	Wattage	Individual Light	Kit 4
Warm White	16 lm	0.6 W per fitting	SE15090W0	SE15090W4
Cool White	16 lm	0.6 W per fitting	SE15090C0	SE15090C4

### STELLAR PRO

- A sleek and striking plinth light
- Large 35mm diameter and stainless steel rim
- Correlated colour temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Long lamp life of 50,000 hours
- Fully diffused lens - no visible LEDs
- Fittings can be daisy chained for simple installation
- Supplied individually or in a kit with a Titan Smart Driver for voice or mobile app activation and control
- IP20 rated - protected against solid objects over 12mm (eg fingers) and protected against water drops at a 15 degree angle from the vertical



### STELLAR PRO

LED Colour	Lumens	Individual Light*	4 Light Smart Kit	10 Light Smart Kit
CCT Cool - Warm White	60 lm per fitting	SE15190P0	SE15190PS4	SE15190PS10

Note: Each Smart kit c/w 15W CCT Titan Smart Driver

## Drawer Lighting



### VERSO

- High definition LED drawer light perfect for both kitchen and bedroom drawers
- Integrated IR sensor on front edge - light will turn on and off when the drawer is open and closed
- Low wattage allows a full drawer stack to be powered from a single driver
- Brackets and cable tidy supplied to ensure no loose, unsightly wires



### VERSO

LED	562MM	862MM	962MM
Natural White	SE7305HDNW.24	SE7315HDNW.24	SE7320HDNW.24
Lumens/Watts	338 lm/3.3w	460 lm/5.4w	500 lm/6w

### DURA PLUS

- Battery powered. No wiring necessary - anyone can install
- Easy to install - no need for drilling, simply use the soft magnet with 3M adhesive tape
- Aluminium finish
- Dual mode (in drawer/in cabinet or under cabinet swipe function)
- Simple function change by switch on side of fitting
- 120 degree beam angle (illuminates the whole drawer)
- Integrated IR sensor with a 20 or 60 second delay if no movement is detected
- Requires 4 x AAA batteries to run
- 25,000 hour lifespan
- Natural white (5000K)
- 300mm x 19mm x 22mm




### DURA PLUS

Wattage	Lumens	CODE
1W	40 lm	SE16097C0

### MAGNUM

- Ideal for wardrobes and kitchen cabinets
- Easy retro fit design and no electrical installation required.
- Integrated PIR sensor with a 1.5m range of 120° activates the light
- Simple installation via a self adhesive magnetic plate - the light then attaches to the magnetic plate and removes for charging
- Contains rechargeable lithium-ion battery
- Rapid battery charge time (<2 hours)
- On/off switch to save battery capacity
- If no movement is detected, the unit will switch off after 10 seconds
- 6 month battery power based on 2 minutes of usage per day
- Charger cable included
- Natural white (4500K)



MAGNUM		
Finish	LUMENS	CODE
Stainless Steel	100 lm	SE3300N0
Chrome	100 lm	SE3391N0 



## Pop-Up Sockets



### SENSIOPOD+ M BLUETOOTH

- Motorised mechanism with anti-trap feature
- Pausing feature to allow the pod to be partially lowered when in use
- Simple touch sensor control on the top of the pod
- 2 x Power sockets
- 2 x USB sockets
- Integrated Qi charger
- Integrated Bluetooth speaker
- Simple installation - 1.8m cable with 13A plug attached
- IP54 rated
- Aluminium finish



### SENSIOPOD+ M BLUETOOTH

Dimensions	Cut Out	Art. No.
Ø 110 x 294 H (When opened)	Ø 98 mm	SE893920



### SENSIOPOD M

- Motorised mechanism with anti-trap feature
- Pausing feature to allow the pod to be partially lowered when in use
- Simple touch sensor control on top of the pod
- 3 x Power sockets
- 2 x USB sockets
- Integrated Qi charger
- Simple installation - 1.8m cable with 13A plug attached
- IP54 rated
- Aluminium finish



### SENSIOPOD M

Dimensions	Cut Out	Art. No.
Ø 110 x 238 H (When opened)	Ø 98 mm	SE892920



### SENSIOPOD E

- Slim stainless-steel handle sits almost flush with the worktop for a seamless finish
- Simple installation - 1.5m cable with 13A plug attached
- Spring mounted handle
- 3 x Power sockets
- 2 x USB sockets
- IP20 rated
- Aluminium finish
- 80 mm diameter cut out



### SENSIOPOD E

Stainless Steel	Black	Aluminium
SE891900	SE894930	SE894920




### DRIVERS

- All lighting products in the Sensio range run on 24 Volt systems
- Each driver can run a number of lights. Simply divide the wattage of the driver by the wattage of a single light and this will tell you exactly how many lights can be run by the driver
- Choose the type of Titan based on how the lights will be controlled
- Titan - a simple, straight-forward driver to convert mains current and connect lights to a wall switch
- Titan+ offers lighting control via sensors. Titan+ drivers are compatible with four sensor controls - IR, PIR, Door and Push Switch
- Titan SMART RGBCCT - provides smart home device voice activation and smart phone lighting control
- Titan Smart Kinetic - wireless switch and provides smart home device voice activation




### TITAN DRIVERS

Art No.	Type	Wattage	Nr of JB4 Connection Ports	
SE490950	TITAN	6 Watt	4	
SE491950		15 Watt	6	
SE492950		30 Watt	6	
Art No.	Type	Wattage	Nr of JB4 Connection Ports	
SE495950	TITAN +	6 Watt	4	
SE496950		15 Watt	6	
SE497950		30 Watt	6	
Art No.	Type	Wattage	Nr of JB4 Connection Ports	
SE40899	TITAN DIMMABLE	30 Watt	6	
SE40699		60 Watt	10	
Art No.	Type	Wattage	Control	Ports
SE405595	TITAN SMART	30 Watt	RGB / CCT	4
Art No.	Type	Wattage	Control	Ports
SE406581	TITAN SMART KINETIC	15 Watt	Single-colour	5
SE406591		30 Watt	Single-colour	5
SE406582		15 Watt	CCT	3
SE406592 		30 Watt	CCT	6

### CABLES, CONNECTORS & ACCESSORIES

Art No.	Type
SE990990	Driver Port Expander - increases the capacity of the driver with an additional 12 ports
SE797990	Titan+ Sensor Adapter - use with any standard Titan driver to control lights placed afterwards in the chain
SE797991	Titan+ Double Door Sensor Adapter

- The Titan+ range of sensors are compatible with the Titan+ driver, offering simple plug and play setup.
- Titan+ sensors are supplied with a simple clip bracket for surface mounting under cabinets.
- Alternatively they can be concealed by recessing into a panel.



### Titan+ IR Sensor

- Allows activation of all lighting plugged into the Titan+ driver with the swipe of a hand
- Detection range of 0-5cm
- Perfect for recessed or surface mounting (with the included bracket)
- 2m connection cable
- Adds dimmable functionality to Titan+ driver




### Titan+ PIR Sensor

- Allows activation of all lighting plugged into the Titan+ driver by detecting motion
- Detection range of 0-3m
- Detection angle of 120°
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable



### Titan+ Push Switch

- Allows activation of all lighting plugged into the Titan+ driver with a push of a button
- Simple plug and play technology - easy to add the Titan+ IR sensor to any new or existing Titan+ driver
- Perfect for recessed mounting in to a worktop
- Features a robust clicker switch
- Cut out diameter of 12mm
- 2m connection cable



### Titan+ Door Sensor

- Allows activation of all lighting plugged into the Titan+ driver with the opening and closing of doors
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable



Titan+ Sensor 2.5m Extension Lead now available - SE90012




### Universal Remote Control

- The remote can control single colour lighting (dimming), CCT (tunable white) and RGB (colour changing) lights
- Offers a multitude of functions including the ability to set up channels and zone lighting
- Wall mounting bracket provided to keep the remote safe and secure when not in use
- Requires 2 x AAA batteries (not included)
- Use in conjunction with the appropriate receiver for the chosen lights

#### REMOTE CONTROL

Code	Description
SE770390	Universal Remote Control



### Kinetic Switch - Wireless Control

- Simple installation
- No additional power or wiring required
- Simple, wall mount installation via screws or adhesive tape included
- One, two and three gang options available for additional control functions such as dimming, colour adjust and zoning.

#### KINETIC SWITCH

Code	Description
SE781990	1 Gang
SE782990	2 Gang
SE783990	3 Gang



### Receivers

- Choose correct receiver based on what type of lights you want to control
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with a single universale remote control

#### RECEIVERS

Code	Description	No. Ports
SE772990	Single Colour Receiver	4
SE771990	CCT Receiver	4
SE770990	RGB CCT Receiver	1

### Accessories for Flexi Strip

#### FLEXI STRIP LEADS

Wattage	Viva 3	Polar	Primo 2	Ion 8	Sigma 2
Inter Connecting Lead - 500mm					
Inter Connecting Lead - 1500mm	SE10317	SE105790	SE100750	SE106790	SE970750
Corner Connection Lead 50mm	SE10316	SE105990	SE101050	SE106990	
LED/RGB Flexible Strip Cut Connector	SE10318MCC	SE112990		SE111990	SE970950
End Cap/Interconnecting Clip			SE100050		