

Taps - Stainless Steel Collection

Lorraine

- Single lever control
- Matt Black
- Minimum 3 bar pressure



Matt Black

Finish	Art. No.
Matt Black	LULORMBSS

Height:	402 mm
Spout Centre:	191 mm
Base Dimensions:	45 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	7.63 ltrs per min

Paris

- Single lever control
- Stainless Steel or matt black
- Minimum 3 bar pressure
- Under window tap, removable spout



Stainless Steel

Matt Black

Finish	Art. No.
Stainless Steel	LUPARSS
Matt Black	LUPARMBSS

Height:	255 mm
Spout Centre:	229 mm
Base Dimensions:	50 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	7.90 ltrs per min.

Marseilles

- Single lever control
- Stainless Steel
- Minimum 3 bar pressure



Stainless Steel

Finish	Art. No.
Stainless Steel	LUMARSS

Height:	278 mm
Spout Centre:	222 mm
Base Dimensions:	50 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	8.11 ltrs per min.

Bordeaux

- Single lever control
- Stainless Steel
- Minimum 3 bar pressure



Stainless Steel

Finish	Art. No.
Stainless Steel	LUBORSS

Height:	265 mm
Spout Centre:	245 mm
Base Dimensions:	50 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	6.78 ltrs per min.

SINKS AND TAPS

Taps - Stainless Steel Collection

Toulon

- Single lever control
- Stainless Steel
- Minimum 3 bar pressure



Stainless Steel

Height:	403 mm
Spout Centre:	191 mm
Base Dimensions:	54 mm Ø
Cut Out Dimensions:	35 mm Ø
Flow rate @ 3 bar:	9.01 ltrs per min.

Finish	Art. No.
Stainless Steel	LUTOUSS

Lyon

- Single lever control
- Stainless Steel
- Minimum 3 bar pressure



Stainless Steel

Height:	215 mm
Spout Centre:	212 mm
Base Dimensions:	54 mm Ø
Cut Out Dimensions:	35 mm Ø
Flow rate @ 3 bar:	9.25 ltrs per min.

Finish	Art. No.
Stainless Steel	LULYOSS

Nice

- Single lever control
- Stainless Steel
- Minimum 3 bar pressure



Stainless Steel

Height:	303 mm
Spout Centre:	217 mm
Base Dimensions:	54 mm Ø
Cut Out Dimensions:	35 mm Ø
Flow rate @ 3 bar:	8.72 ltrs per min.

Finish	Art. No.
Stainless Steel	LUNICSS

Nantes

- Single lever control
- Extractable double jet hand shower
- Stainless Steel, matt black or gold
- Minimum 3 bar pressure



Height:	336 mm
Spout Centre:	234 mm
Base Dimensions:	54 mm Ø
Cut Out Dimensions:	35 mm Ø
Flow rate @ 3 bar:	6.46 ltrs per min.

Finish	Art. No.
Stainless Steel	LUNANSS
Matt Black	LUNANMBSS
Gold	LUNANGPSS

Taps - Stainless Steel Collection

Montpellier

- Single lever control
- Stainless Steel or matt black
- Minimum 3 bar pressure



Stainless Steel

Matt Black

Finish	Art. No.
Stainless Steel	LUMONSS
Matt Black	LUMONMBSS

Height:	290 mm
Spout Centre:	220 mm
Base Dimensions:	54 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	7.63 ltrs per min

Clermont

- Single lever control
- Elbow mixer with hand shower
- Stainless Steel, matt black or copper/matt black
- Minimum 3 bar pressure



Copper & Matt Black

Stainless Steel

Matt Black

Finish	Art. No.
Stainless Steel	LUCLESS
Matt Black	LUCLEMBSS
Copper & Matt Black	LUCLEMBCSS

Height:	290 mm
Spout Centre:	220 mm
Base Dimensions:	54 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	8.51 ltrs per min.

Grenoble

- Single lever control
- Stainless Steel with black hose
- Minimum 3 bar pressure



Stainless Steel

Finish	Art. No.
Stainless Steel	LUGRESS

Height:	437 mm
Spout Centre:	230 mm
Base Dimensions:	50 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	6.22 ltrs per min.

Strasbourg

- Single lever control
- Pull out hose spray
- Stainless Steel
- Minimum 3 bar pressure



Stainless Steel

Finish	Art. No.
Stainless Steel	LUSTRSS

Height:	309 mm
Spout Centre:	212 mm
Base Dimensions:	54 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	7.51 ltrs per min.

SINKS AND TAPS

Taps - Stainless Steel / Brass Collection

Perpignon

- Single lever control
- Stainless Steel
- Minimum 3 bar pressure

Stainless Steel



Height:	215 mm
Spout Centre:	212 mm
Base Dimensions:	54 mm ø
Cut Out Dimensions:	35 mm ø
Flow rate @ 3 bar:	9.13 ltrs per min.

Finish	Art. No.
Stainless Steel	LUPERSS

Praga

- Single lever control
- Solid Brass
- Ceramic Cartridge

Black

Chrome



Height:	355 mm
Spout Centre:	190 mm
Base Dimensions:	50 mm ø
Cut Out Dimensions:	35 mm ø
Flow rate @ 3 bar:	10.3 ltrs per min.

Finish	Art. No.
Black	FI3801B
Chrome	FI3801C

London

- Single lever control
- Chrome
- Maximum 5 bar pressure

Chrome

Black



() = Pull out hose option

Height:	320 (315) mm
Spout Centre:	230 (215) mm
Base Dimensions:	50 mm ø
Cut Out Dimensions:	35 mm ø
Flow rate @ 3 bar:	9.8 ltrs (8.1) per min.

Finish	Art. No.	Spout
Chrome	FI2901C	Standard
Black	FI2901B	Standard
Chrome	FI2902C	Pull out hose
Black	FI2902B	Pull out hose

Lisbona

- Single lever control
- Chrome
- Maximum 5 bar pressure

Black

Chrome



Height:	315 mm
Spout Centre:	215 mm
Base Dimensions:	50 mm ø
Cut Out Dimensions:	35 mm ø
Flow rate @ 3 bar:	6.5 ltrs per min.

Finish	Art. No.
Black	FI3602B
Chrome	FI3602C

Oblique

- Single lever control
- Black or chrome
- Maximum 5 bar pressure



Chrome

Black

Finish	Art. No.
Chrome	FI3001C
Black	FI3001B

Height:	400 mm
Spout Centre:	200 mm
Base Dimensions:	50 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	6.9 ltrs per min.

Spirit

- Single lever control
- Black or chrome
- Maximum 5 bar pressure



Chrome

Black

Finish	Art. No.
Black	FI6601B
Chrome	FI6601C

Height:	270 mm
Spout Centre:	220 mm
Base Dimensions:	50 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	8.4 ltrs per min.

Azeta

- Single lever control
- Chrome
- Maximum 5 bar pressure



Chrome

Finish	Art. No.
Chrome	FI7201C

Height:	270 mm
Spout Centre:	220 mm
Base Dimensions:	40 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	9.6 ltrs per min.

Keo

- Single lever control
- Chrome
- Maximum 5 bar pressure



Chrome

Finish	Art. No.
Chrome	FI7301C

Height:	265 mm
Spout Centre:	190 mm
Base Dimensions:	50 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	12.4 ltrs per min.

SINKS AND TAPS

Taps - Brass Collection

Conic dual lever

- Dual lever controls
- Chrome or Satin Chrome
- Pull out hose option F
- Maximum 5 bar pressure



() = Pull out hose option

Height:	365 (360) mm
Spout Centre:	165 (195) mm
Base Dimensions:	45 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	13.3 (7.1) ltrs per min

Finish	Art. No.	Spout
Chrome	FI6701C	Standard
Satin	FI6701SC	Standard
Chrome	FI6702C	Pull out hose

Conic single lever

- Single lever control
- Chrome
- Pull out hose option F
- Maximum 5 bar pressure



() = Pull out hose option

Height:	375 (370) mm
Spout Centre:	165 (195) mm
Base Dimensions:	45 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	10.9 (9.5) ltrs per min.

Finish	Art. No.	Spout
Chrome	FI7101C	Standard
Chrome	FI7102C	Pull out Hose

Dorian

- 1/4 turn white handles
- Chrome or bronze
- Maximum 5 bar pressure



Height:	230 mm
Spout Centre:	240 mm
Base Dimensions:	40 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	8.1 ltrs per min.

Finish	Art. No.
Chrome	FI5201C
Bronze	FI5201BZ

Armony

- Dual lever handle controls
- Chrome
- Maximum 5 bar pressure



Height:	295 mm
Spout Centre:	190 mm
Base Dimensions:	58 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	9.8 ltrs per min.

Finish	Art. No.
Chrome	FI2301C

Ottocento

- 1/4 turn dual handles
- Chrome
- Maximum 5 bar pressure



Chrome

Finish	Art. No.
Chrome	FI4801C

Height:	230 mm
Spout Centre:	240 mm
Base Dimensions:	40 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	8.1 ltrs per min.

Oblique Pro

- Single lever control
- Chrome
- Maximum 5 bar pressure



Chrome

Finish	Art. No.
Chrome	FI6901C

Height:	450 mm
Spout Centre:	220 mm
Base Dimensions:	48 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	12.2 ltrs per min.

Conic pro+

- Single lever control
- 2 hose spray options
- Chrome
- Maximum 5 bar pressure



Chrome

Finish	Art. No.
Chrome	FI8122C

Height:	685 mm
Spout Centre:	200 mm
Base Dimensions:	40 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	11.5 ltrs per min.

Conic pro

- Single lever control
- 2 hose spray options
- Chrome
- Maximum 5 bar pressure



Chrome

Finish	Art. No.
Chrome	FI8102C

Height:	470 mm
Spout Centre:	200 mm
Base Dimensions:	40 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	11.5 ltrs per min.

SINKS AND TAPS

Taps - Brass Collection

Habitat

- Single lever control
- Pull out hose option F
- Chrome
- Maximum 5 bar pressure



Chrome

() = Pull out hose option

Height:	375 (370) mm
Spout Centre:	165 (195) mm
Base Dimensions:	50 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	14 (7.2) ltrs per min

Finish	Art. No.	Spout
Chrome	FI8301C	Standard
Chrome	FI8302C	Pull out hose

Crio+

- 1/4 turn handle controls
- Chrome
- Maximum 5 bar pressure



Chrome

Height:	345 mm
Spout Centre:	165 mm
Base Dimensions:	55 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	12.1 ltrs per min.

Finish	Art. No.
Chrome	FI6001C

Master

- Single lever control
- Chrome
- Maximum 5 bar pressure



Chrome

Height:	220 mm
Spout Centre:	200 mm
Base Dimensions:	43 mm ϕ
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	11.2 ltrs per min.

Finish	Art. No.
Chrome	FI5001C

Dado

- Single lever control
- Chrome
- Pull out hose option
- Maximum 5 bar pressure



Chrome

() = Pull out hose option

Height:	270 mm
Spout Centre:	225 mm
Base Dimensions:	45 mm
Cut Out Dimensions:	35 mm ϕ
Flow rate @ 3 bar:	13.5 (11.5) ltrs per min

Finish	Art. No.	Spout
Chrome	FI7811C	Standard
Chrome	FI7812C	Pull out hose

Linear

- 1/4 turn dual lever controls
- Chrome
- Maximum 5 bar pressure

Chrome



Finish	Art. No.
Chrome	FI2801C

Height:	220 mm
Spout Centre:	170 mm
Base Dimensions:	50 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	11.1 ltrs per min.

Crio eco

- 1/4 turn dual handles
- Chrome
- Maximum 5 bar pressure

Chrome



Finish	Art. No.
Chrome	FI2401C

Height:	215 mm
Spout Centre:	170 mm
Base Dimensions:	50 mm
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	11.1 ltrs per min

Sax 2

- Single lever control
- Chrome
- Maximum 5 bar pressure

Chrome



Finish	Art. No.
Chrome	FI2002C

Height:	195 mm
Spout Centre:	230 mm
Base Dimensions:	50 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	9.7 ltrs per min.

Semplice

- Single lever control
- Chrome
- Maximum 5 bar pressure

Chrome



Finish	Art. No.
Chrome	FI4301C

Height:	235 mm
Spout Centre:	225 mm
Base Dimensions:	50 mm \varnothing
Cut Out Dimensions:	35 mm \varnothing
Flow rate @ 3 bar:	9.7 ltrs per min.

SINKS AND TAPS

Taps

Yen

- Single lever control
- 5 finishes available
- Maximum 5 bar pressure




Finish	Art. No.
Chrome	FI2601C
Black	FI2601B
Steel	FI2601S
Dark Nickel	FI2601N
Dark Gold	FI2601DG

Height:	340 mm
Spout Centre:	175 mm
Base Dimensions:	50 mm ø
Cut Out Dimensions:	35 mm ø
Flow rate @ 3 bar:	9.9 ltrs per min.

Ring

- Dual lever control
- 5 finishes available
- Maximum 5 bar pressure




Finish	Art. No.
Chrome	FI3401C
Black	FI3401B
Steel	FI3401S
Dark Nickel	FI3401N
Dark Gold	FI3401DG

Height:	375 mm
Spout Centre:	205 mm
Base Dimensions:	50 mm ø
Cut Out Dimensions:	35 mm ø
Flow rate @ 3 bar:	12.8 ltrs per min.

Alpha

- Dual lever control
- Chrome or steel
- Maximum 5 bar pressure




Finish	Art. No.
Chrome	FI2021C
Stainless Steel	FI2021SS

Height:	345 mm
Spout Centre:	195 mm
Base Dimensions:	50 mm ø
Cut Out Dimensions:	35 mm ø
Flow rate @ 3 bar:	16.1 ltrs per min.

Juliett

- Dual lever control
- Chrome
- Maximum 5 bar pressure
- Ceramic handles



Finish	Art. No.
Chrome	FI2501C

Height:	350 mm
Spout Centre:	200 mm
Base Dimensions:	52 mm ø
Cut Out Dimensions:	35 mm ø
Flow rate @ 3 bar:	17 ltrs per min.